
GIANT YELLOWKNIFE GOLD MINES LIMITED

YELLOWKNIFE P.O.

NORTHWEST TERRITORIES

CANADA





Mr. J. P. Windish,
Department of National Health and Welfare,
Laboratory Services,
Occupational Health Division,
200 Kent Street,
Ottawa, Ontario.

Dear Jack:

Yesterday we shipped three samples to your laboratory, to the attention of Mr. J. L. Monkman, as requested in your letter or May 3rd.

The samples consist of:

- A. Sample of Cottrell Dust containing 40.22 percent arsenic by our determination.
- B. A prepared solution containing 239.99 milligrams of arsenic per liter by our determination.
- C. A water sample containing 0.075 milligrams of arsenic per liter.


Please let me know if you require more material of any kind.

Yours sincerely,

R. J. C. Tait

Mill Superintendent

cc: PNP: KCG





To:

Yellowknife T4, 5, T956.

Dear Sir.

We are Enclosed please fined the Samples for Arsenic request by Mr. J. Windish.

			Ewerage			
Sample	A co	ntains	40.22% As		Cotrell 1	ast.
Sample	В	•	239.99 mgr A	18/1	Solution	
Sample	C	"	0.075mgr A	18/1	Tap Water	

Please let us know soon as possible your results on these Samples for best cooperation.

Yours very truly

G.Borbely Chemist.