



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- AMENDED REPORT -

Prepared For: Ecology North

Address: 5013 - 51st Avenue
Yellowknife, NT
X1A 1E4

Attn: Shannon Ripley

Facsimile:

Final report has been reviewed and approved by:

Helene Harper
Manager

NOTES:

- Test methods and data are validated by the laboratory's Quality Assurance Program. Taiga Environmental Laboratory is accredited by the Canadian Association for Laboratory Accreditation Inc. (CALA) as a testing laboratory for specific tests registered with CALA.
- Routine methods are based on recognized procedures from sources such as
 - o Standard Methods for the Examination of Water and Wastewater APHA AWWA WEF;
 - o Environment Canada
 - o USEPA
- Samples shall be kept for thirty (30) days after the final report is issued. All microbiological samples shall be disposed of immediately upon completion of analysis to minimize biohazardous risks to laboratory personnel. Please contact the laboratory if you have any special requirements.
- Final results are based on the specific tests at the time of analysis and do not represent the conditions during sampling.

ReportDate: Thursday, November 03, 2011
Print Date: Wednesday, November 16, 2011

Page 1 of 27



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **E10-B Bromley's Oasis**

Taiga Sample ID: **001**

Client Project:

Sample Type: Soil

Received Date: 13-Oct-11

Sampling Date: 28-Sep-11

Sampling Time:

Location:

Report Status: Amended

Test Parameter	Result	Detection Limit	Units	Analysis Date	Analytical Method *	Qualifier
<u>Subcontracted Inorganics</u>						
Conductivity, Specific (25°C)	0.55	0.01	dS/m@25C	19-Oct-11	Carter/McKe	
pH	5.3		pH units	19-Oct-11	Carter/McKe	
Sodium Absorption Ratio	< 0.1	0.1		19-Oct-11	Carter/McKe	
<u>Trace Metals, Total</u>						
Arsenic	25.0	0.8	ug/g	03-Nov-11	EPA3050A	
Boron	8.2	4	ug/g	03-Nov-11	EPA3050A	
<u>Subcontracted Organics</u>						
Loss on Ignition	5.3	0.1	% by weight	19-Oct-11	McKeague 3.8	
<u>Subcontracted Physical</u>						
Clay - Soil Texture	8.6	0.1	% by weight	19-Oct-11	Carter 47.3	
Sand - Soil Texture	45.0	0.1	% by weight	19-Oct-11	Carter 47.3	
Silt - Soil Texture	46.4	0.1	% by weight	19-Oct-11	Carter 47.3	
Texture	Loam			19-Oct-11	Carter 47.3	
<u>Subcontracted Nutrients</u>						

ReportDate: Thursday, November 03, 2011

Page 2 of 27

Print Date: Wednesday, November 16, 2011



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **E10-B Bromley's Oasis**

Taiga Sample ID: **001**

% Saturation	79		%	19-Oct-11	Calculated
Calcium	3.99	0.01	meq/L	19-Oct-11	McKeague 3.2
Magnesium	1.49	0.02	meq/L	19-Oct-11	McKeague 3.2
Nitrate as N	< 2	2	mg/kg	20-Oct-11	Mod.Kelowna
Phosphorus	< 5	5	mg/kg	20-Oct-11	Mod.Kelowna
Potassium	151	10	mg/kg	20-Oct-11	Mod.Kelowna
Sodium	0.12	0.04	meq/L	19-Oct-11	McKeague 3.2
Sulphate	48	1	mg/kg	20-Oct-11	McKeague 4.4
Theoretical Gypsum Requirement	< 0.1	0.1		19-Oct-11	Calculated



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **D0 Berry Project**

Taiga Sample ID: **002**

Client Project:

Sample Type: Soil

Received Date: 13-Oct-11

Sampling Date: 28-Sep-11

Sampling Time:

Location:

Report Status: Amended

Test Parameter	Result	Detection Limit	Units	Analysis Date	Analytical Method *	Qualifer
<u>Subcontracted Inorganics</u>						
Conductivity, Specific (25°C)	1.12	0.01	dS/m@25C	19-Oct-11	Carter/McKe	
pH	4.0		pH units	19-Oct-11	Carter/McKe	
Sodium Absorption Ratio	0.4	0.1		19-Oct-11	Carter/McKe	
<u>Trace Metals, Total</u>						
Arsenic	34.7	0.8	ug/g	03-Nov-11	EPA3050A	
Boron	20.3	4	ug/g	03-Nov-11	EPA3050A	
<u>Subcontracted Organics</u>						
Loss on Ignition	13.7	0.1	% by weight	19-Oct-11	McKeague 3.8	
<u>Subcontracted Physical</u>						
Clay - Soil Texture	46.7	0.1	% by weight	19-Oct-11	Carter 47.3	
Sand - Soil Texture	15.0	0.1	% by weight	19-Oct-11	Carter 47.3	
Silt - Soil Texture	38.3	0.1	% by weight	19-Oct-11	Carter 47.3	
Texture	Clay			19-Oct-11	Carter 47.3	

Subcontracted Nutrients

ReportDate: Thursday, November 03, 2011

Page 4 of 27

Print Date: Wednesday, November 16, 2011



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: D0 Berry Project

Taiga Sample ID: 002

% Saturation	143		%	19-Oct-11	Calculated
Calcium	5.90	0.01	meq/L	19-Oct-11	McKeague 3.2
Magnesium	4.34	0.02	meq/L	19-Oct-11	McKeague 3.2
Nitrate as N	< 2	2	mg/kg	20-Oct-11	Mod.Kelowna
Phosphorus	17	5	mg/kg	20-Oct-11	Mod.Kelowna
Potassium	220	10	mg/kg	20-Oct-11	Mod.Kelowna
Sodium	0.86	0.04	meq/L	19-Oct-11	McKeague 3.2
Sulphate	343	1	mg/kg	20-Oct-11	McKeague 4.4
Theoretical Gypsum Requirement	< 0.1	0.1		19-Oct-11	Calculated



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **W33**

Taiga Sample ID: **003**

Client Project:

Sample Type: Soil

Received Date: 13-Oct-11

Sampling Date: 28-Sep-11

Sampling Time:

Location:

Report Status: Amended

Test Parameter	Result	Detection Limit	Units	Analysis Date	Analytical Method *	Qualifer
<u>Subcontracted Inorganics</u>						
Conductivity, Specific (25°C)	0.58	0.01	dS/m@25C	19-Oct-11	Carter/McKe	
pH	4.6		pH units	19-Oct-11	Carter/McKe	
Sodium Absorption Ratio	0.3	0.1		19-Oct-11	Carter/McKe	
<u>Trace Metals, Total</u>						
Arsenic	7.5	0.8	ug/g	03-Nov-11	EPA3050A	
Boron	22.4	4	ug/g	03-Nov-11	EPA3050A	
<u>Subcontracted Organics</u>						
Loss on Ignition	11.5	0.1	% by weight	19-Oct-11	McKeague 3.8	
<u>Subcontracted Physical</u>						
Clay - Soil Texture	36.0	0.1	% by weight	19-Oct-11	Carter 47.3	
Sand - Soil Texture	21.7	0.1	% by weight	19-Oct-11	Carter 47.3	
Silt - Soil Texture	42.3	0.1	% by weight	19-Oct-11	Carter 47.3	
Texture	Clay Loam			19-Oct-11	Carter 47.3	

Subcontracted Nutrients

ReportDate: Thursday, November 03, 2011

Page 6 of 27

Print Date: Wednesday, November 16, 2011



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: W33

Taiga Sample ID: 003

% Saturation	120		%	19-Oct-11	Calculated
Calcium	3.16	0.01	meq/L	19-Oct-11	McKeague 3.2
Magnesium	2.34	0.02	meq/L	19-Oct-11	McKeague 3.2
Nitrate as N	< 2	2	mg/kg	20-Oct-11	Mod.Kelowna
Phosphorus	7	5	mg/kg	20-Oct-11	Mod.Kelowna
Potassium	323	10	mg/kg	20-Oct-11	Mod.Kelowna
Sodium	0.49	0.04	meq/L	19-Oct-11	McKeague 3.2
Sulphate	110	1	mg/kg	20-Oct-11	McKeague 4.4
Theoretical Gypsum Requirement	< 0.1	0.1		19-Oct-11	Calculated



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **W28**

Taiga Sample ID: **004**

Client Project:

Sample Type: Soil

Received Date: 13-Oct-11

Sampling Date: 28-Sep-11

Sampling Time:

Location:

Report Status: Amended

Test Parameter	Result	Detection Limit	Units	Analysis Date	Analytical Method *	Qualifer
<u>Subcontracted Inorganics</u>						
Conductivity, Specific (25°C)	0.63	0.01	dS/m@25C	19-Oct-11	Carter/McKe	
pH	4.9		pH units	19-Oct-11	Carter/McKe	
Sodium Absorption Ratio	0.2	0.1		19-Oct-11	Carter/McKe	
<u>Trace Metals, Total</u>						
Arsenic	8.4	0.8	ug/g	03-Nov-11	EPA3050A	
Boron	17.4	4	ug/g	03-Nov-11	EPA3050A	
<u>Subcontracted Organics</u>						
Loss on Ignition	10.0	0.1	% by weight	19-Oct-11	McKeague 3.8	
<u>Subcontracted Physical</u>						
Clay - Soil Texture	31.0	0.1	% by weight	19-Oct-11	Carter 47.3	
Sand - Soil Texture	30.0	0.1	% by weight	19-Oct-11	Carter 47.3	
Silt - Soil Texture	39.0	0.1	% by weight	19-Oct-11	Carter 47.3	
Texture	Clay Loam			19-Oct-11	Carter 47.3	

Subcontracted Nutrients

ReportDate: Thursday, November 03, 2011

Page 8 of 27

Print Date: Wednesday, November 16, 2011



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: W28

Taiga Sample ID: 004

% Saturation	114		%	19-Oct-11	Calculated
Calcium	3.86	0.01	meq/L	19-Oct-11	McKeague 3.2
Magnesium	2.94	0.02	meq/L	19-Oct-11	McKeague 3.2
Nitrate as N	< 2	2	mg/kg	20-Oct-11	Mod.Kelowna
Phosphorus	< 5	5	mg/kg	20-Oct-11	Mod.Kelowna
Potassium	196	10	mg/kg	20-Oct-11	Mod.Kelowna
Sodium	0.31	0.04	meq/L	19-Oct-11	McKeague 3.2
Sulphate	94	1	mg/kg	20-Oct-11	McKeague 4.4
Theoretical Gypsum Requirement	< 0.1	0.1		19-Oct-11	Calculated



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **Dettah #3**

Taiga Sample ID: **005**

Client Project:

Sample Type: Soil

Received Date: 13-Oct-11

Sampling Date: 28-Sep-11

Sampling Time:

Location:

Report Status: Amended

Test Parameter	Result	Detection Limit	Units	Analysis Date	Analytical Method *	Qualifer
<u>Subcontracted Inorganics</u>						
Conductivity, Specific (25°C)	0.57	0.01	dS/m@25C	19-Oct-11	Carter/McKe	
pH	4.5		pH units	19-Oct-11	Carter/McKe	
Sodium Absorption Ratio	0.3	0.1		19-Oct-11	Carter/McKe	
<u>Trace Metals, Total</u>						
Arsenic	28.6	0.8	ug/g	03-Nov-11	EPA3050A	
Boron	15.0	4	ug/g	03-Nov-11	EPA3050A	
<u>Subcontracted Organics</u>						
Loss on Ignition	7.1	0.1	% by weight	19-Oct-11	McKeague 3.8	
<u>Subcontracted Physical</u>						
Clay - Soil Texture	34.6	0.1	% by weight	19-Oct-11	Carter 47.3	
Sand - Soil Texture	23.0	0.1	% by weight	19-Oct-11	Carter 47.3	
Silt - Soil Texture	42.4	0.1	% by weight	19-Oct-11	Carter 47.3	
Texture	Clay Loam			19-Oct-11	Carter 47.3	

Subcontracted Nutrients

ReportDate: Thursday, November 03, 2011

Print Date: Wednesday, November 16, 2011



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: Dettah #3

Taiga Sample ID: 005

% Saturation	83		%	19-Oct-11	Calculated
Calcium	2.76	0.01	meq/L	19-Oct-11	McKeague 3.2
Magnesium	2.31	0.02	meq/L	19-Oct-11	McKeague 3.2
Nitrate as N	< 2	2	mg/kg	20-Oct-11	Mod.Kelowna
Phosphorus	< 5	5	mg/kg	20-Oct-11	Mod.Kelowna
Potassium	196	10	mg/kg	20-Oct-11	Mod.Kelowna
Sodium	0.47	0.04	meq/L	19-Oct-11	McKeague 3.2
Sulphate	81	1	mg/kg	20-Oct-11	McKeague 4.4
Theoretical Gypsum Requirement	< 0.1	0.1		19-Oct-11	Calculated



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **E10-E Birch Stand**

Taiga Sample ID: **006**

Client Project:

Sample Type: Soil

Received Date: 13-Oct-11

Sampling Date: 28-Sep-11

Sampling Time:

Location:

Report Status: Amended

Test Parameter	Result	Detection Limit	Units	Analysis Date	Analytical Method *	Qualifer
<u>Subcontracted Inorganics</u>						
Conductivity, Specific (25°C)	1.36	0.01	dS/m@25C	19-Oct-11	Carter/McKe	
pH	4.1		pH units	19-Oct-11	Carter/McKe	
Sodium Absorption Ratio	0.2	0.1		19-Oct-11	Carter/McKe	
<u>Trace Metals, Total</u>						
Arsenic	20.4	0.8	ug/g	03-Nov-11	EPA3050A	
Boron	13.7	4	ug/g	03-Nov-11	EPA3050A	
<u>Subcontracted Organics</u>						
Loss on Ignition	10.5	0.1	% by weight	19-Oct-11	McKeague 3.8	
<u>Subcontracted Physical</u>						
Clay - Soil Texture	26.7	0.1	% by weight	19-Oct-11	Carter 47.3	
Sand - Soil Texture	15.0	0.1	% by weight	19-Oct-11	Carter 47.3	
Silt - Soil Texture	58.3	0.1	% by weight	19-Oct-11	Carter 47.3	
Texture	Silt Loam			19-Oct-11	Carter 47.3	

Subcontracted Nutrients

ReportDate: Thursday, November 03, 2011

Page 12 of 27

Print Date: Wednesday, November 16, 2011



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: E10-E Birch Stand

Taiga Sample ID: 006

% Saturation	110		%	19-Oct-11	Calculated
Calcium	7.32	0.01	meq/L	19-Oct-11	McKeague 3.2
Magnesium	6.88	0.02	meq/L	19-Oct-11	McKeague 3.2
Nitrate as N	< 2	2	mg/kg	20-Oct-11	Mod.Kelowna
Phosphorus	24	5	mg/kg	20-Oct-11	Mod.Kelowna
Potassium	187	10	mg/kg	20-Oct-11	Mod.Kelowna
Sodium	0.57	0.04	meq/L	19-Oct-11	McKeague 3.2
Sulphate	383	1	mg/kg	20-Oct-11	McKeague 4.4
Theoretical Gypsum Requirement	< 0.1	0.1		19-Oct-11	Calculated



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **E10-C Birch Stand**

Taiga Sample ID: **007**

Client Project:

Sample Type: Soil

Received Date: 13-Oct-11

Sampling Date: 28-Sep-11

Sampling Time:

Location:

Report Status: Amended

Test Parameter	Result	Detection Limit	Units	Analysis Date	Analytical Method *	Qualifer
<u>Subcontracted Inorganics</u>						
Conductivity, Specific (25°C)	0.63	0.01	dS/m@25C	19-Oct-11	Carter/McKe	
pH	4.0		pH units	19-Oct-11	Carter/McKe	
Sodium Absorption Ratio	< 0.1	0.1		19-Oct-11	Carter/McKe	
<u>Trace Metals, Total</u>						
Arsenic	13.5	0.8	ug/g	03-Nov-11	EPA3050A	
Boron	8.2	4	ug/g	03-Nov-11	EPA3050A	
<u>Subcontracted Organics</u>						
Loss on Ignition	14.9	0.1	% by weight	19-Oct-11	McKeague 3.8	
<u>Subcontracted Physical</u>						
Clay - Soil Texture	9.3	0.1	% by weight	19-Oct-11	Carter 47.3	
Sand - Soil Texture	36.7	0.1	% by weight	19-Oct-11	Carter 47.3	
Silt - Soil Texture	54.0	0.1	% by weight	19-Oct-11	Carter 47.3	
Texture	Silt Loam			19-Oct-11	Carter 47.3	

Subcontracted Nutrients

ReportDate: Thursday, November 03, 2011

Print Date: Wednesday, November 16, 2011



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: E10-C Birch Stand

Taiga Sample ID: 007

% Saturation	130		%	19-Oct-11	Calculated
Calcium	4.35	0.01	meq/L	19-Oct-11	McKeague 3.2
Magnesium	1.50	0.02	meq/L	19-Oct-11	McKeague 3.2
Nitrate as N	< 2	2	mg/kg	20-Oct-11	Mod.Kelowna
Phosphorus	< 5	5	mg/kg	20-Oct-11	Mod.Kelowna
Potassium	64	10	mg/kg	20-Oct-11	Mod.Kelowna
Sodium	0.16	0.04	meq/L	19-Oct-11	McKeague 3.2
Sulphate	130	1	mg/kg	20-Oct-11	McKeague 4.4
Theoretical Gypsum Requirement	< 0.1	0.1		19-Oct-11	Calculated



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **E08**

Taiga Sample ID: **008**

Client Project:

Sample Type: Soil

Received Date: 13-Oct-11

Sampling Date: 28-Sep-11

Sampling Time:

Location:

Report Status: Amended

Test Parameter	Result	Detection Limit	Units	Analysis Date	Analytical Method *	Qualifier
<u>Subcontracted Inorganics</u>						
Conductivity, Specific (25°C)	0.22	0.01	dS/m@25C	19-Oct-11	Carter/McKe	
pH	4.6		pH units	19-Oct-11	Carter/McKe	
Sodium Absorption Ratio	0.1	0.1		19-Oct-11	Carter/McKe	
<u>Trace Metals, Total</u>						
Arsenic	11.2	0.8	ug/g	03-Nov-11	EPA3050A	
Boron	5.8	4	ug/g	03-Nov-11	EPA3050A	
<u>Subcontracted Organics</u>						
Loss on Ignition	2.0	0.1	% by weight	19-Oct-11	McKeague 3.8	
<u>Subcontracted Physical</u>						
Clay - Soil Texture	11.2	0.1	% by weight	19-Oct-11	Carter 47.3	
Sand - Soil Texture	53.0	0.1	% by weight	19-Oct-11	Carter 47.3	
Silt - Soil Texture	35.8	0.1	% by weight	19-Oct-11	Carter 47.3	
Texture	Sandy Loam			19-Oct-11	Carter 47.3	

Subcontracted Nutrients

ReportDate: Thursday, November 03, 2011

Print Date: Wednesday, November 16, 2011



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **E08**

Taiga Sample ID: **008**

% Saturation	51		%	19-Oct-11	Calculated
Calcium	1.27	0.01	meq/L	19-Oct-11	McKeague 3.2
Magnesium	0.80	0.02	meq/L	19-Oct-11	McKeague 3.2
Nitrate as N	< 2	2	mg/kg	20-Oct-11	Mod.Kelowna
Phosphorus	35	5	mg/kg	20-Oct-11	Mod.Kelowna
Potassium	67	10	mg/kg	20-Oct-11	Mod.Kelowna
Sodium	0.14	0.04	meq/L	19-Oct-11	McKeague 3.2
Sulphate	9	1	mg/kg	20-Oct-11	McKeague 4.4
Theoretical Gypsum Requirement	< 0.1	0.1		19-Oct-11	Calculated



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: D0

Taiga Sample ID: 009

Client Project:

Sample Type: Berries

Received Date: 13-Oct-11

Sampling Date: 28-Sep-11

Sampling Time:

Location:

Report Status: Amended

Test Parameter	Result	Detection Limit	Units	Analysis Date	Analytical Method *	Qualifer
<u>Trace Metals, Total</u>						
Arsenic	0.13	0.05	ug/g	15-Nov-11	EPA3050A	

ReportDate: Thursday, November 03, 2011
Print Date: Wednesday, November 16, 2011

Page 18 of 27



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **D3**

Taiga Sample ID: **010**

Client Project:

Sample Type: Berries

Received Date: 13-Oct-11

Sampling Date: 28-Sep-11

Sampling Time:

Location:

Report Status: Amended

Test Parameter	Result	Detection Limit	Units	Analysis Date	Analytical Method *	Qualifer
<u>Trace Metals, Total</u>						
Arsenic	0.11	0.05	ug/g	15-Nov-11	EPA3050A	



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **W33**

Taiga Sample ID: **011**

Client Project:

Sample Type: Berries

Received Date: 13-Oct-11

Sampling Date: 28-Sep-11

Sampling Time:

Location:

Report Status: Amended

Test Parameter	Result	Detection Limit	Units	Analysis Date	Analytical Method *	Qualifer
<u>Trace Metals, Total</u>						
Arsenic	< 0.05	0.05	ug/g	15-Nov-11	EPA3050A	

ReportDate: Thursday, November 03, 2011
Print Date: Wednesday, November 16, 2011



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **W28**

Taiga Sample ID: **012**

Client Project:

Sample Type: Berries

Received Date: 13-Oct-11

Sampling Date: 28-Sep-11

Sampling Time:

Location:

Report Status: Amended

Test Parameter	Result	Detection Limit	Units	Analysis Date	Analytical Method *	Qualifer
<u>Trace Metals, Total</u>						
Arsenic	0.07	0.05	ug/g	15-Nov-11	EPA3050A	



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **B2**

Taiga Sample ID: **013**

Client Project:

Sample Type: Berries

Received Date: 13-Oct-11

Sampling Date: 28-Sep-11

Sampling Time:

Location:

Report Status: Amended

Test Parameter	Result	Detection Limit	Units	Analysis Date	Analytical Method *	Qualifer
<u>Trace Metals, Total</u>						
Arsenic	0.07	0.05	ug/g	15-Nov-11	EPA3050A	

ReportDate: Thursday, November 03, 2011
Print Date: Wednesday, November 16, 2011

Page 22 of 27



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **E10A**

Taiga Sample ID: **014**

Client Project:

Sample Type: Berries

Received Date: 13-Oct-11

Sampling Date: 28-Sep-11

Sampling Time:

Location:

Report Status: Amended

Test Parameter	Result	Detection Limit	Units	Analysis Date	Analytical Method *	Qualifer
<u>Trace Metals, Total</u>						
Arsenic	0.09	0.05	ug/g	15-Nov-11	EPA3050A	

ReportDate: Thursday, November 03, 2011
Print Date: Wednesday, November 16, 2011



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **E10B**

Taiga Sample ID: **015**

Client Project:

Sample Type: Berries

Received Date: 13-Oct-11

Sampling Date: 28-Sep-11

Sampling Time:

Location:

Report Status: Amended

Test Parameter	Result	Detection Limit	Units	Analysis Date	Analytical Method *	Qualifer
<u>Trace Metals, Total</u>						
Arsenic	0.12	0.05	ug/g	15-Nov-11	EPA3050A	



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **E10C**

Taiga Sample ID: **016**

Client Project:

Sample Type: Berries

Received Date: 13-Oct-11

Sampling Date: 28-Sep-11

Sampling Time:

Location:

Report Status: Amended

Test Parameter	Result	Detection Limit	Units	Analysis Date	Analytical Method *	Qualifer
<u>Trace Metals, Total</u>						
Arsenic	0.07	0.05	ug/g	15-Nov-11	EPA3050A	

ReportDate: Thursday, November 03, 2011
Print Date: Wednesday, November 16, 2011



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **E08**

Taiga Sample ID: **017**

Client Project:

Sample Type: Berries

Received Date: 13-Oct-11

Sampling Date: 28-Sep-11

Sampling Time:

Location:

Report Status: Amended

Test Parameter	Result	Detection Limit	Units	Analysis Date	Analytical Method *	Qualifer
<u>Trace Metals, Total</u>						
Arsenic	0.16	0.05	ug/g	15-Nov-11	EPA3050A	



Taiga Environmental Laboratory
4601-52nd Ave., Box 1500, Yellowknife, NT. X1A 2R3
Tel: (867)-669-2788 Fax: (867)-669-2718

Taiga Batch No.:
110780

- CERTIFICATE OF ANALYSIS -

Client Sample ID: **E08**

Taiga Sample ID: **017**

*** Taiga analytical methods are based on the following standard analytical methods**

SM - Standard Methods for the Examination of Water and Wastewater

EPA - United States Environmental Protection Agency

Comments *Report was amended to reflect the lower detection.*