

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. UB863BEARING N60WDIP AT COLLAR 45LENGTH 242.0LAT. 13400.56DEP. 7756.91 ^{388 W}ELEV. 5444

DATE COMPLETED _____

PURPOSE Ore Def.SHAFT 2LEVEL 575WORKING R-403HSECTION 1650N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 15.0	f.g. mass grn grs. local ep. local silic.				
15.0 - 21.0	As above but 30% bands of pink qtz with chl & ep.				
21.0 - 25.0	f.g. sch. grs. brown snfl. local silic				
25.0 - 39.0	f.g. grn grs. sch carb.				
39.0 - 45.0	Chl-ser sch local qtz carb bx minor local py	8361	6.0	.07	
45.0 - 52.0	As above	8362	7.0	.01	
52.0 - 57.0	Chl-ser sch qtz carb bx local fine py.	8363	5.0	.03	
57.0 - 62.0	As above	8364	5.0	.02	
62.0 - 67.0	Chl-ser grs sch minor qtz carb	8365	5.0	.04	
67.0 - 69.0	qtz-carb-chl bx minor py	8366	2.0	.02	
69.0 - 75.0	Chl-ser sch local qtz carb				
75.0 - 87.0	F.g. chl grs sch-minor qtz carb				
87.0 - 113.0	F.g. gry-grn chl-ser sch, carb banding looks tuffaceous				

Logged by ASDHole No. 863

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
113.0 - 119.0	Lt gry f.g. sericitic tuffac sch locally slatey				
119.0 - 122.0	Ground core-bull qtz & slatey sch				
122.0 - 124.0	Fg. gry grn chl-ser sch, minor qtz				
124.0 - 125.0	Chl-ser sch, 10% qtz, dissem. py	8367	1.0	.10	
125.0 - 132.0	F.g. elastic sericitic tuffac, schist				
132.0 - 147.0	Chl-ser sch, buff gry bx text.				
147.0 - 152.0	F.g. Lt. gry sericitic tuffac schist				
152.0 - 154.5	F.g. silic ser schist. fine dissem py; aspy	8368	2.5	.39	
154.5 - 158.0	Chl-ser sch, local qtz bands & blobs local py	8369	3.5	.04	
158.0 - 160.0	F.g. Lt. gry ser sch negl. qtz	8370	2.0	.07	
160.0 - 164.0	F.g. silic ser sch 20% qtz, py, aspy	8371	4.0	.24	
164.0 - 170.0	As above	8372	6.0	2.26	22.13 ck
170.0 - 172.0	F.g. Lt. gry ser sch negl. qtz	8373	2.0	.02	
172.0 - 189.0	F.g. Lt. gry ser sch, minor qtz carb				
189.0 - 192.0	Gry-grn grs sch 1" slater colour at 192				
192.0 - 195.0	Sch grs grading to mass				
195.0 - 210.0	F. g. sch to mass grn. grs.				

N.M.F.P. 57443

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS																					
				OZ./TON	OZ./TON																				
210.0 - 242.0	F.g. sl. sch grn. grs. ep. minor hem. <table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Au Grade</u></td></tr><tr><td>152.0</td><td>154.5</td><td>2.5</td><td>.39</td></tr><tr><td>160.0</td><td>170.0</td><td>10.0</td><td>1.45</td></tr></table> <table><tr><td colspan="3"><u>Dip Test</u></td></tr><tr><td><u>Depth</u></td><td><u>Read</u></td><td><u>Correct</u></td></tr><tr><td>242</td><td>21$\frac{1}{2}$</td><td>18$\frac{1}{2}$</td></tr></table>	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Au Grade</u>	152.0	154.5	2.5	.39	160.0	170.0	10.0	1.45	<u>Dip Test</u>			<u>Depth</u>	<u>Read</u>	<u>Correct</u>	242	21 $\frac{1}{2}$	18 $\frac{1}{2}$			
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Au Grade</u>																						
152.0	154.5	2.5	.39																						
160.0	170.0	10.0	1.45																						
<u>Dip Test</u>																									
<u>Depth</u>	<u>Read</u>	<u>Correct</u>																							
242	21 $\frac{1}{2}$	18 $\frac{1}{2}$																							