

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B662BEARING S60EDIP AT COLLAR -60LENGTH 408.0LAT. 13342.96DEP. 7755.91ELEV. 5436

DATE COMPLETED \_\_\_\_\_

PURPOSE Lower OrebodySHAFT 2LEVEL 575WORKING B-403NSECTION 1600N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	Cs.				
2.0 - 52.0	f.g. grn sch grs, hem fract, ep threads				
52.0 - 78.0	as above merging into grs sch,				
78.0 - 89.5	gry-buff chl-ser schw qtz lenses, chiefly ser'c				
89.5 - 180.0	grn-gry chl-ser sch, merg w grs sch; merg into ser sch at 180.0				
180.0 - 194.0	gry ser sch				
194.0 - 201.0	20% mosaic bx qtz, tr sp & gry min, py	6984	7.0	.25	1.750
201.0 - 207.0	30% qtz & as above, aspy; tr sp & gry min	6985	6.0	.63	3.780
207.0 - 213.0	40% & as above	6986	5/6.0	.50	3.000
213.0 - 218.0	30% qtz, py, aspy	6989	5.0	.41	2.050
218.0 - 280.0	gry ser sch				10.580
280.0 - 285.0	qtz lenses; py, aspy	6990	5.0	.45	2.250
285.0 - 290.0	20% qtz, py, aspy	6991	5.0	1.26	6.300
290.0 - 296.0	20% qtz, py, aspy	6992	6.0	.28	1.680

LOGGED BY JDBHOLE No. U-B662

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
296.0 - 301.0	50% qtz & as above, tr gry min	6993	5.0	.91	4.550
301.0 - 303.5	As above; tr gry min	6994	2.5	.96	2.400
303.5 - 308.5	qtz lenses in ser sch, py, aspy	6995	5.0	.29	1.450
308.5 - 312.5	as above	2258	4.0	.08	.320
312.5 - 319.0	30% qtz-carb, py, aspy	2259	6.5	1.17	7.605
319.0 - 325.0	20% qtz & as above	2260	6.0	.43	<u>2.580</u>
325.0 - 329.0	gry-buff ser sch	2273	4.0	.04	29.135
329.0 - 337.0	20% qtz lenses in ser sch, py, aspy	2274	6/8.0	.28	.160
337.0 - 350.0	gry buff ser sch, no min				<u>2.240</u>
350.0 - 357.0	qtz lenses in ser sch, minor min	2275	7.0	.43	31.535
357.0 - 364.0	50% qtz carb, py, aspy, tr sp	2276	7.0	1.24	3.010
364.0 - 371.0	as above, speck v.g.	2277	7.0	1.06)	8.680
371.0 - 379.0	40% qtz & as above	2278	7/8.0	1.01)	
379.0 - 387.0	30% qtz & as above	2279	7/8.0	1.52	12.160
391.0 - 396.0	dk buff gry chl-ser sch	2280	4.0	.16	1.280
396.0 - 408.0	f.g. grn grs sch			.28	<u>1.120</u>
					<u>33.480</u>
	From	To	C. L.	Grade	
	194.0	218.0	24.0	.44	
	280.0	337.0	57.0	.55	
	350.0	391.0	41.0	.81	

NMMA 157443

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
	<div>Dip Tests</div> <div><div><div>Depth</div><div>150</div><div>300</div></div><div><div>Read</div><div>58</div><div>52</div></div><div><div>Correct</div><div>54 49½</div><div>47½ 43½</div></div></div>				