

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-8732BEARING N60WDIP AT COLLAR -45°LENGTH 235.0LAT. 12812.41DEP. 7674.87 166WELEV. 5435DATE COMPLETED Feb. 28/50PURPOSE Lower OrebodyExtensionSHAFT 2LEVEL 575WORKING Block Dr.SECTION 11CON

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 2.0	Casing				
2.0 - 7.0	20% qtz-carb lenses in ser sch	3919	5.0	.14	
7.0 - 12.5	As above	3920	5.5	.08	
12.5 - 18.0	Fg gray ser sch				
18.0 - 25.0	30% qtz-carb lenses in ser sch	3921	7.0	.26	
25.0 - 31.5	Fg gray ser sch				
31.5 - 38.0	30% qtz-carb lenses in ser sch spar min with py and aspy	3922	6.5	.06	
38.0 - 40.0	As above	3923	2.0	.13	
40.0 - 75.0	Fg gray ser sch, in part chl-ser sch				
75.0 - 78.0	20% qtz-lenses well min with aspy and minor py	3929	3.0	.06	
78.0 - 83.0	Fg gray ser sch				
83.0 - 88.0	20% qtz-lenses min with py and minor aspy	3930	5.0	.13	
88.0 - 104.0	Fg. gray chl-ser sch with local carb lenses				

Logged by JAEHole No. U-8732

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON																					
104.0 - 137.0	Fg. gray-grn grs sch, locally chl-ser sch																								
137.0 - 163.0	Gradation into ser sch with a few carb lenses																								
163.0 - 169.0	Qtz-carb lenses in ser sch min with py	3942	6.0	.41	2.460																				
169.0 - 176.0	As above but with increasing min	3943	7.0	.03	.210																				
176.0 - 181.0	50% Qtz-carb lenses min with py aspy and traces at gray min	3944	5.0	.29	<u>1.450</u>																				
181.0 - 186.0	As above, decreasing min, 1' core ground at 183.0	3945	4.0/5.0	.10	4.120																				
186.0 - 192.0	20% Qtz-carb lenses in ser sch spar min with pya and aspy	3946	6.0	.12																					
192.0 - 198.0	As above	3947	6.0	.03																					
198.0 - 204.0	40% Qtz-carb lenses and as above, 1' core ground at 204.0	3948	5.0/6.0	.04																					
204.0 - 210.0	As above but with increased min	3949	6.0	(.26 (.25																					
210.0 - 221.5	Fg gray ser sch with local calc lenses.																								
221.5 - 224.0	60% blue Qtz and carb min with py and aspy, V.C., well defined contacts against ser sch	3950	2.5	(.81 (.83																					
224.0 - 228.0	Fg gray ser sch with local carb lenses																								
228.0 - 235.0	Fg gray-grn chl-ser sch with gradation to grs sch toward 235.0																								
	<table><tr><td>From</td><td>To</td><td>C.L.</td><td>Grade</td></tr><tr><td>18.0</td><td>25.0</td><td>7.0</td><td>.26</td></tr><tr><td>163.0</td><td>181.0</td><td>18.0</td><td>.23</td></tr><tr><td>204.0</td><td>210.0</td><td>6.0</td><td>.25</td></tr><tr><td>221.5</td><td>224.0</td><td>2.5</td><td>.84</td></tr></table>	From	To	C.L.	Grade	18.0	25.0	7.0	.26	163.0	181.0	18.0	.23	204.0	210.0	6.0	.25	221.5	224.0	2.5	.84				
From	To	C.L.	Grade																						
18.0	25.0	7.0	.26																						
163.0	181.0	18.0	.23																						
204.0	210.0	6.0	.25																						
221.5	224.0	2.5	.84																						

N.M.P. FORM 40

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	
	<div><div><div><div><div><u>Dip Tests</u></div></div></div><div><div><div><div><u>Depth</u></div></div><div>150'</div><div>235'</div></div><div><div><div><div><u>Read</u></div></div><div>43°</div><div>41°</div></div><div><div><div><div><u>Correct</u></div></div><div>39° 35</div><div>37° 33</div></div></div></div></div></div></div>				