

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-C 1173BEARING S 60 EDIP AT COLLAR 40LENGTH 171.0LAT. 11300.97DEP. 7090.34ELEV. 5258.00

DATE COMPLETED _____

PURPOSE Dev.SHAFT 3LEVEL 750WORKING C-704 NSECTION 500 S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 1.0	cs				
1.0 - 34.0	v.f.g. lt grn, grs				
34.0 - 44.0	lt grn sch grs				
44.0 - 80.0	gry grn chl-ser				
80.0 - 100.5	gry ser sch				
100.5 - 108.5	buff gry ser sch				
108.5 - 110.5	buff gry ser sch w minor qtz-carb lenses	12282	2.0	.03	
110.5 - 128.5	buff gry ser sch				
128.5 - 130.5	ser sch qtz-carb lenses py, aspy	12283	2.0	.24	
130.5 - 136.5	ser sch				
136.5 - 141.5	ser sch w minor qtz-carb lenses py	12284	5.0	.02	
141.5 - 148.5	ser sch w qtz-carb lenses, py aspy	12285	7.0	.03	
148.5 - 155.5	as above	12286	7.0	.01	
155.5 - 162.5	as above no aspy	12287	7.0	.01	

Logged by MPHole No. U-C 1173

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS									
				OZ./TON	OZ./TON								
162.5 - 163.8	chl-ser sch												
163.8 - 171.0	chilled contact - phy? (see example)												
	<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>CL</u></td><td><u>Gr</u></td></tr><tr><td>128.5</td><td>130.5</td><td>2.0</td><td>0.24</td></tr></table>	<u>From</u>	<u>To</u>	<u>CL</u>	<u>Gr</u>	128.5	130.5	2.0	0.24				
<u>From</u>	<u>To</u>	<u>CL</u>	<u>Gr</u>										
128.5	130.5	2.0	0.24										

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
171.0-171.5	porph. dike				
171.5-201.0	grn-gry chl-ser sch; barren carb strs				
201.0-211.0	dk grn grs-sch; (206.0-209.0 gry-grn porph dike chilled contacts)				