

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 464SHAFT 2BEARING ---LEVEL 425DIP AT COLLAR 490°LAT. 13048.0DATE COMPLETED ---DEP. 7459.5PURPOSE E-308 definitionWORKING B-308NLENGTH 95.0'ELEV. 5598SECTION 1200N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 1.0	Casing.				
1.0 - 5.0	40% qtz in ser sch, py, aspy.	5678	4.0	.03	
5.0 - 12.0	Qtz lenses & strs in ser sch, py.	5679	7.0	.01	
12.0 - 19.0	Buff ser sch w qtz lenses & strs, minor min.	5680	7.0	.03	
19.0 - 26.5	30% qtz in ser sch, py, aspy.	5681	7.5	.17	
26.5 - 41.0	Dk. gry-buff ser sch, neg. qtz or min.				
41.0 - 42.0	80% qtz-carb, aspy.	5682	1.0	.44	
42.0 - 71.0	Gry-buff ser sch, neg qtz or min. T.S. 65.5-66.5 Qtz-asp	5683	1.0	.24	
71.0 - 94.0	Dk. gry chl-ser sch.				
94.0 - 95.0	Grs sch, 1" fault gouge 94.0				

Logged by JLBHole No. U-B 464

SECTION 1200N

Hole No. U-B 463

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 462BEARING N60°WDIP AT COLLAR 475°LENGTH 81.0'LAT. 12617.0DEP. 7412.5ELEV. 5758.0

DATE COMPLETED _____

PURPOSE No. 2 - B-118 Stope definition.SHAFT 2LEVEL 250WORKING B-202NSECTION 300N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 2.0	Casing				
2.0 - 10.0	60% qtz, py, aspy, sp.	5659	8.0	1.59	12.720
10.0 - 17.0	50% qtz & as above, local gry min.	5660	7.0	.96	6.720
17.0 - 24.0	20% qtz in ser sch py, minor aspy.	5661	7.0	.16	1.120
24.0 - 28.5	Qtz lenses & strs in ser sch.	5662	4.5	.05	.225
28.5 - 33.0	50% qtz-carb, py, aspy, tr sp, gry min, & v.g.	5663	4.5	1.11	4.995
33.0 - 38.0	80% qtz-carb, py, aspy, sp, gry min, v.g. sparing min.	5664	5.0	1.29	6.450
38.0 - 46.0	40% qtz-carb, py, aspy, local sp.	5665	8.0	.62	4.960
46.0 - 52.5	90% qtz-carb, py, aspy, sp, gry min, v.g.	5666	6.5	.86	5.590
52.5 - 56.5	20% qtz in ser sch, py, aspy,	5667	4.0	.01	42.780 .040
56.5 - 61.5	Gry-huff ser sch, minor qtz & min.	5668	5.0	.14	.700
61.5 - 67.5	Ore-type sect in partly silic ser sch, py, local aspy, sp & gry min.	5669	6.0	.15	.900 1.640
67.5 - 75.0	20% qtz in ser sch, py, aspy.	5670	7.5	1.35	10.125
75.0 - 81.0	Qtz lenses in ser sch, local min, 6" fault bx zone 79.0	5671	6.0	1.42	8.520 18.645

JIE

Logged by _____

U-B 462

Hole No. _____

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON																									
	<p style="text-align: center;"><u>Calc. Grade.</u></p> <table> <tr> <th></th><th><u>From</u></th><th><u>To</u></th><th><u>C.L.</u></th><th><u>Uncut</u></th><th><u>Cut.</u></th></tr> <tr> <td></td><td>2.0</td><td>81.0</td><td>79.0</td><td>.79</td><td>.72</td></tr> <tr> <td>Alt.</td><td>2.0</td><td>52.5</td><td>50.5</td><td>.84</td><td>---</td></tr> <tr> <td>Alt.</td><td>67.5</td><td>81.0</td><td>13.5</td><td>1.38</td><td>-----</td></tr> </table>		<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut.</u>		2.0	81.0	79.0	.79	.72	Alt.	2.0	52.5	50.5	.84	---	Alt.	67.5	81.0	13.5	1.38	-----				
	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut.</u>																								
	2.0	81.0	79.0	.79	.72																								
Alt.	2.0	52.5	50.5	.84	---																								
Alt.	67.5	81.0	13.5	1.38	-----																								

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 461SHAFT 2BEARING ---LEVEL 250DIP AT COLLAR 490°LAT. 12745.0DATE COMPLETED -----DEP. 7440.0PURPOSE P-218 S to PC definition.WORKING B-202NLENGTH 118.0'ELEV. 5758SECTION 925N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 1.0	Casing.				
1.0 - 6.0	30% qtz (in vein) in partly silic ser sch, py.	5654	5.0	.08	
6.0 - 11.0	Qtz lenses in buff ser sch, minor min.	5655	5.0	.08	
11.0 - 17.5	Buff ser sch, qtz lenses, minor min.	5656	6.5	.04	
17.5 - 22.0	Qtz lenses in ser sch, local min.	5657	4.5	.05	
22.0 - 29.5	Gry ser sch.				
29.5 - 104.0	Dk. gry chl-ser sch, locally seric & dragf. banded 84.5-87.0, grn after 87.0. T.S. min sect. 71.0-72.0	5658	1.0	.01	
104.0 - 118.0	Dk. gry-grn grs sch w lentic snfl alt.				

JDE

Logged by -----

U-B 461

Hole No. -----

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B460BEARING N60WDIP AT COLLAR 475LENGTH 74.0LAT. 12,640.0DEP. 7,424.0ELEV. 5,758.0

DATE COMPLETED _____

PURPOSE No. 1 - 2 Shoot DefinitionSHAFT 2LEVEL 250WORKING B-202NSECTION 825N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 1.0	cs				
1.0 - 6.0	qutx lenses	5640	5.0	.14	
6.0 - 12.0	gry ser sch w 6" qutx well min w ep	5641	6.0	.44	2.640
12.0 - 16.0	30% qutx & carb w py; local sp	5642	4.0	.61	2.440
16.0 - 21.0	70% qutx w carb; py, aspy, sp; speck v.g.	5643	5.0	.88	4.400
21.0 - 26.0	30% qutx & qutx-carb., py, aspy; tr sp & gry min	5648	5.0	.18	.900
26.0 - 32.0	20% qutx & as above	5649	6.0	.04	10.380
32.0 - 39.0	qutx lenses in banded ser sch; local min	5650	7.0		
39.0 - 46.0	as above	5651	7.0	.03	
46.0 - 62.0	dk gry ser sch; no sig qutx or min				
62.0 - 67.0	20% bx qutx in partly silic ser sch; sparing min	5652	5.0	.02	
67.0 - 73.0	70% qutx & retic carb; sparing min; 2" fault bx 73.0	5653	6.0	.06	
73.0 - 74.0	chl-ser sch; possible fault zone				
		From	To	G.L.	Calc. Grade
		6.0	26.0	20.0	Uncut Cut
					.52 .49

Logged by J.D.E.Hole No. U-B460

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B459BEARING S60EDIP AT COLLAR -30LENGTH 720.0LAT. 13045.07DEP. 7465.07ELEV. 5590

DATE COMPLETED _____

PURPOSE 4th level layoutSHAFT 2LEVEL 425WORKING B-308NSECTION 1200N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 13.0	gry ser sch				
13.0 - 20.0	lenses of ore type in partly silic ser sch	5632	7.0	.45	3.150
20.0 - 24.0	50% qtz incl dk qtz., py, aspy, v.g.	5633	4.0	.96	<u>3.840</u> 6.990
24.0 - 30.0	grn chl-ser sch				
30.0 - 61.0	dk grn grs sch w small wte alt fl.,				
61.0 - 120.0	m.g. dk grn sch grs w epid sect & local snfl alt; becoming more sch towards 120.0				
120.0 - 147.0	f.g. gry tuffaceous sed w def. slate bed 129.0 - 133.5				
147.0 - 192.5	grn grs sch w calc., w chl sch sect 169.0 - 185.0				
192.5 - 245.5	f.g. gry-grn amyg grs w chty threads, amyg p.l., spher., devel. flow bx tx 234.0 - 245.5				
245.5 - 276.0	m.g. gran ser sch; may be tuffaceous				
276.0 - 277.5	qtz lenses in silic ser sch; py	5644	1.5	.05	
277.5 - 283.0	50% qtz carb; local sp & gry min	5647	5.5	.17	
283.0 - 289.0	qtz lenses in silic ser sch; local min	5645	6.0	.02	

Logged by J.D.B.Hole No. U-B459

FOOTAGE

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS																													
				OZ./TON	OZ./TON																												
289.0 - 294.5	as above	5646	5.5	.31																													
294.5 - 299.0	gry banded ser sch																																
299.0 - 305.5	grn-gry banded chl-ser sch w 2 short black slaty sect. (tuffaceous)																																
305.5 - 318.0	chl-ser sch grad w ser sch																																
318.0 - 340.0	f.g. grs sch w relic amyg & sph tx																																
340.0 - 470.0	mass to sch spher pl., more sch after 362.0 f.g. diabase dike 383.5 - 385.0; mass after 420.0., amyg after 446.0																																
470.0 - 479.0	f.g. - m.g. grn amyg grs sch																																
479.0 - 521.0	f.g. pale grn mottled sch, mottling result of bx tx., in part chl., could be flow bx or tuffac.																																
521.0 - 542.5	m.g. dense, mass, dk grn epid grs																																
542.5 - 588.0	c.g. homog P & s diab tx gab., f.g. but not chl'd 542.5																																
588.0 - 664.0	f.g. epid grs; f.g. p & s tx; local snfl.,																																
664.0 - 720.0	v.f.g. dk gry-grn dense grs., mottled tx; pl.(?); fine alligat tx after 713.0																																
	<table> <tr> <th colspan="2"></th> <th colspan="2">Calc. Grade</th> </tr> <tr> <th>From</th> <th>To</th> <th>C.I.</th> <th></th> </tr> <tr> <td>13.0</td> <td>24.0</td> <td>11.0</td> <td></td> </tr> <tr> <td></td> <td></td> <td>Uncut</td> <td>Cut</td> </tr> <tr> <td>13.0</td> <td>24.0</td> <td>.63</td> <td>.62</td> </tr> <tr> <td>277.5</td> <td>283.0</td> <td>5.5</td> <td>.17</td> </tr> <tr> <td>289.0</td> <td>294.5</td> <td>5.5</td> <td>.31</td> </tr> </table>			Calc. Grade		From	To	C.I.		13.0	24.0	11.0				Uncut	Cut	13.0	24.0	.63	.62	277.5	283.0	5.5	.17	289.0	294.5	5.5	.31				
		Calc. Grade																															
From	To	C.I.																															
13.0	24.0	11.0																															
		Uncut	Cut																														
13.0	24.0	.63	.62																														
277.5	283.0	5.5	.17																														
289.0	294.5	5.5	.31																														
	<table> <tr> <th colspan="3">Dip Tests</th> </tr> <tr> <th>Depth</th> <th>Read.</th> <th>Correct.</th> </tr> <tr> <td>150</td> <td>28½</td> <td>25</td> </tr> <tr> <td>300</td> <td>26</td> <td>22½</td> </tr> <tr> <td>450</td> <td>16</td> <td>13½</td> </tr> <tr> <td>600</td> <td>15</td> <td>12½</td> </tr> </table>	Dip Tests			Depth	Read.	Correct.	150	28½	25	300	26	22½	450	16	13½	600	15	12½														
Dip Tests																																	
Depth	Read.	Correct.																															
150	28½	25																															
300	26	22½																															
450	16	13½																															
600	15	12½																															

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 458

BEARING 860E

DIP AT COLLAR 760

LENGTH 99.0

LAT. 12,652.20

DEP. 7,302.97

ELEV. 5,758.0

DATE COMPLETED

PURPOSE No. 1 Shoot Definition

PURPOSE

SHAFT 2

LEVEL 250

WORKING B-2043

SECTION 775N

[illegible]

Logged by J. D. B.

Hole No. U-B458

SECTION 800N

Hole No. U-3457

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-8 456
 BEARING S60E
 DIP AT COLLAR -60
 LENGTH 550.0

LAT. 13,045.07
 DEP. 7,465.07
 ELEV. 5,590

DATE COMPLETED _____
 PURPOSE Fourth level layout

SHAFT 2
 LEVEL 425
 WORKING B-308N
 SECTION 1200N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 2.0	cs.				
2.0 - 14.0	gry-buff ser sch				
14.0 - 19.0	40% dk qtz in sect in ser sch., local gry min	5609	5.0	.72	
19.0 - 24.0	20% qtz lenses in ser sch., py; gry min	5610	5.0	.77	
24.0 - 34.5	m.g. grn chl-ser sch., no min				
34.5 - 52.0	m.g. - f.g. dk grn grs sch; fl w anph				
52.0 - 85.0	dk grn f.g. grs; local snfl., ep sect.,				
85.0 - 133.5	m.g. elt sch grn grs., prom snfl alt after 108.0				
133.5 - 146.5	m.g. - c.g. ep dk grn grs w gabbroic tx.				
146.5 - 151.5	2" slate followed by buff banded ser sch., prob. sed.				
151.5 - 163.5	m.g. gry-grn grs sch				
163.5 - 164.5	br (fault?)				
164.5 - 167.0	qtz lenses in ser sch; no min	5611	2.5	.03	
167.0 - 173.0	20% qtz in ser sch; minor min	5612	6.0	.06	
173.0 - 176.0	3' core ground				

Logged by J.D.B.

Hole No. U-8456

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
176.0 - 205.0	banded gry-buff ser sch (tuffaceous sedf) water flow repr'd 178.0 & 202.0				
205.0 - 241.5	f.g. gry-grn grs sch; increasing barren qutzz-carb towards 241.5				
241.5 - 243.0	lenses of ore type in ser sch., py, aspy	5616	1.5	1.78	
243.0 - 246.5	lt grn silic ser sch	5617	3.5	.04	
246.5 - 248.5	lenses of ore type in ser sch., py, aspy	5618	2.0	.18	
248.5 - 290.0	interbanded gry chl sch & chl-ser sch., tuffaceous (?)				
	T. S. 251.0 - 252.0	5619	1.0	.44	
	T. S. 253.5 - 257.0	5620	3.5	.07	
	T. S. 284.0 - 285.0	5621	1.0	.27	
290.0 - 304.5	f.g. grs sch; qutzz lenses				
304.5 - 323.0	buff ser sch., locally banded T. S. 309.0 - 310.0	5622	1.0	.26	
323.0 - 324.0	80% qutzz-carb., v.g.	5623	1.0	1.86	
324.0 - 327.5	gry-buff ser sch	5624	3.5	.02	
327.5 - 329.5	80% qutzz-carb; sp, gry min; v.g.	5625	2.0	1.02	
329.5 - 333.0	qutzz lenses in ser sch., py, aspy	5626	3.5	.46	
333.0 - 339.0	qutzz lenses in ser sch., py, aspy	5627	6.0	.40	
339.0 - 364.5	dk gry ser sch., minor qutzz & py				
364.5 - 369.5	30% qutzz in ser sch; minor min	5628	5.0	.56	
369.5 - 521.5	gry ser sch., qutzz lenses; no sig min; locally cherty & possibly tuffaceous; buff w bx tx after 395.0 (elastic tuff); & resembling shear zone again after 433.0.,				
	T. S. 454.5 - 456.5	5629	2.0	.13	
	T. S. 481.0 - 482.0 (vein)	5630	1.0	1.72	
	T. S. 472.0 - 475.0	5631	3.0	.20	

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
521.5 - 550.0	grn-gry chl-ser sch				
	<u>D i p T e s t s</u>				
	<u>Depth</u> <u>Read.</u> <u>Correct</u>				
	150 54 $\frac{1}{2}$ 50				
	300 43 39				
	450 36 $\frac{1}{2}$ 32 $\frac{1}{2}$				
	<u>From</u> <u>To</u> <u>C.I.</u> <u>Calc. Grade</u>				
			<u>Uncut</u> <u>Cut</u>		
	14.0 24.0 10.0 .74 .74				
	241.5 243.0 1.5 1.78 -				
	246.5 248.5 2.0 .18 -				
	251.0 252.0 1.0 .44 -				
	284.0 285.0 1.0 .27 -				
	309.0 310.0 1.0 .26 -				
	323.0 339.0 16.0 .50 .40				
	364.5 369.5 5.0 .56 -				
	454.5 456.5 2.0 .13 -				
	472.0 475.0 2.0 .20 -				
	481.0 482.0 1.0 1.72 -				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B 454BEARING N60WDIP AT COLLAR -68LENGTH 96.0LAT. 12814.0DEP. 7271.0 5556ELEV. 5751

DATE COMPLETED _____

PURPOSE No. 1 Shoot DefinitionSHAFT 2LEVEL 250WORKING B225WSECTION 90CN

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 2.0	cs				
2.0 - 3.0	m.g. grs sch				
3.0 - 96.0	grn-buff chl-ser sch., qutzz-carb strs & lenses; local dragf.				
	T. S. min sect 49.5 - 52.0	5599	2.5	.14	
	T. S. min sect 63.0 - 66.0	5600	3.0	.31	

Logged by J.D.B.Hole No. U-B454

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B453

SHAFT 2

BEARING

LEVEL 250

DIP AT COLLAR -90

LAT. 12813.5

DATE COMPLETED _____

WORKING B-2257

DEP. 7272.0 5 ~~18~~ ¹⁹

PURPOSE No. 1 Shoot Definition

LENGTH 79.0

ELEV. 5751

SECTION 900N

[illegible]

Logged by J.L.B.

Hole No. U-B452

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B452BEARING --DIP AT COLLAR -90LENGTH 89.0LAT. 12711.5DEP. 7251.8ELEV. 5751

DATE COMPLETED _____

PURPOSE No 1 Shoot DefinitionSHAFT 2LEVEL 250WORKING B-2275SECTION 800N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 2.0	cs				
2.0 - 7.0	gry-grn grs sch				
7.0 - 22.0	dk buff cht ser sch				
22.0 - 24.0	buff gry slaty sed impreg w py T. S. py 23.0 - 24.0	5581	1.0	.09	
24.0 - 31.0	90% qtz w carb., sparing min; abundant coarse v.g.	5582	7.0	21.08	147.560 (35,000)
31.0 - 38.0	80% outz w carb; py; speck v.g.	5583	7.0	.53	3.710
38.0 - 45.0	30% qtz in ser sch., dissem py, aspy	5584	7.0	.06	.420
45.0 - 50.0	ser sch w sect qtz., minor min	5585	5.0	.14	.700
50.0 - 55.0	60% dk qtz; py, aspy., consid v.g., 1" core w coarse v.g. removed	5586	5.0	6.99	34.950
55.0 - 59.0	70% dk qtz carb w sch sect., richly min w sp & gry min., no v.g.	5587	4.0	.78	3.120
59.0 - 64.0	as above	5588	5.0	.18	.900
64.0 - 67.5	2' ser sch w qtz lenses followed by 1.5' ore type w st., py, aspy	5589	3.5	2.41	8.435
67.5 - 72.0	ser sch w qtz lenses., minor min	5590	4.5	.10	199.795
72.0 - 82.0	sh chl-ser sch w qtz lenses., no sig min				
82.0 - 89.0	m.g. grs sch grad w chl-ser sch				

From To C.I. CALC. GRADE

Logged by J.D.B.

Uncut Cut Recut
 24.0 67.5 43.5 4.59 1.77 1.13

Hole No. U-B452

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B451BEARING S60EDIP AT COLLAR -28LENGTH 605.0LAT. 13137.62DEP. 7512.19ELEV. 5591

DATE COMPLETED _____

PURPOSE Fourth level layoutSHAFT 2LEVEL 425WORKING B-308NSECTION 1300N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 31.5	gry compact ser sch., local outz & py; T. S. 10.0-12.0; py dissem T. S. 27.0-30.0; minor ore type	5530 5531	2.0 3.0	.03 .46	
31.5 - 42.0	grn chl sch; dragf.				
42.0 - 47.0	buff chl-ser sch w dragf.				
47.0 - 66.0	f.g. grn elastic tx rx; chty sect., (tuffaceous)				
66.0 - 69.5	f.g. dense grn-black basic dyke w v.f.g. edges				
69.5 - 76.0	f.g. dk gry grn elastic tx rx (tuffaceous); carbonaceous (fault) zone 72-72.5				
76.0 - 110.0	f.g. mass grn grs., chty ep sect., m.g. after 85.0; possible pl.				
110.0 - 114.5	finely laminated chl grs sch or chl sch w def fault gouge seam 114.5				
114.5 - 143.0	f.g. - m.g. gry-grn grs., vug gy calc & hem 141.0 - 143.0 (fault?)				
143.0 - 160.0	f.g. gry-grn grs sch				
160.0 - 242.0	f.g. grn mass grs; hem fract., water repr'd 169.0., chty-ep threads; consid hem (fault) 169.5 - 172.5; chl'd conts 190.5 & 213.0 (flow)., becoming sch towards 242.0				
242.0 - 288.5	f.g. chl grs sch., calc strcs.,				
288.5 - 322.0	f.g. - m.g. lt grn sch grs., chty-ep sect., mass after 305.5				

Logged by J.D.B.Hole No. U-B451

FOOTAGE		DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON																			
322.0 - 342.0		f.g. mass to sly sch grs., ep threads; possible chl'l'd flow cont 322.0																						
342.0 - 448.0		mass grn f.g. grs w spher sect., prob sph p.l., no sph 437.0 - 448.0																						
448.0 - 454.5		m.g. - f.g. spruce grn grs sch; wte frag 450.5 - 453.0 (tuff?)																						
454.5 - 469.5		compact gry chl sch																						
469.5 - 485.0		f.g. grn grs sch., locally chl.,																						
485.0 - 521.0		f.g. dense chl sch., amyg.,																						
521.0 - 542.0		f.g. chl grs sch																						
542.0 - 575.0		grn sch grs; chty ep sect & ep threads, becoming mass after 575.0																						
575.0 - 605.0		mass grs.																						
		<table><tr><th colspan="3">Dip Tests</th></tr><tr><th>Depth</th><th>Read.</th><th>Correct.</th></tr><tr><td>150</td><td>25</td><td>21.5</td></tr><tr><td>300</td><td>22.5</td><td>19.5</td></tr><tr><td>450</td><td>18.5</td><td>16</td></tr><tr><td>600</td><td>13.5</td><td>11.5</td></tr></table>	Dip Tests			Depth	Read.	Correct.	150	25	21.5	300	22.5	19.5	450	18.5	16	600	13.5	11.5				
Dip Tests																								
Depth	Read.	Correct.																						
150	25	21.5																						
300	22.5	19.5																						
450	18.5	16																						
600	13.5	11.5																						
		<table><tr><th rowspan="2">From</th><th rowspan="2">To</th><th rowspan="2">G.L.</th><th colspan="2">Calc. Grade</th></tr><tr><th>Uncut</th><th>Cut</th></tr><tr><td>27.0</td><td>30.0</td><td>3.0</td><td>.46</td><td>-</td></tr></table>	From	To	G.L.	Calc. Grade		Uncut	Cut	27.0	30.0	3.0	.46	-										
From	To	G.L.				Calc. Grade																		
			Uncut	Cut																				
27.0	30.0	3.0	.46	-																				

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B450BEARING S60EDIP AT COLLAR 730LENGTH 118.0LAT. 12158.75DEP. 7207.56ELEV. 5904

DATE COMPLETED _____

PURPOSE No. 1 shoot pillar definitionSHAFT 2LEVEL 100WORKING B-106NSECTION 300N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 8.0	dk gry ser sch w minor qtz	5523	8.0	.34	
8.0 - 13.0	40% porcel qtz in ser sch., minor min	5524	5.0	.32	
13.0 - 19.0	40% qtz in ser sch., py & aspy	5525	6.0	.23	
19.0 - 25.0	30% qtz in ser sch, minor py & aspy	5526	6.0	.23	
25.0 - 30.0	Qtz-carb lenses in ser sch spar min with py	5551	5.0	.21	
30.0 - 35.0	as above	5552	5.0	.38	
35.0 - 41.0	as above	5556	6.0	.05	
41.0 - 46.0	f.g. sil ser sch spar min with py	5557	5.0	.01	
46.0 - 51.0	20% qtz-carb lenses spar min throughout	5558	5.0	.01	
51.0 - 56.0	as above but with increasing carbonate	5559	5.0	.11	
56.0 - 61.0	as above	5560	5.0	.13	
61.0 - 66.5	Qtz-carb lenses in ser sch	5561	5.5	.14	
66.5 - 68.5	90% qtz min with py and minor aspy and grey min, possible V.G.	5553	2.0	.53	
68.5 - 74.0	Qtz-carb lenses in ser sch spar min with py and aspy	5554	5.5	.46	

Logged by J.D.B.Hole No. U-B450

HOLE No. U-B450

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 448BEARING N60WDIP AT COLLAR 460LENGTH 57.0LAT. DEP. ELEV. DATE COMPLETED PURPOSE No. 1 Shoot Pillar DefinitionSHAFT 2LEVEL 100WORKING B-106NSECTION 550N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS																									
				OZ./TON	OZ./TON																								
0.0 - 2.0	cs.																												
2.0 - 24.0	gry buff ser sch., locally banded., bedded 19.0 - 21.0																												
24.0 - 28.0	30% qutzz in ser sch., py & aspy	5508	4.0	.58																									
28.0 - 33.0	qutzz lenses in ser sch., minor min	5509	5.0	.07																									
33.0 - 38.0	short ore type sect in banded (bedded?) ser sch	5510	5.0	.11																									
38.0 - 44.5	60% qutzz; py, aspy., local sp	5511	6.5	.12																									
44.5 - 50.5	buff ser sch w banding resembling bedding																												
50.5 - 57.0	grn grs sch w qutzz-carb strss.																												
<table> <tr> <th></th><th></th><th></th><th colspan="2"><u>Calc. Grade</u></th><th></th></tr> <tr> <th><u>From</u></th><th><u>To</u></th><th><u>C.L.</u></th><th><u>Uncut</u></th><th><u>Cut</u></th><th></th></tr> <tr> <td>24.0</td><td>28.0</td><td>4.0</td><td>.58</td><td>-</td><td></td></tr> <tr> <td>33.0</td><td>44.5</td><td>11.5</td><td>.11</td><td>.11</td><td></td></tr> </table>									<u>Calc. Grade</u>			<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut</u>		24.0	28.0	4.0	.58	-		33.0	44.5	11.5	.11	.11	
			<u>Calc. Grade</u>																										
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut</u>																									
24.0	28.0	4.0	.58	-																									
33.0	44.5	11.5	.11	.11																									

Logged by J.D.B.Hole No. U-B448

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-3447BEARING 360EDIP AT COLLAR -60LENGTH 502.0LAT. 13137.62DEP. 7212.19ELEV. 5590

DATE COMPLETED _____

PURPOSE Fourth level layoutSHAFT 2LEVEL 425WORKING B-308NSECTION 1300N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 3.0	cs.				
3.0 - 7.0	gry compact ser sch	5496	4.0	.01	
7.0 - 12.0	as above	5497	5.0	.08	
12.0 - 16.0	gry ser sch min w py	5498	4.0	.20	.800
16.0 - 20.0	70% qutzz-carb., py, xls aspy (sparing)	5499	4.0	.39	1.560
20.0 - 23.5	80% dk qutzz w carb., sparing min	5500	3.5	.21	.735
23.5 - 27.0	30% qutzz lenses in ser sch., py, aspy	5505	3.5	.49	<u>1.715</u>
27.0 - 29.0	ser sch w qutzz lenses; no sig min	5506	2.0	.01	4.810
29.0 - 51.0	dense grn-gry chl-ser sch grad w grs sch; 1" fault bx 34.0				
51.0 - 83.0	dk gry-grn grs sch w calc strrs; snfl alt after 78.0				
83.0 - 97.0	one ft black slaty or carbonaceous material with thin gouge seams; followed by lt gry to dense black material, possibly tuffaceous				
97.0 - 112.0	gry grs sch., local bx tx				
112.0 - 138.0	f.g. gry-grn sch grs w dense lt gry cherty sect., could be pillow selvages				

Logged by J.D.B.Hole No. U-3447

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	
138.0 - 160.5	f.g. gry grs sch w local frag suggest tuff., & fine banding sugg. bedding				
160.5 - 183.0	f.g. grn sch grs., calc., chty-ep sect; f.g. sect. suggest pl, strong water flow 183.0				
183.0 - 201.0	f.g. - m.g. mass grn grs w chty-ep sect & poss spher sect to 201.0				
201.0 - 210.5	f.g. dense dk grn-gry grs sch				
210.5 - 222.0	dk gry chl sch or chl-ser sch; lighter & ser'c after 217.0				
222.0 - 248.0	gry compact ser sch				
248.0 - 254.0	60% qtz w carb., py & aspy; sp & tr gry min	5512	6.0	.95	5.700
254.0 - 259.5	50% qtz & as above; small speck v.g.	5513	5.5	1.19	6.545
259.5 - 262.0	gry ser sch	5514	2.5	.97	.175
262.0 - 268.0	40% qtz-carb., py, aspy, sp, tr gry min., speck v.g. (?)	5515	6.0	.77	4.620
268.0 - 274.0	60% qtz incl sect high-grade ore type; py aspy, local sp., possible fault bx 273.0	5516	6.0	1.67	10.020
274.0 - 279.0	dk ser sch w short ore type sect., 2' core ground	5517	3/5.0	.12	27.060
279.0 - 284.0	dk gry ser sch	5518	5.0	.03	
284.0 - 289.0	dk gry ser sch w dk qtz-carb sect., py	5519	5.0	.42	
289.0 - 317.0	gry compact ser sch; no qtz or min				
317.0 - 347.0	gry-grn chl-ser sch; locally grad w grs sch				
347.0 - 367.0	m.g. grs sch; 2' core ground 347.0 - 351.0				
367.0 - 384.5	mass m.g. tof.g. bird porph w chl'l'd edge 384.5				

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS																									
				OZ./TON	OZ./TON																								
384.5 - 428.0	m.g. - f.g. gry grn grs sch; compact & chl'e																												
428.0 - 447.0	compact gry-grn cht ser sch., grad w grs sch																												
447.0 - 455.0	chl-ser sch alt w ser sch., in part silic., qutz-carb lenses & strs; vuggy fault slip 448.5																												
455.0 - 459.0	qutz lenses & strs in grn ser sch., neg min	5520	4.0	.06																									
459.0 - 465.0	20% qutz in ser sch., py & minor aspy	5521	6.0	.49																									
465.0 - 471.0	20% qutz in ser sch., minor min	5522	6.0	.23																									
471.0 - 474.0	ser sch w qutz lenses., no sig min																												
474.0 - 477.5	grn-buff chl-ser sch; grad both sides																												
477.5 - 502.0	grn-gry grs sch w possible amyg tx & spher tx																												
	<table> <tr> <th colspan="2"></th><th colspan="2">Calc. Grade</th></tr> <tr> <th>From</th><th>To</th><th>Uncut</th><th>Cut</th></tr> <tr> <td>12.0</td><td>27.0</td><td>.32</td><td>.31</td></tr> <tr> <td>248.0</td><td>274.0</td><td>1.04</td><td>1.01</td></tr> <tr> <td>284.0</td><td>289.0</td><td>.42</td><td>--</td></tr> <tr> <td>459.0</td><td>471.0</td><td>.36</td><td>.36</td></tr> </table>			Calc. Grade		From	To	Uncut	Cut	12.0	27.0	.32	.31	248.0	274.0	1.04	1.01	284.0	289.0	.42	--	459.0	471.0	.36	.36				
		Calc. Grade																											
From	To	Uncut	Cut																										
12.0	27.0	.32	.31																										
248.0	274.0	1.04	1.01																										
284.0	289.0	.42	--																										
459.0	471.0	.36	.36																										
	<table> <tr> <th colspan="3">Dip Tests</th></tr> <tr> <th>Depth</th><th>Read.</th><th>Correct.</th></tr> <tr> <td>150</td><td>53</td><td>48$\frac{1}{2}$</td></tr> <tr> <td>300</td><td>44</td><td>39$\frac{3}{4}$</td></tr> <tr> <td>450</td><td>40</td><td>36</td></tr> </table>	Dip Tests			Depth	Read.	Correct.	150	53	48 $\frac{1}{2}$	300	44	39 $\frac{3}{4}$	450	40	36													
Dip Tests																													
Depth	Read.	Correct.																											
150	53	48 $\frac{1}{2}$																											
300	44	39 $\frac{3}{4}$																											
450	40	36																											

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B446
 BEARING N60W
 DIP AT COLLAR 430
 LENGTH 69.0

LAT. 12380.55
 DEP. 7323.80
 ELEV. 5905

DATE COMPLETED _____
 PURPOSE No. 1 shoot definition

SHAFT 2
 LEVEL 100
 WORKING B-106N
 SECTION 550N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS																									
				OZ./TON	OZ./TON																								
0.0 - 30.0	lt gry ser sch., in part thinly banded., slaty 16.0 - 18.0, large aspy xls 20.0 - 30.0																												
30.0 - 34.5	40% qtz-carb in ser sch; py, minor aspy	5501	4.5	.79																									
34.5 - 43.5	gry banded ser sch w qtz lenses; minor py	5502	9.0	.08																									
43.5 - 48.0	30% qtz bands at intervals in banded ser sch; py, minor aspy	5503	4.5	.15	.675																								
48.0 - 52.0	as above	5504	4.0	.18	.720																								
52.0 - 69.0	grn chl-ser sch																												
<table> <tr> <th colspan="2"></th><th colspan="2"><u>Calc. Grade</u></th><th colspan="2"></th></tr> <tr> <th><u>From</u></th><th><u>To</u></th><th><u>G.L.</u></th><th><u>Uncut</u></th><th><u>Cut</u></th><th></th></tr> <tr> <td>30.0</td><td>34.5</td><td>4.5</td><td>.79</td><td>-</td><td></td></tr> <tr> <td>43.5</td><td>52.0</td><td>8.5</td><td>.16</td><td>.16</td><td></td></tr> </table>								<u>Calc. Grade</u>				<u>From</u>	<u>To</u>	<u>G.L.</u>	<u>Uncut</u>	<u>Cut</u>		30.0	34.5	4.5	.79	-		43.5	52.0	8.5	.16	.16	
		<u>Calc. Grade</u>																											
<u>From</u>	<u>To</u>	<u>G.L.</u>	<u>Uncut</u>	<u>Cut</u>																									
30.0	34.5	4.5	.79	-																									
43.5	52.0	8.5	.16	.16																									

Logged by J.D.B.

Hole No. U-B446

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B445BEARING S60EDIP AT COLLAR 75LENGTH 46.0LAT. 12333.0DEP. 7306.5ELEV. 5907

DATE COMPLETED _____

PURPOSE No. 1 shoot pillar definitionSHAFT 2LEVEL 100WORKING E-106NSECTION 500N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 46.0	buff ser sch.w bx.tx T. S. mint sect. 13.0 - 19.0 minor qtz after 32.0	5491	6.0	.10	

Logged by J.D.B.Hole No. U-B445

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B444BEARING ---DIP AT COLLAR 490LENGTH 43.0LAT. 12334.3DEP. 7304.0ELEV. 5906.5

DATE COMPLETED _____

PURPOSE No. 1 Shoot Pillar DefinitionSHAFT 2LEVEL 100WORKING B-106NSECTION 500N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 33.0	buff-gry ser sch; cherty sect & bx tx sug pos tuffac sed T. S. min sect. 12.5 - 13.5	5490	1.0	.28	
33.0 - 43.0	dk gry to black thinly banded slaty sch				

Logged by J.D.B.Hole No. U-B444

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B443BEARING S60EDIP AT COLLAR 435LENGTH 155.0LAT. 12688.67DEP. 7291.10ELEV. 5758.1

DATE COMPLETED _____

PURPOSE No. 1 Shoot DefinitionSHAFT 2LEVEL 250WORKING B-204HSECTION 800N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS																									
				OZ./TON	OZ./TON																								
0.0 - 6.0	30% qtz-carb in ser sch., py, aspy., sp., local v.g.	5484	6.0	2.25) 3.97)																									
6.0 - 13.0	40% qtz & as above; no v.g.	5485	7.0	.07																									
13.0 - 15.5	as above	5486	2.5	.04																									
15.5 - 19.0	90% dk blue qtz; sparing min	5489	3.5	.30																									
19.0 - 39.5	heavily pyritized sect alt w ser sch containing local cherty sect. (sed)																												
39.5 - 56.0	buff ser sch w large scattered xls aspy																												
56.0 - 133.0	banded ser sch containing slaty sect impreg w py; gry-grn., qtz lenses T. S. 136.0 - 138.0	5492	2.0	.02																									
138.0 - 144.0	40% qtz in ser sch; py & aspy	5493	6.0	.17	1.020																								
144.0 - 150.5	70% qtz in part well min w py & aspy & sp; minor gry min	5494	6.5	.26	1.690																								
150.5 - 152.0	20% qtz lenses in ser sch; minor min	5495	1.5	.17	.255 2.965																								
152.0 - 155.0	ser sch, last foot slaty & impreg w py																												
		<table> <tr> <th>From</th><th>To</th><th>G.L.</th><th>Calc. Grade</th><th>Uncut</th><th>Cut</th></tr> <tr> <td>0</td><td>6.0</td><td>6.0</td><td>3.11</td><td>-</td><td>-</td></tr> <tr> <td>15.5</td><td>19.0</td><td>3.5</td><td>.30</td><td>-</td><td>-</td></tr> <tr> <td>138.0</td><td>152.0</td><td>14.0</td><td>.21</td><td>-</td><td>-</td></tr> </table>				From	To	G.L.	Calc. Grade	Uncut	Cut	0	6.0	6.0	3.11	-	-	15.5	19.0	3.5	.30	-	-	138.0	152.0	14.0	.21	-	-
From	To	G.L.	Calc. Grade	Uncut	Cut																								
0	6.0	6.0	3.11	-	-																								
15.5	19.0	3.5	.30	-	-																								
138.0	152.0	14.0	.21	-	-																								

Logged by J.D.B.Hole No. U-B443

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B442
 BEARING N60W
 DIP AT COLLAR 750
 LENGTH 94.0

LAT. 12337.00
 DEP. 7299.39
 ELEV. 5907.5

DATE COMPLETED _____
 PURPOSE No. 1 Shoot Definition

SHAFT 2
 LEVEL 100
 WORKING B106N
 SECTION 500N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS																									
				OZ./TON	OZ./TON																								
0.0 - 10.0	gry-buff ser sch., qtz lenses., py																												
10.0 - 22.0	dk buff cherty ser sch impreg w py (sed?) T. S. 18.0 - 19.0	5473	1.0																										
22.0 - 25.0	ore type qtz lenses in cherty ser sch	5474	3.0	.26	.780																								
25.0 - 32.0	30% qtz & as above	5475	7.0	.55	3.850																								
32.0 - 39.0	as above	5476	7.0	.14	.980																								
39.0 - 45.5	40% qtz-carb in ser sch, py, aspy	5477	6.5	.20	1.300																								
45.5 - 49.0	slaty sch w v.g., followed by 90% qtz-carb	5487	3.5	.44	1.540																								
49.0 - 72.0	gry to dk buff banded ser sch; sediment T. S. 59.0 - 63.5 min sect	5488	4.5	.25																									
72.0 - 94.0	grn grs sch w late qtz-carb lenses																												
<table> <tr> <th colspan="2"></th><th colspan="2">Calc. Grade</th><th colspan="2"></th></tr> <tr> <th>From</th><th>To</th><th>C.L.</th><th>Uncut</th><th>Cut</th><th></th></tr> <tr> <td>22.0</td><td>49.0</td><td>27.0</td><td>.31</td><td>.29</td><td></td></tr> <tr> <td>59.0</td><td>63.5</td><td>4.5</td><td>.25</td><td>-</td><td></td></tr> </table>								Calc. Grade				From	To	C.L.	Uncut	Cut		22.0	49.0	27.0	.31	.29		59.0	63.5	4.5	.25	-	
		Calc. Grade																											
From	To	C.L.	Uncut	Cut																									
22.0	49.0	27.0	.31	.29																									
59.0	63.5	4.5	.25	-																									

Logged by J.D.B.

Hole No. U-B442

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B441
 BEARING S60E
 DIP AT COLLAR 40
 LENGTH 126.0

LAT. 12652.20
 DEP. 7302.97
 ELEV. 5757.3

DATE COMPLETED _____
 PURPOSE No. 1 Shoot definition

SHAFT 2
 LEVEL 250
 WORKING E-204N
 SECTION 775N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 6.0	20% qtz in ser sch; minor min	5467	6.0	.08	
6.0 - 13.0	20% qtz lenses in silic ser sch	5468	7.0	.59	4.130
13.0 - 20.0	20% qtz-carb mix., xls aspy	5469	7.0	.68	<u>4.760</u>
20.0 - 27.0	as above	5470	7.0	.06	<u>8.890</u>
27.0 - 49.0	gry ser sch w qtz-carb lenses carrying xls aspy				
49.0 - 101.0	thinly banded gry ser sch., prob tuffac. sed., at least to 55.5, & possibly after				
101.0 - 108.0	silic ser sch min w py & w short sect. ore type	5478	7.0	.58	4.060
108.0 - 110.0	80% qtz; aspy, sp., local heavy py	5479	2.0	.31	.620
110.0 - 112.0	qtz soaked w dense py; pyritized sed (?)	5480	2.0	.15	.300
112.0 - 117.0	30% qtz carb in banded silic ser sch (sed?); py	5481	5.0	.24	<u>1.200</u>
117.0 - 122.0	as above;	5482	5.0	.10	<u>6.180</u>
122.0 - 126.0	as above; hole broke into 212 Stope at 126.0	5483	4.0	.07	
		Calc. Grade			
		From	To	C.L.	Uncut
		6.0	20.0	14.0	.63
		101.0	117.0	16.0	.38
					.63
					.38

Logged by J.D.B.

Hole No. U-B441

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 440

BEARING NOW

DIP AT COLLAR 45

LENGTH 67.0

LAT. 12350.0

DEP. 7276.0

ELEV. 5906

DATE COMPLETED _____

PURPOSE No. 1 shoot definition

Downloaded from <http://ajphaphapublications.sagepub.com> at UNIV OF CALIFORNIA on June 11, 2015

SHAFT 2

LEVEL 100

WORKING B-103W

SECTION 500N

[illegible]

Logged by J.D.B.

Hole No. U-B 440

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B439BEARING S60EDIP AT COLLAR 425LENGTH 139.0LAT. 12711DEP. 7300ELEV. 5755

DATE COMPLETED _____

PURPOSE No. 1 Shoot DefinitionSHAFT 2LEVEL 250WORKING B-204NSECTION 825N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 6.0	qutzz-carb bands at intervals in ser sch., local min	5448	6.0	.13	.780
6.0 - 13.0	as above	5449	7.0	.26	1.820
13.0 - 20.0	as above	5450	7.0	.51	<u>3.570</u> 6.170
20.0 - 78.0	med.-dk gry ser sch., qutzz-carb lenses., locally impreg w py., could be tuffaceous				
	T. S. 20.0 - 29.0	5471	9.0	.06	
	T. S. 29.0 - 31.0	5452	2.0	1.33	
	T. S. 32.0 - 34.0	5472	2.0	.02	
	T. S. 53.5 - 56.0	5453	2.5	.11	
	T. S. 60.0 - 65.0	5454	5.0	.18	
	local mass py bands after 53.5 & large aspy xls typical of nw of No. 1 shoot in mis section	5455	2.0	.17	
78.0 - 80.0	80% dk qutzz & carb				
80.0 - 111.5	gry-buff ser sch., qutzz-carb lenses at intervals., aspy xls., T. S. 110.5 - 111.5	5456	1.0	.13	
111.5- 116.0	30% qutzz in ser sch, py & aspy., sp., ret. carb.	5457	4.5	.25	1.125
116.0- 124.0	90% lt & dk qutzz w carb, sparing sp, gry min & v.g.	5458	8.0	.39	<u>3.120</u>
124.0- 131.0	qutzz lenses in ser sch., py & local aspy	5459	7.0	.08	4.245

Logged by J.D.B.Hole No. U-B439

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
131.0 - 139.0	gry ser sch., no qutz or min				

2
SHAFT _____
100
LEVEL _____
B-106N
WORKING _____
475N
SECTION _____

[illegible]

Hole No. U-B438

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 436
 BEARING S60E
 DIP AT COLLAR 460
 LENGTH 68.0

LAT. 12290.0
 DEP. 7276.0
 ELEV. 5907

DATE COMPLETED _____
 PURPOSE No. 1 Shoot Surface Pillar

SHAFT 2
 LEVEL 100
 WORKING B-106N
 SECTION 450N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 1.0	cashing				
1.0 - 4.0	buff-ser sch w qutz lenses; no sig min	5418	3.0	.05	
4.0 - 10.0	90% qutz sparingly min w aspy, sp. & gry min; local v.g., 1" fault bx at 5.0	5419	6.0	5.46 (5.00)	30.000
10.0 - 16.0	as above; speck v.g.	5420	6.0	.91	5.462
16.0 - 23.0	70% qutz well min w aspy; local gry min & sp	5421	7.0	2.52	17.640
23.0 - 30.0	as above; speck v.g.				
30.0 - 36.0	80% dk qutz; aspy, gry min., sp; v.g.	5423	6.0	2.38	14.280
36.0 - 41.5	30% qutz lenses in ser sch., py & aspy	5424	5.5	2.12	11.660
41.5 - 47.0	gry-buff ser sch., little qutx or min	5428	5.5	.46	2.530
47.0 - 51.0	as above	5429	4.0	.06	.240
51.0 - 56.0	30% qutz in ser sch min w py & aspy	5430	5.0	.84	4.200

Logged by J.D.B.

Hole No. U-B436

HOLE NO. U-B 436

SECTION 450N

Hole No. U-E435

**GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD**

HOLE No. U-B434BEARING ---DIP AT COLLAR -90LENGTH 74.0LAT. 12806.0DEP. 7285.5 999WELEV. 5751DATE COMPLETED ---PURPOSE No. 1 Shoot DefinitionSHAFT 2LEVEL 250WORKING B-225WSECTION 900N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 9.5	grn chl-ser sch w late qutzz-carb				
9.5 - 15.0	90% qutzz-sparing min., v.g. throughout	5399	5.5	2.33	12.815
15.0 - 20.0	as above, fine v.g.	5400	5.0	.98	4.900
20.0 - 25.0	ser sch w qutzz lenses min w py	5401	5.0	.98	4.900
25.0 - 29.0	80% dk blue qutzz-carb 3' ground	5402	1.0/4.0	.09	0.360
29.0 - 35.5	as above., sparing min., local py; fine v.g.	5403	6.5	.83	5.395
35.5 - 41.0	60% qutzz & as above; v.g. (local); fine xls aspy	5404	5.5	.91	5.005
41.0 - 46.0	90% qutzz & as above; v.g. (coarse)	5405	5.0	6.81	34.050
46.0 - 51.0	qutzz lenses in dk gry ser sch., minor min	5406	5.0	.06	(25.000)
51.0 - 74.0	dk gry chl-ser sch				67.425 (58.375)
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Calc. Grade Uncut</div> <div>Cut</div> <div>Recut</div> </div>				
	<div> <div>9.5</div> <div>46.0</div> <div>36.5</div> <div>1.84</div> <div>1.60</div> <div>1.24</div> </div>				

Logged by J.D.B.Hole No. U-B434

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B433BEARING N60WDIP AT COLLAR Hor.LENGTH 90.0LAT. 12294.56DEP. 7272.57ELEV. 5904

DATE COMPLETED _____

PURPOSE No. 1 shoot first level
definitionSHAFT 2LEVEL 100WORKING B-106NSECTION 450N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 5.0	gry-buff ser sch; no qutz or min				
5.0 - 10.0	80% qutz well min w py & aspy; minor gry min & v.g.	5385	5.0	11.02	55.100
10.0 - 15.0	90% qutz & as above w sp & v.g.	5386	5.0	3.61	18.050
15.0 - 20.0	as above w. v.g.	5387	5.0	6.04	30.200
20.0 - 26.0	80% qutz & as above; fine v.g. (?)	5388	6.0	2.63	15.780
26.0 - 33.0	4"-6" bands of ore type at intervals in ser sch	5389	7.0	1.16	8.120
33.0 - 39.0	as above	5390	6.0	0.63	3.780
39.0 - 44.0	50% qutz in ser sch min w py, aspy, minor sp & gry min	5392	5.0	3.78	18.900
44.0 - 52.0	qutz lenses in ser sch., local min				149.930
		5391	8.0	.09	.720
52.0 - 59.0	as above	5393	7.0	.10	.700
59.0 - 67.0	as above	5394	8.0	.10	.800
67.0 - 72.5	50% qutz in partly silic ser sch; py, aspy	5395	5.5	.17	.935
72.5 - 80.0	banded ser sch w local qutz & min	5396	7.5	.11	.825
80.0 - 85.0	20% qutz in banded ser sch., aspy	5397	5.0	.58	2.900
85.0 - 90.0	10% qutz & as above	5398	5.0	.12	.600
Logged by <u>J.F.B.</u>				Hole No. <u>U-B 433</u>	<u>7.480</u>

FOOTAGE	DESCRIPTION						SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
									oz./TON	oz./TON
				<u>Calc. Grade</u>						
			<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut</u>	<u>Recut</u>		
			5.0	44.0	39.0	3.84	2.94	2.80		
			44.0	90.0	46.0	.16	--	--		

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 432BEARING N60°WDIP AT COLLAR 45°LENGTH 94.0'LAT. 12161.5DEP. 7522.2ELEV. 5592

DATE COMPLETED _____

PURPOSE B-306 Stope Layout.SHAFT 2LEVEL 425WORKING B-307ESECTION 460N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 3.0	30% qtz incl 12" of ore type in ser sch local min.	5357	3.0	.06	
3.0 - 19.5	Ser sch w qtz lenses, minor min.				
19.5 - 26.0	As above w slightly more qtz.	5358	6.5	.02	
26.0 - 36.0	Dk gry ser sch, minor qtz & min.				
36.0 - 41.0	30% qtz in partly silic ser sch, py & aspy.	5357	5.0	.16	.800
41.0 - 46.0	20% qtz & as above.	5376	5.0	.24	1.200
46.0 - 51.0	90% qtz w minor carb & gry min, speck v.g.	5377	5.0	.26	1.300
51.0 - 58.0	60% qtz & carb min w aspy.	5378	7.0	.33	2.310
58.0 - 62.0	As above.	5379	4.0	.69	2.760
62.0 - 65.0	Ser sch w neg qtz & min.	5380	3.0	.14	.420
65.0 - 73.0	60% qtz & carb min w py and aspy.	5381	8.0	.62	4.960
73.0 - 78.0	90% qtz-carb w sp, gry min & fine v.g.	5382	5.0	1.34	6.700
78.0 - 81.5	70% qtz min w py aspy, minor sp & gry min.	5383	3.5	.54	1.890
81.5 - 89.5	30% qtz in bands in ser sch, local min.	5384	8.0	.17	1.360
89.5 - 94.0	Buff ser sch, no sig qtz or min.				

Logged by JDBHole No. U-B 432

SECTION 400N

Hole No. U-B 431

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 430BEARING S60°EDIP AT COLLAR 45°LENGTH 55.0LAT. 12201.77DEP. 7233.22ELEV. 5906

DATE COMPLETED _____

PURPOSE No. 1 Shoot Surface Pillar

_____ definition. _____

SHAFT 2LEVEL 100WORKING B-106NSECTION 350N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 5.5	Dk gry chl-ser sch, minor qtz.	5360	5.5	.01	
5.5 - 12.5	60% qtz & retic carb, sparing py & aspy.	5361	7.0	.35	2.450
12.5 - 17.5	As above but w py, aspy, sp & gry min.	5362	5.0	.61	3.050
17.5 - 26.0	30% qtz in it gry ser sch, minor min.	5363	8.5	.13	1.105
26.0 - 30.5	As above.	5364	4.5	.05	.225
30.5 - 37.5	60% qtz & carb in ser sch, py & aspy.	5365	7.0	.13	.910
37.5 - 42.0	40% qtz & as above.	5366	4.5	.07	<u>.315</u>
42.0 - 55.0	Dk gry ser sch neg qtz & min.				8.055
<u>Calc Grade.</u>					
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Uncut</u> <u>Cut.</u>				
	5.5 42.0 36.5 .22 .18				
	5.5 17.5 12.0 .45 .45				

Logged by JDBHole No. U-B 430

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B 429BEARING N60°WDIP AT COLLAR 430°LENGTH 71.0'LAT. 12238.04 537.8N DATE COMPLETED _____DEP. 7544.76 8.64F PURPOSE B-306 Stope Layout.ELEV. 5592.3SHAFT 2LEVEL 425WORKING B-306ESECTION 540N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 6.0	Ser sch w ore type 1.5-2.5 & 5.0-5.5	5347	6.0	.23	1.380
6.0 - 10.5	Ser sch w neg qtz & mine.	5348	4.5	.15	.675
10.5 - 15.5	60% qtz-carb min w py & aspy, speck v.g.	5349	5.0	.74	3.700
15.5 - 20.0	20% qtz lenses in ser sch, local min.	5350	4.5	.36	1.620
20.0 - 24.5	Qtz-carb lenses in ser sch, local py.	5351	4.5	.21	.945
24.5 - 31.0	35% qtz & carb in ser sch, py & aspy, speck v.g.	5352	6.5	.82	5.330
31.0 - 38.0	60% qtz in partly silic ser sch, py, aspy.	5353	7.0	.18	1.260
38.0 - 43.0	40% qtz & carb in ser sch, py & aspy.	5354	5.0	.13	.650
43.0 - 50.0	Qtz lenses in ser sch, minor min.	5355	7.0	.01	15.560
50.0 - 54.0	As above.	5356	4.0	.12	
54.0 - 71.0	Gry ser sch, no sig qtz or min.				
<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Calc. Grade.</div> <div>Uncut</div> <div>Cut.</div> </div>					
<div> <div>0</div> <div>43.0</div> <div>43.0</div> <div>.36</div> <div>.29</div> </div>					

Logged by JDBHole No. U-B 429

SECTION 250M

Hole No. U-3 428

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
50.0 - 57.5	30% qtz in ser sch., local py & aspy	5578	7.5	.05	
57.5 - 64.0	20% qtz in silic ser sch., py, minor aspy	5579	6.5	.05	
64.0 - 66.0	silic ser sch., py				
66.0 - 84.0	dk gry chl-ser sch				

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 427BEARING N60°WDIP AT COLLAR HorLENGTH 65.0'LAT. 12241.5DEP. 7540.0ELEV. 5591.0

DATE COMPLETED _____

PURPOSE Third level ore definition.SHAFT 2LEVEL 425WORKING B-302HSECTION 625H

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 8.0	Qtz lenses & strs in ser sch, minor min.	5334	8.0	.02	
8.0 - 13.0	30% Qtz lenses in ser sch local aspy.	5335	5.0	.08	
13.0 - 21.0	20% Qtz lenses in partly silic ser sch, local aspy.	5336	8.0	.03	
21.0 - 26.0	Qtz lenses & strs in ser sch, minor min.	5337	5.0	.02	
26.0 - 65.0	Dr gry chl-ser sch w minor Qtz & no min.				

Logged by JLBHole No. U-B 427

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 426BEARING N60°WDIP AT COLLAR Hor.LENGTH 150.0'LAT. 12358.9DEP. 7557.6ELEV. 5590

DATE COMPLETED _____

PURPOSE Third level ore definition.SHAFT 2LEVEL 425WORKING E-202HSECTION 675H

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 5.0	50% qtz in bands in ser sch, py, aspy, tr sp.	5326	5.0	.30	
5.0 - 9.5	Qtz lenses in partly silic gry-grn ser sch impreg w py.	5327	4.5	.11	
9.5 - 13.5	20% qtz in bands in silic ser sch impreg w py.	5328	4.0	.23	
13.5 - 50.0	Grn-buff partly silic ser sch w qtz lenses no sig min. T.S. 39.0-42.0	5329	4.0	.15	
50.0 - 66.5	Chl-ser sch buff-gry w qtz lenses.				
66.5 - 82.0	M.G. grs sch qtz-carb lenses tan lent alt fl.				
82.0 - 102.0	M.G. alt grs mass & p & s alt.				
102.0 - 115.0	Hg grs sch qtz-carb lenses tan lent alt fl.				
115.0 - 118.0	30% qtz carb in chl-ser sch, no sig min.	5330	3.0	.25	
118.0 - 150.0	M.g. grs sch w qtz-carb strs & lt lent alt fl.				
Calc. Grade.					
	From To C.I. Uncut Cut.				
	0 13.5 13.5 .21				
	39.0 42.0 4.0 .15				
	115.0 118.0 3.0 .25				

Logged by JDSHole No. U-B 426

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 425BEARING N 75° EDIP AT COLLAR HorLENGTH 203.0LAT. 12755.72DEP. 7430.71ELEV. 5593DATE COMPLETED December 12th, 1948.PURPOSE To test possible northward extension of 302W and 304W shoots.SHAFT 2LEVEL 425WORKING B-202-JKCSECTION 950

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS																															
				OZ./TON	OZ./TON																														
0.0 - 30.0	Mg grs with local white alt flecks.																																		
30.0 - 63.0	Fg gray-grn slightly sch grs.																																		
63.0 - 94.0	F g grs sch in part slightly chloritic.																																		
94.0 - 120.0	M to fg chl-ser sch with local carb lenses and neg min.																																		
120.0 - 122.0	20% qtz-carb lenses in ser sch spar min with py.	5318	2.0	.13																															
122.0 - 125.0	As above.	5319	3.0	.01																															
125.0 - 128.0	40% qtz lenses in ser sch min with py and minor aspy.	5320	3.0	.15																															
128.0 - 132.0	20% qtz-carb lenses spar min with py and aspy.	5321	4.0	.04																															
132.0 - 135.0	As above	5322	3.0	.02																															
135.0 - 138.0	Qtz-carb lenses in ser sch spar min throughout with py.	5323	3.0	.01																															
138.0 - 196.0	Mg grs sch with local carb lenses and no sig min. T.E. 176.0-177.0	5324	1.0	.10																															
196.0 - 201.0	Fg dark grn sch grs.																																		
201.0 - 203.0	20% carbonate in sch grs min with py.	5325	2.0	.04																															
<table> <tr> <th colspan="2"></th><th colspan="2">Calc. Grade.</th><th colspan="2"></th></tr> <tr> <th>From</th><th>To</th><th>C.I.</th><th>Uncont</th><th>Cut.</th><th></th></tr> <tr> <td>97.5</td><td>98.5</td><td>1.0</td><td>.28</td><td>---</td><td></td></tr> <tr> <td>120.0</td><td>122.0</td><td>2.0</td><td>.12</td><td>---</td><td></td></tr> <tr> <td>135.0</td><td>138.0</td><td>3.0</td><td>.15</td><td>---</td><td></td></tr> </table>								Calc. Grade.				From	To	C.I.	Uncont	Cut.		97.5	98.5	1.0	.28	---		120.0	122.0	2.0	.12	---		135.0	138.0	3.0	.15	---	
		Calc. Grade.																																	
From	To	C.I.	Uncont	Cut.																															
97.5	98.5	1.0	.28	---																															
120.0	122.0	2.0	.12	---																															
135.0	138.0	3.0	.15	---																															

Logged by JAKHole No. U-B 425

Re-log.

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	
74.0 - 85.0	Fg gry grn grs sch grad w chl-ser sch ten lent slt fl.	5333	1.0	.28	
85.0 - 120.0	Chl-ser sch grad w grs sch ten lent slt fl local silic dragf & qtz lenses prom after 96.0. T. S. 97.5 - 98.5				
120.0 - 138.0	Sampled ?				
138.0 - 146.5	Fg grn grs sch grad 10-31- 8.0 -ser sch, cherty after 146.5				
146.5 - 166.5	Finely banded locally cherty chl-ser sch grad w grs sch suggesting possible sediment to 166.5				
166.5 - 177.5	Fg grs sch w local qtz-carb.				
177.5 - 182.0	Chl-ser sch mottled w qtz-carb.				
182.0 - 203.0	Gry-grn grs sch w qtz lenses.				

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 424SHAFT 2BEARING ----LEVEL 425DIP AT COLLAR 490°LAT. 13879.5DATE COMPLETED -----DEP. 7258.0 5600PURPOSE No. 1 Shoot definition below 204MWORKING B-303 WLENGTH 155.0'ELEV. 55975SECTION 950W

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS											
				OZ./TON	OZ./TON										
0 - 28.0	Gry grs sch w minor qtz-carb & tan lent alt fl.														
28.0 - 32.0	Gry chl-ser sch impreg w py minor qtz. T.S. 31.0-32.0	5331	1.0	.32											
32.0 - 93.0	Gry grs sch, minor qtz strcs, rol. mass to 66.0 tan lent alt fl thereafter														
93.0 - 95.0	Qtz lenses in lt grn ser sch, py.	5332	2.0	.02											
95.0 - 110.0	Dk. gry grs sch, minor qtz strcs.														
110.0 - 155.0	Dk. gry drag & cont chl - ser sch & minor qtz lenses. Dragf. more intense after 123.0														
<div>Calc. Grade.</div> <table><tr><th>From</th><th>To</th><th>C.I.</th><th>Uncut</th><th>Cut.</th></tr><tr><td>31.0</td><td>32.0</td><td>1.0</td><td>.32</td><td>---</td></tr></table>						From	To	C.I.	Uncut	Cut.	31.0	32.0	1.0	.32	---
From	To	C.I.	Uncut	Cut.											
31.0	32.0	1.0	.32	---											

Logged by JOBHole No. U-B 424

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 423BEARING N 60° WDIP AT COLLAR 460°LENGTH 84.0'LAT. 12747.9DEP. 7435.6ELEV. 5756DATE COMPLETED December 7th, 1948.PURPOSE 218 Steps are definition.SHAFT 2LEVEL 250WORKING B 202 N-Dr.SECTION 925H

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 2.0	Casing.				
2.0 - 6.0	40% qtz-carb lenses in ser sch spar min with py.	5308	4.0	.09	
6.0 - 11.0	As above but with increasing min.	5309	5.0	.04	
11.0 - 15.0	As above;	5310	4.0	.02	
15.0 - 18.0	20% qtz-carb lenses in ser sch spar min with py.	5311	3.0	.03	
18.0 - 47.0	Fg gray ser sch with local carb lenses and neg min, no sig banding observed.				
47.0 - 51.0	20% qtz-carb lenses in ser sch min with py & aspy.	5312	4.0	1.63	
51.0 - 54.0	90% blue qtz min with py, aspy and minor gray min, v.g. observed between 52.0 & 53.0, 1" section of core with v.g. in several places removed from sample.	5313	3.0	1.93	
54.0 - 58.0	60% qtz in ser sch well min with py and minor aspy & gray min.	5314	4.0	.38	
58.0 - 62.0	As above.	5315	4.0	.27	
62.0 - 66.0	80% qtz with minor carb min with py & minor aspy & gray min.	5316	4.0	.36	
66.0 - 68.0	qtz-carb lenses in ser sch spar min with py.	5317	2.0	.04	
68.0 - 84.0	ff to fg gray-grn ser sch with fair banding exhibited from 74.0-80.0, local carb lenses with neg min, becoming chl after 80.0.				
	Calc. Grade.				

Logged by JAR

From	To	C.L.	Uncut	Cut.
2.0	18.0	16.0	.04	.03
47.0	66.0	19.0	.36	.68

Hole No. U-B 423

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 422BEARING N60°WDIP AT COLLAR -25°LENGTH 242.0'LAT. 12747.9DEP. 7435.6ELEV. 5753DATE COMPLETED December 4th, 1948.PURPOSE Definition of 216 and No. 1shoots below 2nd level.SHAFT 2LEVEL 250WORKING B202M - 1st.SECTION 925H

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 5.0	20% qtz lenses in ser sch min with py and aspy.	5278	5.0	.15	
5.0 - 10.0	As above	5279	5.0	.12	
10.0 - 15.0	As above.	5280	5.0	.14	
15.0 - 20.0	As above.	5281	5.0	.13	
20.0 - 24.0	70% qtz with minor carb min with py & minor aspy & gray min, possible v.g.	5282	4.0	4.96	
24.0 - 28.0	40% qtz-carb and as above.	5283	4.0	.09	
28.0 - 32.0	As above.	5284	4.0	.02	
32.0 - 37.0	60% qtz lenses min with py and minor aspy.	5285	5.0	.25	
37.0 - 42.0	As above.	5286	5.0	.23	
42.0 - 46.0	80% bx like qtz spar min with py, aspy & minor gray min.	5287	4.0	.25	
46.0 - 50.0	As above but with minor carbonate.	5288	4.0	.13	
50.0 - 54.0	30% qtz-carb lenses in ser sch well min with py & aspy.	5289	4.0	.28	
54.0 - 59.0	20% qtz-carb lenses and as above.	5290	5.0	.23	
59.0 - 62.0	50% qtz in ser sch with minor carb well min with py and minor aspy.	5291	3.0	.16	

Logged by TAKHole No. U-B 422

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
62.0 - 66.0	Qtz-carb lenses in ser sch spar min with py.	5292	4.0	.01	
66.0 - 70.0	As above.	5293	4.0	.02	
70.0 - 72.5	F g. gray-grn to black ser sch with minor Qtz lenses and rather well defined banding.	5294	2.5	.10	
72.5 - 78.0	Qtz-carb lenses in ser sch min with py.	5295	4.5	.03	
78.0 - 80.0	As above.	5296	2.0	.02	
80.0 - 86.0	M to fg grn-gray ser sch				
86.0 - 90.0	20% Qtz-carb lenses spar min with py.	5297	4.0	.02	
90.0 - 92.0	As above.	5298	2.0	.04	
92.0 - 96.0	As above.	5299	3.0	.03	
96.0 - 105.0	F g ser sch with local banding suggestive of sed.				
105.0 - 142.0	F g gray ser sch with local carb lenses and neg min, in some sections grading to chl-ser sch.				
142.0 - 145.0	F g banded ser sch.				
145.0 - 148.0	Qtz-carb lenses in ser sch min with py.	5300	2.0	.04	
148.0 - 151.0	20% Qtz-carb lenses in ser sch well min with py.	5301	3.0	.02	
151.0 - 153.0	Qtz-carb lenses in ser sch.	5302	2.0	.01	
153.0 - 155.0	40% Qtz-carb lenses in ser sch well min with py & minor acpy.	5303	2.0	.92	
155.0 - 172.0	F g gray ser sch with local carb lenses.				
172.0 - 182.0	40% Qtz with minor carb min with py & acpy.	5304	2.0	.20	

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
182.0 - 198.0	F g gray ser sch with local brown alt flecks and a slight suggestion of banding from 182.0 - 185.0				
198.0 - 201.5	20% qtz-carb lenses in ser sch min with py.	5305	3.5	.08	
201.5 - 205.5	30% blue qtz min with py and minor aspy and gray min.	5306	4.0	.25	
205.5 - 207.5	30% qtz-carb lenses in ser sch min with py & aspy.	5307	2.0	.35	
207.5 - 234.0	F g gray ser sch with short sections of chl-ser sch, local carb lenses with neg min, characterized by 70% pyrite bands from 210.0 - 211.0 and from 233.0 - 234.0.				
234.0 - 242.0	M g gray grn grs sch.				
<u>Dip Tests.</u>					
	<u>Depth</u>	<u>Read</u>	<u>Corrected.</u>		
	150	25°	221°		
	242	20°	175°		
<u>Calc. Grade.</u>					
	<u>From</u>	<u>To</u>	<u>C. L.</u>	<u>Uncut</u>	<u>Cut.</u>
	0	62.0	62.0	.47	.20
	20.0	62.0	42.0	.61	.26
	153.0	155.0	2.0	.92	---
	179.0	182.0	3.0	.20	---
	201.5	207.5	6.0	.28	---

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 421SHAFT 2BEARING -----LEVEL 250DIP AT COLLAR -90°LAT. 12729.2DATE COMPLETED November 27th, 1948.DEP. 7419.3 345.54PURPOSE Second level ore definition.WORKING B218-W-DLENGTH 26.0'ELEV. 5751.2SECTION 900M

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 1.0	Casing.				
1.0 - 5.0	90% qtz min with py and minor aspy and gray min.	5273	4.0	.69	
5.0 - 9.0	As above but with increasing gray min and aspy.	5274	4.0	1.40	
9.0 - 14.0	As above, no v.g. observed in first 14' but there is possibility of some being present.	5275	5.0	1.00	
14.0 - 15.5	40% qtz-carb lenses in ser sch well min with py and minor aspy.	5276	1.5	.61	
15.5 - 17.0	Qtz - carb lenses in ser sch spar min.	5277	1.5	.09	
17.0 - 26.0	M to fg gray ser sch.				
<u>Calc. Grade.</u>					
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Uncut</u> <u>Cut.</u>				
	1.0 15.5 14.5 .98 ---				

Logged by JAHHole No. U-B 421

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 420BEARING S 60° EDIP AT COLLAR -10°LENGTH 35.0'LAT. 12726.5DEP. 7423.3ELEV. 5751.2DATE COMPLETED November 26th, 1948.PURPOSE Second level ore definition.SHAFT 2LEVEL 250WORKING E 218 N-Dr.SECTION 900N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 5.0	20% qtz-carb lenses in ser sch spar min with py and aspy.	5264	5.0	.15	
5.0 - 9.0	30% qtz - carb lenses and as above.	5265	4.0	.16	
9.0 - 10.5	60% pyrite in blue qtz, this may possibly serve as a marker band.	5266	1.5	.23	
10.5 - 16.0	20% qtz lenses with retic carb lenses well min with py and minor aspy.	5267	5.5	.24	
16.0 - 20.0	80% qtz with minor carb in ser sch well min with py & retic threads of aspy and gray min, possible v.g.	5268	4.0	.61	
20.0 - 23.0	40% qtz-carb lenses in ser sch min with py, aspy & minor gray min.	5269	3.0	.48	
23.0 - 28.0	20% qtz carb lenses in ser sch spar min with py.	5270	5.0	.01	
28.0 - 32.0	30% qtz-carb lenses in ser sch spar min throughout.	5271	4.0	.24	
32.0 - 35.0	Gray well sil ser sch with local carb lenses.	5272	3.0	.06	
<u>Calc. Grade.</u>					
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Uncut</u> <u>Cut.</u>				
	0.0 9.0 9.0 .15 ---				
	9.0 23.0 14.0 .39 .39				
	28.0 32.0 4.0 .24 ---				

Logged by JAHHole No. U/B 420

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 419BEARING N 60° WDIP AT COLLAR 455°LENGTH 78.0'LAT. 12686.4DEP. 7442.8ELEV. 5757DATE COMPLETED November 25th, 1948.PURPOSE Second level ore definition.SHAFT 2LEVEL 250WORKING B 202 W-Dr.SECTION 875W

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 5.0	20% qtz-carb lenses in ser sch spar min with py & aspy.	5253	5.0	.08	
5.0 - 6.5	90% blue qtz min with py and aspy.	5254	1.5	.41	
6.5 - 8.5	Qtz-carb lenses in ser sch spar min throughout	5255	2.0	.10	
8.5 - 24.0	M to fg gray ser sch with local carb lenses and neg min.				
24.0 - 29.0	20% qtz-carb lenses in ser sch spar min with py.	5256	5.0	.10	
29.0 - 35.0	As above.	5257	6.0	.03	
35.0 - 47.0	Fg gray ser sch with local carb lenses.				
47.0 - 51.0	70% qtz in ser sch with possible v.g. between 48.0 and 51.0 minor gray min and sph.	5258	4.0	.70	
51.0 - 54.0	50% qtz-carb lenses in ser sch well min with py & aspy.	5259	3.0	.37	
54.0 - 58.0	50% qtz-carb lenses in ser sch min with py & aspy.	5260	4.0	1.09	
58.0 - 62.0	As above.	5261	4.0	.74	
62.0 - 65.0	70% qtz lenses in ser sch min with py, aspy and minor gray min.	5262	3.0	2.20	
65.0 - 67.0	30% qtz-carb lenses in ser sch min with py and minor aspy and gray min.	5263	2.0	.42	
67.0 - 78.0	M to fg gray ser sch with local carb lenses spar min.				
<div> <div>Calc. Grade.</div> <div> <div>From</div> <div>To</div> <div>C.I.</div> <div>Uncont</div> <div>Cut.</div> </div> </div>					
<div> <div>5.0</div> <div>6.5</div> <div>1.5</div> <div>.41</div> <div></div> </div>					
<div> <div>47.0</div> <div>65.0</div> <div>18.0</div> <div>1.03</div> <div>.92</div> </div>					

Logged by J.H.Hole No. U-B 419

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 418BEARING N 60° WDIP AT COLLAR -25°LENGTH 66.0LAT. 12687.0DEP. 7441.5ELEV. 5750.0DATE COMPLETED November 18th, 1948.PURPOSE Ore definition.SHAFT 2LEVEL 250WORKING B-202 W-Dr.SECTION 875N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 3.0	Casing.				
3.0 - 6.0	Qtz-carb lenses in ser sch spar min.	5228	3.0	.05	
6.0 - 10.0	80% qtz min with py and minor aspy possible v.g., -2' of core ground.	5229	2.0/4.0	4.46	17.840
10.0 - 12.0	As above, possible v.g.	5230	2.0	.21	.420
12.0 - 16.0	60% qtz in ser sch min with py and minor aspy and gray min.	5231	4.0	1.53	6.120
16.0 - 20.0	As above but with increasing min.	5232	4.0	.64	2.560
20.0 - 25.0	As above.	5233	5.0	.45	2.250
25.0 - 27.0	20% qtz-carb lenses in ser sch spar min.	5234	2.0	.13	.260
27.0 - 33.5	Fg gray ser sch				
33.5 - 35.0	70% carbonate with minor qtz spar min with py.	5235	1.5	.01	
35.0 - 47.5	Fg ser sch.				
47.5 - 51.0	Qtz-carb lenses in ser sch min with py and minor aspy.	5236	3.5	.01	
51.0 - 56.0	20% qtz-carb lenses spar min with py.	5237	5.0	.01	
56.0 - 60.0	Qtz-carb lenses in ser sch.	5238	4.0	.03	
60.0 - 66.0	Fg gray ser sch.				

Calc. Grade.

Logged by JAH

From	To	G.L.	Uncut	Cut.
6.0	27.0	21.0	1.40	.95

Hole No. U-B 418

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 417BEARING N 60° WDIP AT COLLAR 425°LENGTH 66.0'LAT. 12687.0DEP. 7441.5ELEV. 5757.0DATE COMPLETED November 21st, 1948.PURPOSE Ore definition.SHAFT 2LEVEL 250WORKING P-202 N-Tr.SECTION 875N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 3.0	30% qtz lenses in ser sch min with py and aspy.	5213	3.0	.24	.720
3.0 - 7.0	90% blue qtz min with py and minor aspy & gray min, possible v.g.	5214	4.0	1.34	5.360
7.0 - 12.0	70% blue qtz and as above.	5215	5.0	.48	2.400
12.0 - 17.0	30% qtz-carb lenses in ser sch with py, aspy and minor sph.	5216	5.0	.06	.300
17.0 - 22.0	As above.	5217	5.0	.07	.350
22.0 - 27.0	20% qtz-carb lenses spar min throughout	5218	5.0	.02	.100
27.0 - 30.0	As above.	5219	3.0	.06	.180
30.0 - 34.0	70% qtz-carb in ser sch min with py and minor aspy and gray min.	5220	4.0	.07	.280
34.0 - 38.0	20% qtz-carb lenses in ser sch min with py and aspy.	5221	4.0	.07	.280
38.0 - 43.0	30% qtz-carb lenses and as above.	5222	5.0	.15	.750
43.0 - 48.0	50% qtz-carb lenses and as above.	5223	5.0	.06	.300
48.0 - 53.0	30% " " " " " "	5224	5.0	.05	.250
53.0 - 57.0	As above.	5225	4.0	.06	.240
57.0 - 62.0	Qtz-carb lenses in ser sch spar min with py and aspy.	5226	5.0	.05	.250

Logged by JAHHole No. U-B 417

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
62.0 - 66.0	As above but with increasing qtz toward 66.0	5227	4.0	.20	
66.0 - 70.0	30% qtz-carb lenses in ser sch spar min with py & aspy.	5229	4.0	.06	
70.0 - 75.0	As above.	5240	5.0	.04	
75.0 - 80.0	As above.	5241	5.0	.03	
80.0 - 86.0	As above.	5242	6.0	.03	
86.0 - 91.0	As above.	5243	5.0	.06	
91.0 - 96.0	20% qtz-carb lenses and as above.	5244	5.0	.04	
96.0 - 102.0	As above.	5245	6.0	.01	
102.0 - 106.0	20% blue qtz and carb lenses in ser sch spar min with py & aspy.	5246	4.0	.08	
106.0 - 110.5	20% qtz-carb lenses in ser sch spar min, suggestion of bending from 106.0 - 109.0	5247	4.5	.02	
110.5 - 113.5	40% qtz-carb lenses min with py and aspy.	5248	3.0	.10	
113.5 - 120.0	qtz-carb lenses in ser sch with slight suggestion of banding throughout	5249	6.5	.15	
120.0 - 124.0	20% qtz-carb lenses in ser sch min throughout	5250	4.0	.63	
124.0 - 127.5	80% blue qtz spat min with py, aspy, and gray min, minor local chalco, possible v.g.	5251	3.5	1.55	
127.5 - 129.5	Qtz-carb lenses in ser sch spar min.	5252	2.0	.06	
129.5 - 146.0	Fg gray-grn ser sch with local carb lenses and neg min, suggestion of band in ser sch from 132.0 on.				

FOOTAGE	DESCRIPTION					SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
								oz./TON	oz./TON
				<u>Calc. Grade.</u>					
		<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut.</u>			
		0	12.0	12.0	.70	.61			
		12.0	62.0	50.0	.07	.06			
		62.0	96.0	34.0	.06	.04			
		110.5	127.5	17.0	.54	.39			
	including	120.0	127.5	7.5	1.05	---			

SECTION 950N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 8.0	M g gray grs grs sch.				
8.0 - 10.0	50% qtz - carb with grn epidote threads min with py and aspy.	5207	2.0	.07	
10.0 - 12.0	F g well handed grs sch.				
12.0 - 38.0	F g grn-gray grs sch with local brown alt flecks becoming chloritic towards 38.0.				
38.0 - 43.0	F g gray ser sch.				
43.0 - 45.0	30% qtz - carb lenses in ser sch spar min with py & aspy.	5208	2.0	.21	
45.0 - 55.0	F g gray ser sch.				
55.0 - 60.0	Qtz - carb lenses in ser sch spar min.	5209	5.0	.03	
60.0 - 65.0	As above but with increasing min.	5210	5.0	.17	
65.0 - 72.0	As above but spar min with py.	5211	7.0	.02	
72.0 - 75.0	30% qtz-carb lenses in ser sch min with py and minor aspy.	5212	3.0	.53	
75.0 - 85.0	F g gray ser sch with brown alt flecks.				
85.0 - 106.0	M to F g grs sch. <div style="text-align: right;">Calc. Grade.</div>				
	<div style="text-align: center;"><u>From.</u> <u>To</u> <u>C.L.</u> <u>Uncut</u> <u>Cut.</u></div>				
	<div style="text-align: center;">43.0 45.0 2.0 .21 ----</div>				
	<div style="text-align: center;">60.0 65.0 5.0 .17 ----</div>				
JAH	<div style="text-align: center;">72.0 75.0 3.0 .53 ----</div>				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B 415SHAFT 2BEARING S 60° ELEVEL 425DIP AT COLLAR 46°LAT. 12875.5DATE COMPLETED November 12th, 1948.DEP. 7265.8 552 WPURPOSE No. 1 Shoot Definition.WORKING E-103 W-XCLENGTH 65'ELEV. 5597.5SECTION 950N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 16.0	M to fg grs sch with local carb lenses around 14.0				
16.0 - 24.0	Fg gray ser sch.				
24.0 - 26.0	20% qtz-carb lenses in ser sch spar min with py.	5203	2.0	.07	
26.0 - 44.0	F g gray ser sch.				
44.0 - 46.5	Well banded ser sch with a few qtz lenses characterized by brown bands of sch.	5204	2.5	.01	
46.5 - 50.5	Fg gray ser sch.				
50.5 - 51.0	20% qtz carb lenses in ser sch	5205	0.5	.31	
51.0 - 52.0	F g gray ser sch.				
52.0 - 53.0	Qtz-carb lenses in ser sch	5206	1.0	.01	
53.0 - 57.0	F g gray-grn ser sch.				
57.0 - 65.0	M g grn grn sch.				

JAH

U-B 415

Logged by _____

Hole No. _____

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U - B 414SHAFT 2BEARING S 60° ELEVEL 425DIP AT COLLAR 430°LAT. 12875.0DATE COMPLETED November 10th, 1948.DEP. 7267.5PURPOSE Ore definition No. 1 Shoot.WORKING B-103 W-XOLENGTH 66.0'ELEV. 5597.5SECTION 950N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 15.0	M to fg grs sch with brown alt flecks after 10.0				
15.0 - 25.0	Fg chl ser sch with local carb lenses.				
25.0 - 34.0	F g gray ser sch with local carb lenses. T. S. - 27.0-28.0 - isolated 1' band of qtz carb lenses apar min.	5201	1.0	.09	
34.0 - 35.0	Qtz-carb lenses in ser sch apar min with py.	5202	1.0	.16	
35.0 - 38.0	M to fg chl ser sch.				
38.0 - 66.0	M to fg gray grn grs sch with local carb lenses and neg min.				

Logged by JAHHole No. U-B 414

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 413SHAFT 2BEARING -----LEVEL 425DIP AT COLLAR 790°LAT. 12847.0DATE COMPLETED November 8th, 1948.DEP. 7315.0 435WPURPOSE Ore definition - No. 1 Shoot.WORKING B-203-NXCLENGTH 153.0'ELEV. 5597.5SECTION 950N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 2.0	Casing.				
2.0 - 16.0	Med. grained grs sch.				
16.0 - 18.5	Med. grained grs sch well min with py.	5942	2.5	.04	
18.5 - 74.0	M to F grained grs sch with brown alteration flecks.				
74.0 - 108.0	M to F grained grs sch.				
108.0 - 114.0	M to F g chl-ser sch.				
114.0 - 118.0	F g ser sch with local qtz lenses and str.	5943	4.0	.04	
118.0 - 123.0	20% qtz in ser sch spar min with py and aspy with a local slaty texture	5944	5.0	.06	
123.0 - 127.0	20% qtz in ser sch with brown alteration flecks throughout.	5945	4.0	.12	
127.0 - 130.0	90% blue qtz well min with py aspy and minor gray min, green alteration streaks throughout possible v.g.	5946	3.0	.86	
130.0 - 135.0	60% blue qtz in ser sch well min with py and minor aspy.	5947	5.0	1.16	
135.0 - 140.0	As above but with minor gray min.	5948	5.0	.68	
140.0 - 145.0	As above with possible v.g. at 144.5	5949	5.0	2.01	
145.0 - 148.0	80% qtz with py aspy and increasing gray min.	5950	3.0	1.01	

Logged by JAHHole No. U-B 413

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON																
148.0 - 153.0	<p>90% qtz well min with gray min, sph and minor py and aspy -- there is a distinct shenge in type of min in last 5' of this hole.</p> <p>Hole stopped in ore at 153.0 because of adequate information in this region.</p> <p style="text-align: center;"><u>Calc. Grade.</u></p> <table><thead><tr><th><u>From</u></th><th><u>To</u></th><th><u>C.L.</u></th><th><u>Uncut</u></th><th><u>Cut.</u></th></tr></thead><tbody><tr><td>114.0</td><td>127.0</td><td>13.0</td><td>.07</td><td>---</td></tr><tr><td>127.0</td><td>153.0</td><td>26.0</td><td>1.64</td><td>1.23</td></tr></tbody></table>	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut.</u>	114.0	127.0	13.0	.07	---	127.0	153.0	26.0	1.64	1.23	5951	5.0	4.26	
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut.</u>																
114.0	127.0	13.0	.07	---																
127.0	153.0	26.0	1.64	1.23																

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORDHOLE No. U-B 412SHAFT 2BEARING -----LEVEL 425DIP AT COLLAR 490°LAT. 12720.0DATE COMPLETED October 28th, 1948.DEP. 7526.5 298WPURPOSE Ore definitionWORKING B-703W X-CLENGTH 53.0'ELEV. 5597.5SECTION 950N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 2.0	Casing.				
2.0 - 23.0	M to f.g. sch grs.				
23.0 - 40.0	M to f.g. chl-ser sch with local carb lenses.and neg min.				
40.0 - 48.0	F.G. gray-grn chl-ser sch with neg qtz or min.				
48.0 - 53.0	F.G. massive to sch grs.				

Logged by JAHHole No. U-B 412

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 411SHAFT 2BEARING -----LEVEL 425DIP AT COLLAR 790°LAT. 12707.5DATE COMPLETED October 28th, 1948.DEP. 7549.5 2220'PURPOSE Third level ore definition.WORKING B-303WLENGTH 38.0'ELEV. 5597.5SECTION 950N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 2.0	Casing.				
2.0 - 12.0	M.G. gry chl-ser sch.				
12.0 - 16.5	80% qtz in part well min w py & aspy, 2 sect w v.g.	5939	4.5	1.89	8.505
16.5 - 21.5	Gry ser sch w minor qtz & min.	5940	5.0	.06	.300
21.5 - 24.0	40% qtz-carb 6" w sp & gry min.	5941	2.5	.42	1.050
24.0 - 38.0	Gry chl-ser sch qtz-carb strs, no min.				
<u>Calc. Grade.</u>					
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Uncut</u> <u>Cut.</u>				
	12.0 24.0 12.0 .82 .57				

Logged by JDBHole No. U-B 411

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 410BEARING N 20°WDIP AT COLLAR Hor.LENGTH 115.0'LAT. 12837.37DEP. 7340.03ELEV. 5592

DATE COMPLETED _____

PURPOSE Probing No. 1 Ore Shoot.SHAFT 2LEVEL 425WORKING B 303WSECTION 985N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 25.0	Dk grn grs sch w local snfl & calc strrs.				
25.0 - 38.5	Gry chl-ser sch w lenses brn alt fl.				
38.5 - 49.0	Gry ser sch w minor qtz.				
49.0 - 52.5	50% qtz min w py, aspy & spy local v.g.	5936	3.5	.86	3.010
52.5 - 58.0	80% dk qtz min w py, aspy, sp & gry min. 1 ft w v.g.	5937	5.5	1.73	9.515
58.0 - 61.5	As above, 1.5' w v.g.	5938	3.5	2.85	9.975
61.5 - 65.0	Gry banded ser sch (sed?)				
65.0 - 87.0	Dense gry chl-ser sch, minor qtz.				
87.0 - 93.0	Gry serssch.				
93.0 - 115.0	Grn-gry chl-ser sch w carb.				
<u>Cal. Grade.</u>					
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Uncut</u> <u>Cut.</u>				
	49.0 61.5 12.5 1.80 1.75				

LOGGED BY JDBHOLE No. U-B 410

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORDHOLE No. U-B 409BEARING N 60°WDIP AT COLLAR Hor.LENGTH 62.0' (278)LAT. 12880.52DEP. 7255.78563 wELEV. 5592

DATE COMPLETED _____

PURPOSE Probing No. 1 Ore ShootSHAFT 2LEVEL 425WORKING B-303WSECTION 950N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 37.0	f.g. grn grs sch, approaching chl sch after 19.0.				
37.0 - 38.5	f.g. chl-ser sch w minor qtz & py.				
38.5 - 44.0	f.g. grs sch.				
44.0 - 62.0	f.g. - m.g. sch grs w calc strs, local snfl.				

JDB
LOGGED BY _____U-B 409
HOLE No. _____

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
62.0 - 69.0	mass lg to fg grn grs w reble epid blazards & minute alk fl.				
69.0 - 74.0	fg dk grn sch grs w cherty bands				
74.0 - 90.5	fg dk grn grs sch w calcite stain				
90.5 - 178.5	buff-grn chl-ser sch calcite stain and some quartz-vein more ser after 111.0 124.0 to 135.0 sect of quartz-vein change of f w or h w type (classified as ser) 146.5 to 150.5 sealed w dense fg py typical of cherty buff replacement from 150.5 to 155.5 169.0 to 176.0 short sect w py min.				
178.5 - 278.0	grn-grn sch w tr change. of Brook type 192.0 to 204.5 pseudo porph. 206.5 to 219.0 grn-grn chl-ser sch drag fold short sections replaced w dense py 219.0 to 229.0 fg grn banded grs sch. 229.0 to 253.5 similar to above w sect replaced by dense py prob buff 253.5 fg grn chl. grs sch streaked w calcite becoming more mass at 278.0				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B 408SHAFT 2BEARING ----LEVEL 425DIP AT COLLAR 790°LAT. 12291.5DATE COMPLETED October 18th, 1948.DEP. 7524.5PURPOSE Third level ore definitionWORKING B-302 N-Dr.LENGTH 118.0'ELEV. 5593SECTION 575N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0.0 - 2.0	Casing.				
2.0 - 27.0	F. G. gray ser sch in part slightly chl with scattered qtz-carb lenses and neg min.				
27.0 - 30.0	Qtz-carb lenses in ser sch spar min with py.	5917	3.0	.12	
30.0 - 52.5	F. G. gray ser sch.				
52.5 - 54.5	Qtz-carb lenses in ser sch spar min throughout.	5918	2.0	.13	
54.5 - 59.0	70% qtz in ser sch min with py and minor aspy and gray min, v.g. observed between 54.5 and 55.0	5919	4.5	2.85	
59.0 - 64.0	50% qtz in ser sch well min with retic threads of gray min, minor py and aspy, possible v.g.	5920	5.0	1.44	
64.0 - 69.0	As above but with decreasing gray min, no v.g. evident.	5921	5.0	.52	
69.0 - 75.0	50% qtz in ser sch min with py and minor aspy and gray min.	5922	6.0	.34	
75.0 - 80.0	30% qtz lenses in ser sch and as above.	5923	5.0	.26	
80.0 - 85.0	As above.	5924	5.0	.22	
85.0 - 90.0	As above but with increasing gray min.	5925	5.0	.35	
90.0 - 95.0	20% qtz-carb lenses in ser sch spar min with py and minor aspy.	5926	5.0	.07	

LOGGED BY JAHHOLE No. U-B 408

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
95.0 - 100.0	As above	5927	5.0	.02	
100.0 - 103.0	As above	5928	3.0	.02	
103.0 - 118.0	F. G. gray-grn chl-ser sch with local carb lenses and neg min.				
	<u>Calc. Grade.</u>				
	<div> <u>From</u> <u>To</u> <u>G. L.</u> <u>Uncut</u> <u>Cut.</u> </div>				
	<div> 54.5 90.0 35.5 .81 .57 </div>				
	<div> including 54.5 75.0 20.5 1.20 .97 </div>				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B 407SHAFT 2BEARING ---LAT. 12364.0DATE COMPLETED October 15th, 1948.LEVEL 425DIP AT COLLAR 490°DEP. 7549.5PURPOSE Third level ore definition.WORKING B-302 N-Dr.LENGTH 90.0'ELEV. 5594SECTION 650N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0.0 - 2.0	Casing.				
2.0 - 8.0	F. g. gray ser sch.				
8.0 - 13.0	20% qtz-carb lenses in ser sch min with py and minor aspy.	5905	5.0	.09	
13.0 - 18.0	As above but with increasing min. 5906	5906	5.0	.09	
18.0 - 25.0	Qtz-carb lenses and strs in ser sch spar min in parts	5907	7.0	.02	
25.0 - 32.0	20% qtz-carb lenses in ser sch, no sig min.	5908	7.0	.07	
32.0 - 39.0	As above but spar min throughout	5909	7.0	.38	
39.0 - 44.0	90% qtz min with py aspy and gray min, v.g. at 40.5.	5910	5.0	2.62	
44.0 - 49.0	As above but with increasing gray min, v.g. at 47.5	5911	5.0	2.06	
49.0 - 55.0	30% qtz-carb lenses in ser sch with short sections of blue qtz min with py and aspy.	5912	6.0	1.03	
55.0 - 60.0	70% qtz in ser sch well min with py and minor aspy and gray min.	5913	5.0	.86	
60.0 - 65.0	90% qtz and as above, v.g. at 64.0	5914	5.0	4.44	
65.0 - 68.0	30% qtz lenses in ser sch spar min throughout	5915	3.0	.29	
68.0 - 71.0	Qtz-carb lenses in ser sch and as above.	5916	3.0	.05	

LOGGED BY JAHHOLE No. U-B 407

N.M.F.P. 757445

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS oz./TON																
71.0 - 90.0	F. G. ser sch with local carb lenses and neg min becoming slightly chl after 85.0. <div>Calc. Grade. <table><thead><tr><th>From</th><th>To</th><th>C.I.</th><th>Uncut</th><th>Cut.</th></tr></thead><tbody><tr><td>8.0</td><td>18.0</td><td>10.0</td><td>.09</td><td>---</td></tr><tr><td>32.0</td><td>68.0</td><td>36.0</td><td>1.66</td><td>1.37</td></tr></tbody></table></div>	From	To	C.I.	Uncut	Cut.	8.0	18.0	10.0	.09	---	32.0	68.0	36.0	1.66	1.37				
From	To	C.I.	Uncut	Cut.																
8.0	18.0	10.0	.09	---																
32.0	68.0	36.0	1.66	1.37																

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B 406BEARING N 60°WDIP AT COLLAR 730°LENGTH 104.0'LAT. 12620.36DEP. 7606.36ELEV. 5592DATE COMPLETED October 11th, 1948.PURPOSE Third level ore definitionSHAFT 2LEVEL 425WORKING B-302-N. Dr.SECTION 900N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 4.0	30% qtz-carb lenses in ser sch spar min with py & aspy.	5888	4.0	.03	
4.0 - 10.0	70% qtz in ser sch with local carb lenses, min w py, aspy, and minor gry min.	5889	6.0	.20	
10.0 - 14.0	30% qtz-carb lenses in ser sch spar min throughout	5890	4.0	.12	
14.0 - 21.0	f.g. ser sch with a few local qtz-carb lenses.	5891	7.0	.05	
21.0 - 27.0	40% qtz lenses in ser sch min with py aspy with a few local carb lenses.	5892	6.0	.15	
27.0 - 31.0	70% bx like blue qtz min with py aspy and gray min.	5893	4.0	.26	
31.0 - 37.0	20% qtz-carb lenses in ser sch spar min throughout	5894	6.0	.03	
37.0 - 43.0	As above but with decreasing min.	5895	6.0	.08	
43.0 - 47.0	80% blue qtz min with py and minor aspy and gry min.	5896	4.0	.77	
47.0 - 49.0	20% qtz-carb lenses in ser sch well min with py.	5897	2.0	.26	
49.0 - 64.0	F.g. gry ser sch in part sil with a few qtz lenses between 57.0 and 58.5. T.S. 57.0-58.5	5898	1.5	.24	
64.0 - 70.0	40% qtz lenses in ser sch in part well min with py & aspy.	5899	6.0	.16	
70.0 - 76.0	As above but with decreasing min.	5900	6.0	.32	

JAH
 LOGGED BY _____

U-B 406
 HOLE No. _____

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS																																											
				oz./TON	oz./TON																																										
76.0 - 82.0	40% qtz with a few carb lenses well min throughout with py also min aspy and gray min.	5903	6.0	.59																																											
82.0 - 86.0	70% blue qtz min with py aspy and gray min becoming carbonaceous and sericitic towards 86.0, v.g. observed at 82.5	5904	4.0	1.59																																											
86.0 - 104.0	F.g. gray ser sch with brown alt flecks to 96.0 thence becoming slightly chloritic towards 104.0.																																														
<table> <tr> <th colspan="2"></th><th colspan="4"><u>Calc. Grade.</u></th></tr> <tr> <th><u>From</u></th><th><u>To</u></th><th><u>C.L.</u></th><th><u>Uncut</u></th><th><u>Cut.</u></th><th></th></tr> <tr> <td>4.0</td><td>14.0</td><td>10.0</td><td>.16</td><td>---</td><td></td></tr> <tr> <td>21.0</td><td>31.0</td><td>10.0</td><td>.19</td><td>---</td><td></td></tr> <tr> <td>43.0</td><td>49.0</td><td>6.0</td><td>.60</td><td>---</td><td></td></tr> <tr> <td>57.0</td><td>58.5</td><td>1.5</td><td>.24</td><td>---</td><td></td></tr> <tr> <td>64.0</td><td>86.0</td><td>22.0</td><td>.58</td><td>.45</td><td></td></tr> </table>								<u>Calc. Grade.</u>				<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut.</u>		4.0	14.0	10.0	.16	---		21.0	31.0	10.0	.19	---		43.0	49.0	6.0	.60	---		57.0	58.5	1.5	.24	---		64.0	86.0	22.0	.58	.45	
		<u>Calc. Grade.</u>																																													
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut.</u>																																											
4.0	14.0	10.0	.16	---																																											
21.0	31.0	10.0	.19	---																																											
43.0	49.0	6.0	.60	---																																											
57.0	58.5	1.5	.24	---																																											
64.0	86.0	22.0	.58	.45																																											

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B 405BEARING -----DIP AT COLLAR -90°LENGTH 88.0⁸LAT. 12620.36DEP. 7606.36ELEV. 5587DATE COMPLETED October 10th, 1948.PURPOSE Third level ore definition.SHAFT 2LEVEL 425WORKING B-302-N Dr.SECTION 900N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS																									
				oz./TON	oz./TON																								
0.0 - 2.0	Casing.																												
2.0 - 6.0	20% qtz-carb lenses in ser sch spar min. throughout with py and aspy.	5883	4.0	.08																									
6.0 - 11.0	60% qtz lenses in ser sch with scattered carb lenses min with py, aspy and minor gray min.	5884	5.0	.55																									
11.0 - 13.0	30% qtz lenses and as above.	5885	2.0	.48																									
13.0 - 42.0	Med. to f.g. ser sch in part sil.																												
42.0 - 63.0	As above but with local carb lenses																												
63.0 - 78.0	As above.																												
78.0 - 82.5	40% bx like qtz in ser sch min with py, aspy & minor gry min	5886	4.5	.19																									
82.5 - 84.0	Qtz-carb lenses in ser sch with no sig min	5887	1.5	.01																									
84.0 - 88.0	F.g. gry ser sch with local carb lenses.																												
<table> <tr> <th colspan="2"></th><th colspan="2">Calc. Grade.</th><th colspan="2"></th></tr> <tr> <th>From</th><th>To</th><th>C.L.</th><th>Uncut</th><th>Cut.</th><th></th></tr> <tr> <td>6.0</td><td>13.0</td><td>7.0</td><td>.53</td><td>---</td><td></td></tr> <tr> <td>78.0</td><td>82.5</td><td>4.5</td><td>.19</td><td>----</td><td></td></tr> </table>								Calc. Grade.				From	To	C.L.	Uncut	Cut.		6.0	13.0	7.0	.53	---		78.0	82.5	4.5	.19	----	
		Calc. Grade.																											
From	To	C.L.	Uncut	Cut.																									
6.0	13.0	7.0	.53	---																									
78.0	82.5	4.5	.19	----																									

LOGGED BY JAHHOLE No. U-B 405

HOLE NO. U-B 404

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 403SHAFT 2BEARING ---LEVEL 425DIP AT COLLAR 790LAT. 12412

DATE COMPLETED _____

DEP. 7567 59WPURPOSE Third level ore definition.WORKING E-302WLENGTH 87.0'ELEV. 5595SECTION 700N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	Casing.				
2.0 - 18.0	Dk gry chl-ser sch mottled w qtz.				
18.0 - 23.0	20% qtz in partly silic ser sch, minor min.	5871	5.0	.11	
23.0 - 31.0	80% qtz & carb min w py aspy & minor gry min.	5872	8.0	.54	4.320
31.0 - 39.5	As above, v.g. in two places.	5873	8.5	3.00	30.600
39.5 - 44.5	30% qtz in partly silic ser sch, aspy.	5874	5.0	.13	.650
44.5 - 51.0	60% qtz min w py & aspy, v.g.	5875	6.5	.98	6.370
51.0 - 54.0	As above	5876	3.0	1.28	3.840
54.0 - 86.0	Dk gry chl-ser sch w qtz carb lenses.				
86.0 - 93.0	Gry grs sch.				
<u>Calc. Grade.</u>					
		<u>From</u>	<u>To</u>	<u>G.L.</u>	<u>Uncut</u> <u>Cut.</u>
		23.0	54.0	31.0	1.47 1.09

LOGGED BY JDEHOLE No. U-B 403

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-E 402SHAFT 2BEARING ----LEVEL 425DIP AT COLLAR 790LAT. 12567DATE COMPLETED -----DEP. 7601PURPOSE Third level ore definition.WORKING E-302MLENGTH 56.0ELEV. 5595SECTION 7500

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	Casing.				
2.0 - 7.0	30% qtz in ser sch min w py & aspy.	5864	5.0	.38	
7.0 - 10.5	Buff silic ser sch impreg w py.	5865	3.5	.06	
10.5 - 15.0	30% qtz-carb veins in silic ser sch.	5866	4.5	.89	
15.0 - 20.0	Qtz lenses in ser sch, minor min.	5867	5.0	.02	
20.0 - 30.5	Dk gry chl-ser sch w minor qtz, no min.				
30.5 - 35.0	40% qtz lenses in ser sch min w py & aspy.	5868	4.5	.14	
35.0 - 37.0	Gry chl-ser sch, minor qtz & min.	5869	2.0	.01	
37.0 - 42.5	20% qtz lenses in ser sch, minor py & aspy.	5870	5.5	.03	
42.5 - 58.0	Dk gry chl-ser sch, no sig qtz or min.				
58.0 - 80.0	Alt gis sch locally mottled w qtz & calc.				
Calc. Grade.					
	From To C.L. Uncert. Cont.				
	2.0 15.0 13.0 .54 .44				
	30.5 35.0 4.5 .14 ---				

LOGGED BY JDEHOLE No. U-E 402

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 401SHAFT 2BEARING ----LEVEL 425DIP AT COLLAR 790LAT. 12567DATE COMPLETED -----DEP. 7601PURPOSE Third level ore def.WORKING B-302NLENGTH 56.0'ELEV. 5595.5SECTION 850N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	Casing.				
2.0 - 6.5	30%, py, aspy.	5862	4.5	.09	
6.5 - 20.0	Chl-ser, qtz strs & lenses, minor min. T.S. 10.5-11.5	4863	1.0	.35	
20.0 - 43.0	Dk gry chl-ser sch, no sig qtz or min.				
43.0 - 56.0	Grn-gry gb sch.				
<u>Calc Grade.</u>					
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Uncut</u> <u>Cut.</u>				
	2.0 6.5 4.5 .09 ---				
	10.5 11.5 1.0 .35 ---				

LOGGED BY JDBHOLE No. U-B 401

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-E 400SHAFT 2BEARING -----LEVEL 425DIP AT COLLAR 90LAT. 12620DATE COMPLETED DEP. 7607PURPOSE Third level ore def.WORKING E-302NLENGTH 55.0ELEV. 5596SECTION 900N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 42.0	Dk gry ser sch w qtz carb lenses, no sig min, T.S. 34.0 - 39.0	5861	5.0	.03	
42.0 - 55.0	Dk gry-grn grs sch.				

LOGGED BY JDRHOLE No. U-2 400

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 399SHAFT 2BEARING S 60° ELEVEL 425DIP AT COLLAR Hor.LAT. 12615.80

DATE COMPLETED _____

DEP. 7614.15PURPOSE Third level ore def.WORKING E-302NLENGTH 29.0ELEV. 5591SECTION 900N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 5.0	20% qtz in ser sch, minor py, aspy.	5858	5.0	.03	
5.0 - 10.0	qtz lenses in ser sch & ss above.	5859	5.0	.02	
10.0 - 14.0	As above.	5860	4.0	.02	
14.0 - 29.0	f.g. grs sch w sph tx				

LOGGED BY JLBHOLE No. U-B 399

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 398BEARING N 60° WDIP AT COLLAR HorLENGTH 77.0LAT. 12620.36DEP. 7606.36ELEV. 5591

DATE COMPLETED _____

PURPOSE Third level ore def.SHAFT 2LEVEL 125WORKING B-302MSECTION 900N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 6.0	70% qtz & mottled carb, qtz min w py, aspy.	5853	6.0	.15	
6.0 - 12.0	40% qtz-carb w minor py, aspy.	5854	6.0	.14	
12.0 - 22.0	Gry ser sch, no sig qtz or min.				
22.0 - 26.0	30% qtz in ser sch, minor min.	5855	4.0	.15	
26.0 - 28.0	Gry ser sch, no sig qtz or min.				
28.0 - 30.5	50% qtz min w py, aspy.	5856	2.5	.03	
30.5 - 77.0	Dk gry ser sch, no qtz or min. T.S. minor min 70.0-71.0	5857	1.0	.27	
<u>Calc. Grade.</u>					
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Uncut</u> <u>Cut.</u>				
	0 12.0 12.0 .14 .14				
	22.0 26.0 4.0 .15 ---				
	70.0 71.0 1.0 .27 ---				

LOGGED BY JDBHOLE No. U-B 398

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. 4-B 397SHAFT 2BEARING N 60° WLEVEL 250DIP AT COLLAR 40LAT. 12747.9

DATE COMPLETED _____

DEP. 7435.6PURPOSE B 218 StopeWORKING B-202NLENGTH 79.0ELEV. 5758Back definitionSECTION 925N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 5.0	30% qtz in partly silic ser sch min w py.	5845	5.0	.08	.400
5.0 - 10.0	qtz strs in ser sch, local silic, minor py.	5846	5.0	.15	.750
10.0 - 14.5	As above	5847	4.5	.15	.675
14.5 - 50.0	Gry ser sch, neg qtz & min.				
50.0 - 55.0	80% dk blue qtz & carb, sparing min, local gry min & fine v.g.	5848	5.0	.90	4.500
55.0 - 58.5	As above	5849	3.5	1.50	5.400
58.5 - 64.0	Grn ser sch w qtz-carb lenses, minor min	5850	5.5	3.43	18.665
64.0 - 70.5	50% dk qtz, carb, minow py, local gry min.	5851	0.5	.14	.910
70.5 - 77.0	Partly silic ser sch impreg w py, minor qtz.	5852	0.5	.12	
77.0 - 79.0	Gry ser sch w neg qtz & min.				
<u>Calc. Grade.</u>					
	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut.</u>
	0	14.5	14.5	.12	.12
	50.0	70.5	20.5	1.45	1.11

LOGGED BY JDBHOLE No. 4-B 397

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 396BEARING N 35° WDIP AT COLLAR ± 35LENGTH 82.0LAT. 12751.75DEP. 7435.41ELEV. 5758

DATE COMPLETED _____

PURPOSE B.218 StopeBack definitionSHAFT 2LEVEL 250WORKING B-202MSECTION 950N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS																
				oz./TON	oz./TON															
0 - 2.0	90% dk qtz, sparing min.	5838	2.0	.05																
2.0 - 6.0	Qtz lenses in gry ser sch, minor min.	5839	4.0	.08																
6.0 - 47.5	Gry ser sch w minor qtz-carb, no sig min.																			
47.5 - 51.5	Qtz-carb lenses in gry ser sch, minor min.	5840	4.0	.01																
51.5 - 53.0	50% lt qtz w carb, sparing min.	5841	1.5	2.01	3.015															
53.0 - 61.0	85% dk blue qtz & carb, sparing min, plentiful v.g. in places.	5842	8.0	9.86	78.880															
61.0 - 66.0	20% qtz in partly silic ser sch, py and aspy.	5843	5.0	.21	1.050															
66.0 - 71.5	Qtz lenses in gry silic ser sch min w py.	5844	5.5	.34	1.870															
71.5 - 82.0	Gry ser sch, neg qtz & min.																			
<div>Calc. Grade.</div> <table><tr><th>From</th><th>To</th><th>C.L.</th><th>Uncut</th><th>Cut.</th></tr><tr><td>0</td><td>6.0</td><td>3.0</td><td>.07</td><td>.07</td></tr><tr><td>51.5</td><td>71.5</td><td>61.5</td><td>4.24</td><td>2.29</td></tr></table>						From	To	C.L.	Uncut	Cut.	0	6.0	3.0	.07	.07	51.5	71.5	61.5	4.24	2.29
From	To	C.L.	Uncut	Cut.																
0	6.0	3.0	.07	.07																
51.5	71.5	61.5	4.24	2.29																

LOGGED BY JUBHOLE No. U-B 396

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. UB 395

BEARING N 60° W

DIP AT COLLAR -60

LENGTH 39

LAT. 12676

DEP. 7611 1531

ELEV. 5537

DATE COMPLETED Sept. 13th.

PURPOSE Ureäol

SHAFT 2

LEVEL 425

WORKING 302 N Dr.

SECTION 950M

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS											
				OZ./TON	OZ./TON										
0 - 210	Casing.														
2.0 - 6.0	Ser sch 50% qtz, heavy py, aspy.	5827	4.0	.64											
6.0 - 11.0	As above, 3" qtz-carb schist bx at 11, looks like fault	5828	5.0	.86											
11.0 - 33.0	Ser chl sch, local sections ser.														
33.0 - 39.0	Compact ser-chl sch almost sericitic gs schist.														
<div>Calc. AU.</div> <table><tr><td>From</td><td>To</td><td>C.L.</td><td>Uncut</td><td>Cut</td></tr><tr><td>2.0</td><td>11.0</td><td>9.0</td><td>.76</td><td>.76</td></tr></table>						From	To	C.L.	Uncut	Cut	2.0	11.0	9.0	.76	.76
From	To	C.L.	Uncut	Cut											
2.0	11.0	9.0	.76	.76											

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 394BEARING S 60° EDIP AT COLLAR 7° 70LENGTH 71LAT. 12732.5DEP. 7313ELEV. 5758

DATE COMPLETED _____

PURPOSE Ore def.SHAFT 2LEVEL 250WORKING 204 N Tr.SECTION 250N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	Casing.				
2.0 - 8.0	Ser sch 30% qtz, py, aspy, schist sub parallel to core	5815	6.0	.02	
8.0 - 13.0	As above.	5816	5.0	.02	
13.0 - 19.0	As above	5817	6.0	.09	
19.0 - 23.0	As above.	5818	4.0	.04	
23.0 - 28.0	As above.	5819	5.0	.10	
28.0 - 33.0	Ser sch 30° angle, 15% qtz, py, aspy.	5820	5.0	.17	
33.0 - 36.0	Ser sch, 30° angle, 20% qtz, py, aspy.	5821	3.0	.07	
36.0 - 40.3	Ser sch 30° angle, 40% qtz, py, aspy.	5822	4.3	.06	
40.3 - 45.0	80% qtz, py, aspy, - qtz-chl bx at 45.	5823	4.7	.31	
45.0 - 48.0	30% bull qtz, chl-ser bx.	5824	3.0	.03	
48.0 - 50.0	Ser-chl schist, local bull qtz.				
50.0 - 57.0	Ser sch local qtz carb.				
57.0 - 59.0	Ser sch 20% qtz-carb, minor py.	5826	2.0	0.32	

LOGGED BY

ASD

HOLE No.

U-B 394

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS oz./TON	
59.0 - 66.0	Gry ser sch.				
66.0 - 71.0	Ser chl sch.				

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 393BEARING N 60° EDIP AT COLLAR HOTLENGTH 32LAT. 12854.9DEP. 7344.9ELEV. 5755DATE COMPLETED Sept. 12thPURPOSE Ore def.SHAFT 2LEVEL 250WORKING 204 N Dr.SECTION 972N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.5	80% dark qtz, py, aspy, last .05 qtz-chl bx, py.	6000	2.5	1.99	
2.5 - 15.0	Ser-chl sch, local qtz, carb bands				
15.0 - 27.0	Chl-ser sch				
27.0 - 32.0	Gs. sch.				
<u>Calc. Grade.</u>					
	<u>From</u> <u>To</u> <u>C.L.</u>	<u>Uncut</u>	<u>Cnt.</u>		
	0 2.5 2.5	1.99	----		

LOGGED BY ASDHOLE No. U/B 393

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 392SHAFT 2BEARING N 60° WLEVEL 425DIP AT COLLAR - 30LAT. 12676

DATE COMPLETED _____

DEP. 7011 153WPURPOSE Ore def.WORKING 302 W Dr.LENGTH 97ELEV. 5588SECTION 950N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.5	Ser sch, 40% qtz, carb, py, aspy.	5803	2.5	.15	
2.5 - 8.0	Ser sch 50% qtz, heavy py.	5804	5.5	.33	
8.0 - 13.0	Ser sch 35% qtz, heavy py.	5805	5.0	.69	
13.0 - 17.0	As above.	5806	4.0	.26	
17.0 - 22.0	One third sections of 50% qtz, py, rest ser-chl sch.	5807	5.0	.27	
22.0 - 24.0	Ser-chl sch.	5808	2.0	.03	
24.0 - 27.0	1' ser 30% qtz, rest 90% gry qtz, sph?, py, aspy, gry min?	5809	3.0	.21	
27.0 - 32.0	80% dark gry qtz, py, aspy, gry min?	5810	5.0	2.02	
32.0 - 38.5	Ser sch 30% qtz, py, about 1' of core short.	5811	6.5	2.32	
38.5 - 40.5	Compact ser sch local py.	5812	2.0	.02	
40.5 - 74.0	Compact grey ser sch, locally looks silicified with py.				
	T.S. 47.0-48.5 - minor qtz, py.	5813	1.5	1.25	
	60.0-62.0 " " "	5814	2.0	.38	
74.0 - 76.0	Ser sch 20% qtz bands, fine py, aspy.	5825	2.0	.17	
76.0 - 90.0	Ser-chl sch local minor qtz.				

LOGGED BY ASBHOLE No. U-B 392

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
90.0 - 93.0	Obl-ser sch.				
93.0 - 97.0	Schistose gs or gs sch.				

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 391BEARING S 60° EDIP AT COLLAR - 50LENGTH 96LAT. 12833DEP. 7330.5 4776ELEV. 5752DATE COMPLETED September 10th.PURPOSE Ore def.SHAFT 2LEVEL 250WORKING 204 N Dr.SECTION 950H

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	Casing				
2.0 - 7.0	Ser sch 50% qtz, py, aspy.	5982	5.0	0.19	
7.0 - 12.0	Ser sch 15% qtz, py, aspy.	5983	5.0	0.02	
12.0 - 17.0	As above.	5984	5.0	0.02	
17.0 - 22.0	As above.	5986	5.0	0.24	
22.0 - 27.0	As above	5987	5.0	0.06	
27.0 - 33.0	As above	5988	6.0	0.02	
33.0 - 38.0	Ser sch, 20% qtz, local stong py.	5989	5.0	0.06	
38.0 - 40.0	Ser sch, sparse qtz, minor py.	5990	2.0	0.07	
40.0 - 47.0	Compact chl-ser sch, minor local py.				
47.0 - 66.0	Compact ser-sch, local patches qtz.				
66.0 - 70.0	Ser sch, 10% qtz, py.	5991	4.0	0.09	
70.0 - 74.0	Ser sch.				
74.0 - 78.0	Schistose gs.				

LOGGED BY ASHHOLE No. U-B 391

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS oz./TON																
78.0 - 82.0	Ser & ser-chl sch.	5992	1.5	0.04																
82.0 - 83.5	Ser sch 10% qtz.																			
83.5 - 88.0	Ser sch.																			
88.0 - 94.0	Chl-ser sch.																			
94.0 - 96.0	Schistose gs, almost mass at 96.																			
<div>Calc. Grade.</div> <table><thead><tr><th>From</th><th>To</th><th>C.L.</th><th>Uncut</th><th>Cut.</th></tr></thead><tbody><tr><td>2.0</td><td>7.0</td><td>5.0</td><td>.19</td><td>--</td></tr><tr><td>17.0</td><td>27.0</td><td>5.0</td><td>.24</td><td>--</td></tr></tbody></table>						From	To	C.L.	Uncut	Cut.	2.0	7.0	5.0	.19	--	17.0	27.0	5.0	.24	--
From	To	C.L.	Uncut	Cut.																
2.0	7.0	5.0	.19	--																
17.0	27.0	5.0	.24	--																