

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B711SHAFT 2BEARING -LEVEL 575DIP AT COLLAR -90LAT. 12761.5

DATE COMPLETED _____

WORKING LIB-40411LENGTH To be deepened (137)DEP. 7662PURPOSE ASD Zone Def.SECTION 1050NELEV. 5434

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 2.0	Cs				
2.0 - 4.0	60% qtz-carb, tr gry min	7472	2.0	.42	.840
4.0 - 9.0	20% qtz, py, aspy	7473	5.0	.22	1.100
9.0 - 16.0	As above	7474	7.0	.22	1.540
16.0 - 23.0	As above w less qtz; sp	7475	7.0	.08	3.480
23.0 - 30.0	qtz lenses in ser sch, minor min	7476	7.0	.05	
<div> <div>From</div> <div>To</div> <div>C. I.</div> <div>Grade</div> </div>					
<div> <div>2.0</div> <div>16.0</div> <div>14.0</div> <div>.24</div> </div>					

Logged by JDBHole No. U-B711

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
30.0 - 37.0	gry-buff ser sch	7604	6.0	.03	
37.0 - 43.0	20% qtz-carb; minor min				
43.0 - 48.0	As above				
48.0 - 83.0	grn-gry chl-ser sch w qtz-carb lenses				

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
84.0 - 91.0	grn ser sch mang v chl-ser sch				
91.0 - 103.0	grn chl-ser sch				
103.0 - 130.0	f.g. grn grs sch				
130.0 - 135.0	grn chl-ser sch				
135.0 - 137.0	f.g. grn grs sch				