

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B 343BEARING S 60 EDIP AT COLLAR - 60LENGTH 445.0LAT. 12794.7DEP. 7404.7 391WELEV. 5751

DATE COMPLETED _____

PURPOSE Ore probing below2nd level.SHAFT 2LEVEL 250WORKING B-218 NSECTION 950 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 3.0	casing				
3.0 - 26.0	dk gry chl-ser sch; no sig qtz or min				
26.0 - 32.5	30% gry qtz w gry ser sch; sparing min	4887	6.5	.09	.585
32.5 - 38.0	40% qtz & as above w aspy;	4888	5.5	.23	1.265
38.0 - 42.0	as above	4889	4.0	.23	.920
42.0 - 49.0	qtz lenses in ser sch; minor min	4890	7.0	.27	1.890
49.0 - 51.0	20% gry qtz in gry sch; sparing py, sp	4891	2.0	.11	.220
51.0 - 56.0	60% dk blue qtz min w minor sp & v.g.	4892	5.0	2.17	10.850
56.0 - 99.0	dk gry chl-ser sch; strong fault w gouge & bx 99.0				15.730
99.0 - 110.0	f.g. well banded ser sch; prob fuffac., well bedded slate 103.0 - 110.0				
110.0 - 136.0	dense buff ser sch.				
136.0 - 146.0	dense gry chl-ser sch; grad cont.,				
146.0 - 232.0	dense grn-gry grs sch grad w above; local snfl alt., calc.				
232.0 - 266.0	dense grn-gry chl. ser sch grad w above & w minute tan lent alt fl trs 265.0 - 266.0	4907	1.0	.64	

LOGGED BY JDBHOLE No. U-B 343

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
266.0 - 277.5	dense gry ser sch; t.s. 276.0 - 277.5	4909	1.5	.04	
277.5 - 281.0	20% qutz carb in ser sch min w py	4908	3.5	.79	
281.0 - 327.0	dense gry ser sch; t.s. 281.0 - 282.0	4910	1.0	.02	
	t.s. 296.0 - 301.0 minor min sect	4911	5.0	.05	
327.0 - 355.0	dk gry chl-ser sch				
355.0 - 358.0	qutz lenses in ser sch impreg w py	4915	3.0	.04	
358.0 - 367.5	gry ser sch w minor qutz & no min				
367.5 - 371.0	30% qutz lenses min w py & aspy				
371.0 - 382.0	dk gry ser sch w qutz strs & lenses; lt gry to buff after 382.0				
382.0 - 390.0	gry-buff ser sch w qutz lenses	4917	8.0	.11	
390.0 - 421.0	chl-ser sch w qutz lenses; locally dense & grn				
421.0 - 424.0	qutz lenses in ser sch; minor min	4918	3.0	.03	
424.0 - 428.0	f.g. chl-ser sch				
428.0 - 445.0	m.g. - f.g. grs sch; calc;				
<u>D I P T E S T S</u>					
<u>Depth</u>	<u>Read</u>	<u>Correct</u>			
150	57½	53 45			
300	50½	46 42			
445	44	40 36			

FOOTAGE	DESCRIPTION						SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
									oz./TON	oz./TON
		<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Calc.</u>	<u>Grade</u>				
					<u>Uncut</u>	<u>Cut</u>				
		26.0	56.0	30.0	.52	.29				
	incl.	51.0	56.0	5.0	2.17	--				
		265.0	266.0	1.0	.64	--				
		277.5	281.0	3.5	.79	--				
		367.5	371.0	3.5	.17	--				
		382.0	390.0	8.0	.11	--				