

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 390SHAFT 2BEARING N 60° ELEVEL 425DIP AT COLLAR 45LAT. 12676.2

DATE COMPLETED \_\_\_\_\_

DEP. 7610.6 153WPURPOSE Ore def.LENGTH 124ELEV. 5594SECTION 950N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 0.0	Ser sch, short sections 20% banded & bx qtz, carb, py.	5993	6.0	0.05	
0.0 - 11.0	Ser sch, 30% bx qtz, carb, py.	5994	5.0	0.06	
11.0 - 13.5	Ser sch 15% ditto	5995	2.5	0.04	
13.5 - 17.0	As above	5996	3.5	0.04	
17.0 - 23.0	Ser sch 30% bx qtz, carb, py.	5997	6.0	0.03	
23.0 - 28.0	Ser sch, carb.				
28.0 - 34.0	Dark gry ser-chl sch, somewhat slatey text. carb & qtz.				
34.0 - 43.0	Light gry ser sch, carb.				
43.0 - 50.0	Chl-ser sch, qtz & carb patches.				
50.0 - 53.0	Bullish qtz, chl, part bx.	5998	3.0	0.01	
53.0 - 76.0	Ser sch, local qtz bands, carb.				
76.0 - 79.5	Ser sch 30% qtz, carb, py.	5999	3.5	0.07	
79.5 - 92.0	Gray-grn ser sch local minor qtz carb, $\frac{1}{8}$ " calc, gauge, fault at 87.6.				
92.0 - 93.0	Light gray ser sch.				

LOGGED BY ASDHOLE No. U-B 390

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS oz./TON	
93.0 - 121.0	Compact tan-gry ser sch, local carb, suggestion of banding in places.				
121.0 - <sup>124.0</sup> <del>124.0</del>	Sericitic-chloritic gs sch or ser-chl sch.				

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. UB 389BEARING S 60° EDIP AT COLLAR HorLENGTH 75LAT. 12671.75DEP. 7618.33ELEV. 5591DATE COMPLETED Sept. 9thPURPOSE Ore def.SHAFT 2LEVEL 425WORKING 302 N Dr.SECTION 950 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 6.0	Ser & Ser chl sch, 10% qtz-carb bands, minor sulphides.	5986	6.0	.06	
6.0 - 12.0	Ser-chl sch, local qtz carb				
12.0 - 17.0	Chl-ser, sch, local ser with qtz carb.				
17.0 - 20.0	Gs. sch.				
20.0 - 28.0	Schistose gs. fine snfl.				
28.0 - 35.0	v.f.g. slatog gs. sch.				
35.0 - 58.0	f.g. schistose gs.				
58.0 - 75.0	f.g. gray grn mass to sl. schistose gs.				

LOGGED BY ASDHOLE No. UB 389

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U / B 388SHAFT BBEARING S 60° ELAT. 12513.5DATE COMPLETED Sept. 9thLEVEL 425DIP AT COLLAR 7 00DEP. 7593.5PURPOSE Ore def.WORKING 302 N Dr.LENGTH 59ELEV. 5596SECTION 800M

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 7.5	Ser sch low qtz, local py	5969	7.5	.01	
7.5 - 11.5	Ser sch, carb 40% qtz, py, aspy.	5970	4.0	.04	
11.5 - 15.5	As above	5971	4.0	.05	
15.5 - 20.62	As above	5972	5.0	.03	
20.5 - 25.0	Ser sch 20% qtz, 23.5 - 25 qtz about 40% strong py.	5973	4.5	.02	
25.0 - 27.5	G.s schist				
27.5 - 59.0	Chl, chl-ser, locally sericite, schist numerous bands pale pink qtz-carb, badly broken core.				

LOGGED BY ASDHOLE No. U-B 388

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 387BEARING N 60° WDIP AT COLLAR 4 60LENGTH 70LAT. 12517DEP. 7588ELEV. 5596

DATE COMPLETED \_\_\_\_\_

PURPOSE Ore def.SHAFT 2LEVEL 425WORKING 302 M Dr.SECTION 800 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 1.0	Casing.				
1.0 - 3.0	Compact ser-chl sch.				
3.0 - 13.0	Ser sch, local qts-carb banding with minor sulphides. T.S. 8.0-9.0 ser, carb, 15% qtz.	5961	1.0	.04	
13.0 - 15.0	Ser sch, carb, 10% qtz, minor sulphides	5962	2.0	.04	
15.0 - 17.0	Ser sch minor qtz carb.	5963	2.5	.02	
17.5 - 20.0	Ser sch, carb, 30% qtz, py, aspy.	5964	2.5	.05	
20.0 - 23.5	Ser sch, carb, 10% qtz, minor py, aspy.	5965	3.5	.04	
23.5 - 28.0	Ser sch, carb, 15% qtz, py, aspy.	5966	4.5	.05	
28.0 - 30.0	As above.	5967	2.0	.13	
28.0 - 34.0	Ser chl sch, minor qtz, carb.				
34.0 - 36.5	Ser sch, carb, 20% qtz, py, aspy.	5968	2.5	.11	
36.5 - 48.0	Ser-chl sch local minor qtz, carb.				
48.0 - 58.0	Gs schist, locally sericitic.				
58.0 - 70.0	Schistose grs.				

LOGGED BY ASDHOLE No. U-B 387

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 386BEARING S 60° EDIP AT COLLAR 4 30LENGTH 52LAT. 12838DEP. 7331ELEV. 5756DATE COMPLETED Sept. 9thPURPOSE Ore def.SHAFT BLEVEL 250WORKING 204 N Dr.SECTION 950M

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS																									
				oz./TON	oz./TON																								
0 - 5.0	Ser sch 20% qtz, py, aspy.	5954	5.0	.46																									
5.0 - 10.0	As above	5955	5.0	.09																									
10.0 - 15.0	As above	5956	5.0	.57																									
15.0 - 20.0	As above	5974	5.0	.02																									
20.0 - 25.0	As above	5975	5.0	.01																									
25.0 - 30.0	As above	5976	5.0	.07																									
30.0 - 35.0	As above	5977	5.0	.17																									
35.0 - 40.0	Ser sch 15% qtz, minor py, aspy.	5978	5.0	.02																									
40.0 - 46.0	As above	5979	6.0	.03																									
46.0 - 51.0	Ser sch 25% qtz, py, aspy.	5980	5.0	.13																									
51.0 - 52.0	Ser sch 15% qtz, minor sulphides.	5981	1.0	.01																									
<table> <tr> <th colspan="2"></th><th colspan="2">Calc. AU.</th><th colspan="2"></th></tr> <tr> <th>From</th><th>To</th><th>C.L.</th><th>Uncut</th><th>Cut.</th><th></th></tr> <tr> <td>0</td><td>15.0</td><td>15.0</td><td>.37</td><td>.36</td><td></td></tr> <tr> <td>15.0</td><td>51.0</td><td>36.0</td><td>.06</td><td>.06</td><td></td></tr> </table>								Calc. AU.				From	To	C.L.	Uncut	Cut.		0	15.0	15.0	.37	.36		15.0	51.0	36.0	.06	.06	
		Calc. AU.																											
From	To	C.L.	Uncut	Cut.																									
0	15.0	15.0	.37	.36																									
15.0	51.0	36.0	.06	.06																									

LOGGED BY ASDHOLE No. U-B 386

GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U - B 385

SHAFT B

BEARING N 60° W

LEVEL 250

DIP AT COLLAR Hor

WORKING 204 N Dr.

LENGTH 22

LAT. 12841

DATE COMPLETED Sept. 6th.

DEP. 7324 4846

PURPOSE Cre def.

ELEV. 5754

SECTION 950W

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS											
				oz./TON	oz./TON										
0 - 2.0	Light gry ser sch 10% qtz, py, aspy.	5951	2.0	.44											
2.0 - 10.0	75% dark qtz, ser sch, py, aspy, sph, v.g. speck at 10.0	5952	8.0	2.73											
10.0 - 15.8	90% grey & dark qtz, py, aspy, sph.	5953	5.8	2.52											
15.8 - 20.0	Chloritic gs schist, qtz & carb bands	-													
20.0 - 22.0	f.g. schistose gs.														
<div><div>Calc. AU.</div><table><tr><th>From</th><th>To</th><th>C.I.</th><th>Uncut</th><th>Cut.</th></tr><tr><td>0</td><td>15.8</td><td>15.8</td><td>2.38</td><td>2.38</td></tr></table></div>						From	To	C.I.	Uncut	Cut.	0	15.8	15.8	2.38	2.38
From	To	C.I.	Uncut	Cut.											
0	15.8	15.8	2.38	2.38											

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 384SHAFT BBEARING ----LEVEL 425DIP AT COLLAR 7 90LAT. 12515DATE COMPLETED Sept. 7th.DEP. 7591PURPOSE Ore def.WORKING 302 N Dr.LENGTH 75ELEV. 5546SECTION 800N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 1.0	Casing.				
1.0 - 4.5	60% light qtz, ser, low py, aspy	5957	3.5	.14	
4.5 - 9.0	Almost massive silicified schistose gs. minor qtz and py.	5958	4.5	.01	
9.5 - 16.0	Ser sch, low qtz & sulphides	5959	6.5	.01	
16.0 - 24.0	Fale ser sch, carb, minor qtz, py.	5960	8.0	.06	
24.0 - 33.0	Compact chl-ser sch with short sections ser, minor qtz.				
33.0 - 48.0	Grn schistose gs. ser-carb 39-40				
48.0 - 61.0	Schistose grs.				
61.0 - 75.0	Sl. schistose grs., almost mass.				

LOGGED BY ASDHOLE No. U-B 384



# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 383SHAFT BBEARING ----LEVEL 250DIP AT COLLAR - 90LAT. 12816DATE COMPLETED Sept. 5th.DEP. 7318.5PURPOSE Ore det.WORKING 204 W Dr.LENGTH 40ELEV. 5750SECTION 925N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	Casing.				
2.0 - 7.0	75% qtz, py, aspy.	5193	5.0	.01	
7.0 - 12.5	As above	5194	5.5	.29	
12.5 - 18.0	60% qtz, py, aspy.	5195	5.5	.11	
18.0 - 21.0	Ser sch 20% qtz, py, aspy.	5196	3.0	.96	
21.0 - 27.0	Ser sch 30% qtz, aspy, heavy py.	5197	6.0	.28	
27.0 - 32.0	Ser sch 15% qtz, local heavy py.	5198	5.0	.03	
32.0 - 35.0	80% blue qtz, py, aspy.	5199	3.0	4.31	
35.0 - 40.0	Ser-chl sch 10% qtz, local sulphides, $\frac{1}{8}$ " calc bx at 38, fault.	5200	5.0	.28	
<u>Calc. Grade.</u>					
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Uncut</u> <u>Cut.</u>				
	2.0   40.0   38.0   .56   .28				

LOGGED BY ASDHOLE No. U-B 383

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE NO. U-B 382SHAFT BBEARING N 60° WLEVEL 250DIP AT COLLAR Hor.LAT. 12817DATE COMPLETED Sept. 3rd.DEP. 7315PURPOSE Ore def.WORKING 204 W Dr.LENGTH 20ELEV. 5754SECTION 925M

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	80% qtz, py, aspy.	5179	2.0	0.83	
2.0 - 4.8	Light gry ser sch, 20% qtz. py, aspy.	5180	2.8	0.20	
4.8 - 10.0	Light gry ser sch 30% qtz, py, aspy, sph.	5181	5.2	0.68	
10.0 - 12.0	60% qtz, py, aspy, sph.	5182	2.0	2.41	
12.0 - 13.5	Glassy white & gry qtz - chl bx, sph, py, gry min.	5183	1.5	2.46	
13.5 - 15.5	Glassy qtz, chl bx.				
15.5 - 20.0	Chl-sch or grs sch, scattered bzll qtz.				
Calc. Grade.					

LOGGED BY ASDHOLE NO. U-B 382

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 381

BEARING N 60° W

DIP AT COLLAR - 45

LENGTH 60

LAT. 12157

DEP. 7470

ELEV. 5750.5

DATE COMPLETED September 5th.

PURPOSE To test plunge of ore

in 208 W Dr.

SHAFT 2

LEVEL 250

WORKING 219 N Dr.

SECTION 425N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				OZ./TON	OZ./TON
0 - 2.0	Casing.				
2.0 - 4.5	Silic. ser-chl sch, minor qtz strcs, minor py.	5184	2.5	0.09	
4.5 - 16.0	Compact gry chl-ser sch or schistose grs, local py, local silic.				
16.0 - 20.0	Partly silic ser and ser-chl sch, part bx text. low qtz, py.	5185	4.0	0.10	
20.0 - 30.0	Partly silic chl-ser sch, very compact.				
30.0 - 35.0	Silic ser sch, minor qtz & py.	5186	5.0	0.01	
35.0 - 36.5	Ser sch bx text, 30% qtz, py, aspy.	5187	1.5	0.12	
36.5 - 40.0	95% milky white qtz, local schist remnants, py, aspy in schist, and locally in qtz.	5188	3.5	0.18	
40.0 - 40.0	95% gry and white qtz bx, schist remnants, local py & aspy.	5189	6.0	0.22	
46.0 - 50.0	Ser sch 30% qtz, bx text py, aspy.	5190	4.0	0.17	
50.0 - 52.5	Ser sch 20% qtz, bx,text, local heavy py.	5191	2.5	0.08	
52.5 - 56.5	Ghl ser sch 10% qtz bx text, minor py.	5192	4.0	0.02	
56.5 - 60.0	Silic chl-ser sch or schistose gs. about 10% qtz bx. <div style="text-align: right;">Calc. Grade.</div> <div style="display: flex; justify-content: center;"><div><u>From</u> 35.0</div><div><u>To</u> 50.0</div><div><u>C.L.</u> 15.0</div><div><u>Uncut</u> .17</div><div><u>Cut.</u> .17</div></div>				

LOGGED BY: ABD

HOLE NO. U-B 381

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 380SHAFT 2BEARING ----LAT. 12758DATE COMPLETED September 3rd.LEVEL 250DIP AT COLLAR - 90DEP. 7319.5PURPOSE Ore def.WORKING 204 M Dr.LENGTH 32ELEV. 5750SECTION 875N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	Casing.				
2.0 - 10.0	Ser sch 60% qtz, py, aspy, sph, gry min.	5174	8.0	1.35	
10.0 - 12.0	Ser sch 10% qtz, low sulphides.	5175	2.0	0.38	
12.0 - 16.0	Ser sch 25% qtz, fair sulphides.	5176	4.0	0.19	
16.0 - 24.0	Somewhat silic ser sch 5% qtz, dissem py but sparse.	5177	8.0	0.03	
24.0 - 32.0	As above.	5178	8.0	0.02	
<u>Calc. Grade.</u>					
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Uncut</u> <u>Cut.</u>				
	2      16.0      14.0      .88      .86				

LOGGED BY ASDHOLE No. U-B 380

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE NO. U-B 379SHAFT 2BEARING S 60° ELEVEL 2DIP AT COLLAR 45LAT. 12756DATE COMPLETED September 2nd.DEP. 7322PURPOSE Ore def.WORKING 204 N Dr.LENGTH 33ELEV. 5756SECTION 875N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 4.5	1' 80% qtz, rest ser sch 30% qtz, good sulphides.	5169	4.5	0.70	
4.5 - 10.0	Ser sch minor qtz, minor fine aspy, py.	5170	5.5	0.08	
10.0 - 33.0	Banded ser sch short scattered sections qtz & sulphides.				
	T. S. 10 - 17.0	5172	7.0	0.06	
	17 - 22.0	5173	5.0	0.09	
<u>Calc. Grade.</u>					
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Uncut</u> <u>Cut.</u>				
	0   4.5   4.5   0.70   0.70				

LOGGED BY ASDHOLE NO. U-B 379

N.M.P.F-57445

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
33.0 - 74.0	gry banded ser sch., locally mottled w qutz-carb., banding in part, may be bedding, T. S. 69.5 - 74.0	5425	4.5	.23	1.035
74.0 - 79.0	90% qutz w carb sparingly min w spx local mass py., not typical ore (could be a qutz replacement of tuff)	5426	5.0	.58	2.900
79.0 - 85.2	90% qutz & carb sparingly min w sp & gry min; aspy; part high-grade ore type	5427	6.2	.29	1.798
85.2 - 99.0	grn enl-ser sch., num qutz lenses; no sig min				
</					

GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U-B 378

SHAFT 2

BEARING N 60° W

LEVEL 2

DIP AT COLLAR 45

LAT. 12760

DATE COMPLETED September 1st.

WORKING 204 N Dr.

LENGTH 40

DEP. 7315

PURPOSE Ore def.

SECTION 875N

ELEV. 5756

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 5.0	Ser sch 40% qtz, py, aspy.	5165	5.0	0.31	
5.0 - 9.0	90% gry qtz, py, aspy, gry min.	5166	4.0	2.01	
9.0 -12.0	As above.	5167	3.0	4.09	
12.0 - 16.0	2' ser sch 30% qtz heavy sulphides 2' of 90% blye qtz.	5168	4.0	5.52	
16.0 - 17.5	Ser-chl sch, bull qtz, locally.				
17.5 - 31.0	Chl-ser sch.				
31.0 - 40.0	Gs sch brown alt. flecks.				
<u>Calc. Grade.</u>					
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Uncut</u> <u>Cut.</u>				
	0        16.0    16.0    2.61      2.31				

LOGGED BY ASD

HOLE No. U-B 378

GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U-B 377

SHAFT 2

BEARING N 60° W

LEVEL 2

DIP AT COLLAR HOT

LAT. 12760

DATE COMPLETED August 31st.

DEP. 7315

PURPOSE Ore def.

WORKING 204 N Dr.

LENGTH 36

ELEV. 5754

SECTION 875N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	Ser sch 20% qtz low sulphides.	5159	2.0	0.07	
2.0 - 5.0	70% qtz, py, aspy.	5160	3.0	0.95	2.850
5.0 - 10.0	80% gry qtz, py, aspy, gry min.	5161	5.0	5.24	(5.00) 24.200
10.0 - 15.0	As above	5162	5.0	3.59	17.950
15.0 - 20.0	As above, speck v.g. at 19.	5163	5.0	1.48	7.400
20.0 - 24.0	As above, speck v.g. at 23.	5164	4.0	9.92	39.680 (5.00)
24.0 - 27.0	Chl-ser bull qtz bx.				
27.0 - 36.0	Chl-ser sch consid cont'd.				
Calc. Grade.					
		<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u> <u>Cut.</u>
		0	24.0	24.0	3.05   2.90



# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 376BEARING S 60° EDIP AT COLLAR HorLENGTH 52LAT. 12814.0DEP. 7721.5ELEV. 5755DATE COMPLETED August 30th.PURPOSE Ore def.SHAFT 2LEVEL 2WORKING 204 N Dr.SECTION 925N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 1.5	80% qtz, low sulphides.	5149	1.5	3.33	
1.5 - 6.5	Ser sch minor localized qtz & sulphides	5150	5.0	0.01	
6.5 - 10.5	Ser sch local qtz sections with sulphides 10%	5151	4.0	0.17	
10.5 - 12.5	Ser sch looks silic. 60% qtz, py, aspy.	5152	2.0	1.56	
12.5 - 15.0	Ser sch, minor qtz, py, aspy.	5153	2.5	0.03	
15.0 - 18.0	Ser sch 30% qtz, py, aspy.	5154	3.0	0.13	
18.0 - 20.0	Ser sch minor qtz, py.	5155	2.0	0.03	
20.0 - 25.0	Silic ser sch, 30% qtz, py, aspy.	5156	5.0	0.34	
25.0 - 30.0	As above	5157	5.0	0.26	
30.0 - 51.0	Ser sch a few local bits qtz, py.				
51.0 - 52.0	60% gry qtz low sulphides.	5158	1.0	0.03	
Calc. Grade.					
	From To C.L.	Uncut	Cut.		
	0 1.5 1.5	3.33	---		
	6.5 12.5 6.0	.70	.53		
	20.0 30.0 10.0	.30	.30		

LOGGED BY ASDHOLE No. U-B 376

**GIANT YELLOWKNIFE GOLD MINES LIMITED**  
**CORE RECORD**

HOLE No. U-B 375

SHAFT 2

BEARING                     

LEVEL 2

DIP AT COLLAR 7 90

LAT. 12815

DATE COMPLETED August 28th.

WORKING 204 N Dr.

DEP. 7318

PURPOSE Ore def.

LENGTH 23

ELEV. 5758

SECTION 925N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				OZ./TON	OZ./TON
0 - 2.0	Casing.				
2.0 - 8.7	90% qtz, py, aspy, sch, gry min.	5148	6.7	3.02	
8.7 - 23.0	Ser-chl sch.				
	<u>Calc. Grade.</u>				
	<div> <u>From</u>    <u>To</u>    <u>C.L.</u>    <u>Uncut</u>    <u>Cut.</u> </div>				
	<div>           2         8.7      6.7      3.02      3.02         </div>				

LOGGED BY ASD

HOLE NO. U-B 375

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 374BEARING N 60° WDIP AT COLLAR 45LENGTH 31LAT. 12786.6DEP. 7319.0 461 WELEV. 5756DATE COMPLETED August 28th.PURPOSE Ore def.SHAFT 2LEVEL 2WORKING 204 N Dr.SECTION 900N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 5.0	50% qtz, py, aspy, gry min.	5145	5.0	0.26	
5.0 - 9.5	60% qtz, ditto.	5146	4.5	1.56	
9.5 - 14.5	Ser sch 15% localized qtz bands, py, aspy.	5147	5.0	0.24	
14.5 - 25.0	Chl-ser sch. patches bullish qtz.				
25.0 - 31.0	Chloritic gs sch becoming shlightly schistose gs. 30-31.				
<u>Calc. Grade.</u>					
	<u>From</u> <u>To</u> <u>G.L.</u> <u>Uncut</u> <u>Cut.</u>				
	0        14.5    14.5       .65       .47				

LOGGED BY ASDHOLE No. U-B 374

GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U-B 373

BEARING N 60° W

DIP AT COLLAR Hor.

LENGTH 36

LAT. 12786.6

DEP. 7319.0

ELEV. 5754

DATE COMPLETED August 27th.

PURPOSE Ore def.

SHAFT 2

LEVEL 2

WORKING 204N Dr.

SECTION 900N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 5.0	Mostly button core, ser 20% scattered qtz.	5138	5.0	0.24	
5.0 - 7.0	Ser sch. 20% gry qtz, py, aspy.	5139	2.0	0.32	
7.0 - 11.0	75% gry qtz several specks v.g. 7-8	5140	4.0	5.02	
11.0 - 18.0	Ser sch 40% qtz, partly in short solid sections, local heavy py, aspy.	5141	7.0	1.43	
18.0 - 23.0	As above.	5142	5.0	1.69	
23.0 - 26.0	70% qtz, py, aspy, gry min.	5143	3.0	1.31	
26.0 - 29.5	As above.	5144	3.5	3.74	
29.5 - 36.0	Ser-chl sch to chl-ser sch.				
<u>Calc. Grade.</u>					
	<u>From</u> <u>To</u> <u>Chl.</u> <u>Uncut</u> <u>Cut.</u>				
	0   29.5   29.5   1.94   1.16				

# GIANT YELLOWKNIFE GOLD MINES LIMITED CORE RECORD

HOLE No. U-B 372

BEARING S 60° E

DIP AT COLLAR Hor

LENGTH 40

LAT. 12756

DEP. 7322

ELEV. 5754

DATE COMPLETED August 28th.

PURPOSE Ore def.

SHAFT 2

LEVEL 2

WORKING 204 N Dr.

SECTION 875N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 3.0	Ser sch 30% greyish intermixed qtz, py, aspy, much button core.	5134	3.0	0.31	
3.0 - 10.0	Gry ser sch minor qtz & sulphides.	5135	7.0	0.04	
10.0 - 15.0	Button core - ser & ser chl sch with short sections of 20% qtz, with sulphides.	5136	5.0	0.26	
15.0 - 26.0	As above, 2' ground at 22	5137	9.0	0.13	
26.0 - 40.0	Ser-chl schist local narrow qta bands.		11.0		
Calc. Grade.					

LOGGED BY ASD

HOLE No. U-B 372

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 371SHAFT 2BEARING ---LEVEL 2DIP AT COLLAR 7 90LAT. 12758DATE COMPLETED August 25th.DEP. 7319.5PURPOSE Ore def.WORKING 204 N Dr.LENGTH 58ELEV. 5758SECTION 875N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	Casing.				
2.0 - 7.0	75% qtz, ser, py, aspy, sph, gry min.	5127	5.0	.31	1.55
7.0 - 12.0	As above	5128	5.0	1.36	6.80
12.0 - 18.0	As above	5129	6.0	1.52	9.12
18.0 - 21.5	60% qtz, ser, py, aspy, sph, gry min.	5130	3.5	2.64	9.24
21.5 - 25.5	90% bluish qtz, py, aspy, gry min.	5131	4.0	4.61	18.44
25.5 - 31.0	60% qtz, ser, heavy py.	5132	5.5	2.51	13.80
31.0 - 33.0	Bullish qtz, chl bx, sparse sulphides.	5133	2.0	0.04	
33.0 - 58.0	Chl-ser sch irreg qtz bands.				
<div>Calc. Grade.</div> <div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Uncut</div> <div>Cut.</div> </div> <div> 2.0 31.0 29.0 2.03 1.81 </div>					

LOGGED BY ASDHOLE No. U-B 371

GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U-B 370

BEARING N 60° W

DIP AT COLLAR Hor.

LENGTH 54

LAT. 12735

DEP. 7308.5

ELEV. 5754

DATE COMPLETED August 24th.

PURPOSE Ore def.

SHAFT 2

LEVEL 2

WORKING 204 N Dr.

SECTION 850M

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 5.0	Ser sch 50% qtz, fine qtz bands plus sections blue qtz, py, aspy, sph, gry min.	5124	5.0	0.86	
5.0 - 11.0	As above but 70% qtz.	5125	6.0	4.30	
11.0 - 16.0	Ser sch 20% qtz in localized sections with py, aspy, gry min, sph.	5126	5.0	0.17	
16.0 - 22.0	Tñn col'd ser sch, qtz & carb bands, minor py.				
22.0 - 30.0	Gry ser sch, minor qtz & carb.				
30.0 - 42.0	Compact ser sch minor qtz bands.				
42.0 - 54.0	Sericitic gs sch.				
Calc. Grade.					
		</			

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 369BEARING S 60° EDIP AT COLLAR 45LENGTH 51LAT. 12711DEP. 7300ELEV. 5756DATE COMPLETED August 23rd.PURPOSE Ore def.SHAFT 2LEVEL 2WORKING 204 N Dr.SECTION 825N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 5.0	Ser sch, 60% qtz, py, aspy, gry min.	5116	5.0	1.35	
5.0 - 11.0	Ser sch, 40% qtz, py, aspy, gry min.	5117	6.0	0.11	
11.0 - 17.5	As above.	5118	6.5	0.13	
17.5 - 22.0	90% gry & white qtz, a few specks v.g., py, aspy.	5119	4.5	3.44	
22.0 - 26.0	Ditto plus gry min, specks v.g.(3" at 25 with v.g. taken as spec.	5120	4.0	15.18	
26.0 - 36.0	Ser sch 20% qtz, a few short sections dark qtz, py, aspy, a little sph.	5121	10.0	0.09	
36.0 - 40.0	Ser sch 40% qtz, py, aspy.	5122	4.0	0.07	
40.0 - 46.0	Ser sch 80% gry qtz, py, aspy, gry min.	5123	6.0	0.27	
46.0 - 46.5	Ser chl sch minor qtz, py.				
46.5 - 51.0	f.g. gry schistose gs.				
<u>Calc. Grade.</u>					
	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut.</u>
	0	46.0	46.0	1.01	.41

LOGGED BY ASDHOLE No. U-B 369



FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	
51.0 - 86.0	gry ser sch., no sig qutz or min				
86.0 - 94.0	lt gry banded ser sch., possible thin bedded tuffac. sed.				
94.0 - 109.0	dk gry chl-ser sch, qutz lenses, no min				

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 368SHAFT 2BEARING ---LEVEL 2DIP AT COLLAR 4 90LAT. 12713DATE COMPLETED August 22nd.DEP. 7297PURPOSE Ore def.WORKING 204 W Dr.LENGTH 53ELEV. 5758SECTION 825W

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	Casing.				
2.0 - 7.0	Ser - 70% qtz partly fine banded, partly dark blue sections, abundant fine aspy, py, gry min, 6.0-6.2 - two bits v.g. rather coarse-spec.	5113	5.0	1.72	
7.0 - 12.5	Dark gry ser sch 40% qtz plus 80% qtz 11-12, py, aspy, gry min.	5114	5.5	0.98	
12.5 - 14.5	Compact ser-chl sch, minor qtz, py, aspy,	5115	2.0	0.02	
14.5 - 53.0	Compact ser-chl sch, local glassy qtz bands, py, aspy.				
<u>Calc. Grade.</u>					
		<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u> <u>Cut.</u>
		2.0	12.5	10.5	1.33   1.33

LOGGED BY ASDHOLE No. U-B 368

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 367BEARING S 60° EDIP AT COLLAR 40LENGTH 128.0LAT. 12105.70DEP. 7390.53ELEV. 5758DATE COMPLETED August 17th.PURPOSE Ore definitionSHAFT 2LEVEL 2WORKING 209 xclSECTION 350N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 15.0	Sl. schistose f.g. grs.				
15.0 - 24.0	As above but darker color, alt fls.				
24.0 - 40.0	P silic f.g. grs, local qtz bx.				
40.0 - 46.0	Ser & chl-ser sch local qtz banding with py, aspy.	5043	6.0	.03	
46.0 - 50.0	80% gry qtz, py, aspy, ser. v.g. at 49 and 50	5044	4.0	1.57	
50.0 - 53.0	As above	5045	3.0	3.91	
53.0 - 58.0	30% qtz bx, ser sch, py, aspy.	5046	5.0	.13	
58.0 - 63.0	As above	5047	5.0	.10	
63.0 - 68.0	Ser sch 40% qtz py, aspy.	5048	5.0	.03	
68.0 - 73.0	As above	5049	5.0	.02	
73.0 - 77.0	Ser sch 30% qtz, py, aspy.	5050	4.0	.09	
77.0 - 87.0	Gry ser sch scattered sections of 30% qtz, py, aspy. Wuggy qtz carb band at 78.5 with tiny needles gry min penetrating calc xstl. -(spec.)	5101	10.0	.22	
87.0 - 88.0	As above	5102	1.0	.48	
88.0 - 93.0	60% qtz bx and bands, py, aspy, ser.	5103	5.0	.20	

LOGGED BY ASDHOLE No. U-B 367

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
93.0 - 97.8	1' ser, 50% qtz bx, 2½' 80% qtz, rest ser 50% qtz, py, aspy, gry min.	5104	4.8	.95	
97.8 - 99.8	Compact gry ser sch	5105	2.0	.02	
99.8 - 128.0	Compact gry ser sch, local qtz & carb bands, local bed like banding, minor py.				
<u>Calc. Au. Grade.</u>					

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. UB 366BEARING N 60° JDIP AT COLLAR HorLENGTH 1009.0LAT. 12894.26 ?DEP. 7428.04 419WELEV. 5755 ?

DATE COMPLETED \_\_\_\_\_

PURPOSE 01@ Valley ExplorationSHAFT 2LEVEL 2ndWORKING 218 N Dr.SECTION 1050N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	Casing				
2.0 - 19.0	Compact dry ser sch minor qtz carb local fine py. T. S. 4-5 10% qtz, py, aspy	5040	1.0	.06	
19.0 - 30.0	Ser-chl sch, compact, minor qtz carb bands.				
30.0 - 72.0	f.g. schistose grs. decreasing schistosity.				
72.0 - 100.0	f.g. sl. schistose grs. odd patch cd.				
100.0 - 124.0	Moss f.g. to m.g. grs. becoming schistose at 124, local snfl.				
124.0 - 125.0	f.g. gry chl-ser sch or strongly schistose grs.				
125.0 - 144.0	Strongly schistose f.g. gry grs. local silic.				
144.0 - 158.0	f.g. schistose gry grs.				
158.0 - 179.0	f.g. gray-grn grs. schistose, strong snfl.				
179.0 - 199.0	f.g. gry-grn schistose grns, decreasing snfl, increasing schistosity.				
199.0 - 205.0	f.g. gry-grn schistose grs.				
205.0 - 225.0	As above, local snfl, locally a suggestion of banding.				

LOGGED BY ASDHOLE No. UB 366

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
225.0 - 297.0	m.g. sl schistose to massive green grs. cp patches and bx, strong snfl.				
297.0' - 304.0	As above				
304.- 307.0	Ground core.				
307.0 - 323.0	Sl. schistose grs. m.g. becoming f.g. snfl.				
323.0 - 344.0	Gry-grn f.g. schisose, brown alt. fls. local faint fine frag text.				
344.0 - 347.0	As above.				
347.0 - 351.0	Gry-grn chl-ser sch brown alt. fls.				
351.0 - 353.0	Ser and Ser-chl sch, minor qtz, py.	5107	2.0	.06	
353.0 - 354.5	Light gry ser sch, 10% qtz dissem py.	5108	1.5	.12	
354.5 - 360.0	Chl-ser sch, 10% qtz blobs, py.	5109	5.5	.02	
360.0 - 363.0	Ser sch 20% qtz bands, py, aspy?	5110	3.0	.01	
363.0 - 385.0	Gry to gry grn ser-chl sch local faint banding and fine frag text.				
385.0 - 389.0	Gry and light gry ser sch 25% qtz py.	5111	4.0	.30	
389.3 - 403.0	Chl-ser sch brown alt. fls.				
403.0 - 411.0	Ser & ser-chl sch, locally cont'd, minor qtz, py.				
411.0 - 420.0	Ser-chl sch, local qtz, carb, py.				
420.0 - 501.0	Grey to grey-grn ser-chl sch def. frag. text, tuffaceous bull qtz, 478.5-480.5, minor local py. cont'd qtz bands py, 420-428. 2' ground core at 450. T.S. 420-428	5112	2.0		
501.0 - 541.0	Grey to grn chloritic compact schist and schistose, fine frag text with sections f.g. Fairly definite beds of f.g. rock locally.				

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
541.0 - 556.0	f.g. sl. schistose dark grn gs. Broken core and a little bull Qtz at 541 suggests possible contact. Broken core at 556.				
556.0 - 557.0	Cont'd ser chl sch, bull Qtz.				
557.0 - 593.0	f.g. grn schistose gs. Faint suggestion of bedding and fine frag text locally. Poss tuff but not definite. Some small calc incls.				
593.0 - 595.0	Chl-ser sch. bull Qtz.				
595.0 - 650.0	f.g. grn sl schistose grs.				
650.0 - 664.0	As above 6" bull Qtz at 652 More highly schistose 652-654, a few incls magnetite in schist.				
664.0 - 690.0	Almost massive f.g. to slightly grained grs. -- no contacts observed.				
690.0 - 693.0	f.g. schistose grn gs.				
693.0 - 701.0	Gs. sch calc.				
701.0 - 702.5	f.g. grn schistose gs.				
702.5 - 712.0	v.f.g. sl. schistose gs.				
712.0 - 739.0	f.g. sl. schistose to massive gs. fine grain text.				
739.0 - 740.5	Grad. from above - mass. dioritic gs.				
740.5 - 753.0	Sort of a green and buff-red bx, looks like contact at 740.5				
753.0 - 765.0	f.g. alight tuffaceous text. sl. schistose.				
765.0 - 801.0	f.g. sl. schistose gs. poss flows, contact at 765.				
801.0 - 825.0	Grey-grn schistose gs. def tuffaceous text.				
	f.g. sl. schistose gs - only faint frag text could be flow or tuff.				

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
825.0 - 831.0	As above	5171	0.8	.033	
831.0 - 864.0	Gry-grn sl. schistose gs local calc & qtz incls.				
864.0 - 875.0	f.g. slate-gry sl. schistose gs.				
875.0 - 889.0	As above.				
889.0 - 911.0	Gry-grn slightly schistose to mass grs.				
911.0 - 920.0	Schistose f.g. grs.				
920.0 - 921.0	As above but hem stain				
921.0 - 946.0	Almost mass gry-grn grs f.g. ground mass with incls up to 1/8" to 5/8" x 1/16" - suggest elastic origin. Almost potphyritic but incls not Kst'l edges.				
946.0 - 954.0	As above -- def. frag $\pm$ 3" cherty bx bed at 950.				
954.0 - 954.8	Cherty pseudo porphyritic with blob bull qtz 954 irreg speck of possible v.g. at 954.2, tiny speck ditto at 954.3.				
954.8 - 963.5	Schistose gs or tuff local bull qtz bx with py.				
963.5 - 965.0	Bull qtz, chl-ser bx, py locally.				
965.0 - 966.5	Cont'd ser-chl sch, minor qtz blobs.				
966.5 - 974.0	Gry-green schistose tuffaceous material.				
974.0 - 982.0	f.g. slate gray schistose - bedding at 977 and 982 of light gray somewhat cherty material.				
982.0 - 996.0	Pseudo porphyritic schistose gry-grn tuff?				
996.0 - 999.0	Schistose gry-grn, distorted elastic text.				



FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
999.0 - 1001.0	Finer grained ditto - possible faint bedding.				
1001.0 - 1005.5	f.g. schistose grs.				
1005.5 - 1006.0	0.1' glassy qtz with some py. 0.4' ser sch part bx text.				
1006.0 - 1009.0	f.g. schistose gs with fine elastic text.				

GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U-B 365  
BEARING N 60° W  
DIP AT COLLAR 460  
LENGTH 87' 144

LAT. 12317  
DEP. 7533  
ELEV. 5595

DATE COMPLETED August 18th.  
PURPOSE Ore def.

SHAFT 2  
LEVEL 3rd.  
WORKING 302 N Dr.  
SECTION 600N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS																									
				OZ./TON	OZ./TON																								
0 - 2;0	Chl-ser sch, 15% qtz, sparse sulphides.	5035	2.0	.02																									
2.0 - 10.0	Ser & ser-chl sch, 10% qtz, sparse sulphides.	5036	8.0	.01																									
10.0 - 15.0	Chl-ser sch 5% qtz bands & blobs.																												
15.0 - 18.0	Ser & chl-ser sch, 30% gry qtz, local dissem py.	5037	3.0	.02																									
18.0 - 37.0	Ser-chl sch, 10% qtz, local py, 35.5-36.0 vuggy pink carb some bx fault? 6" ser, 20% qtz, py at 20.0.																												
37.0 - 39.0	Ser sch 25% qtz, local py.	5038	2.0	.61																									
39.0 - 45.0	Ser sch, minor qtz bands, local py, aspy.	5041	6.0	.03																									
45.0 - 48.0	As above, suggestion of bedding.	5042	3.0	.02																									
48.0 - 54.0	Ser sch as above.																												
54.0 - 56.0	Ser sch 30% glassy qtz, minor py.	5106	2.0	.24																									
56.0 - 83.0	Compact gry ser sch, minor local qtz bands.																												
83.0 - 87.0	Compact gry ser or ser-chl sch, approaching schistose grs.																												
<table><tr><td colspan="2"></td><td colspan="2">Calc. Grade.</td><td colspan="2"></td></tr><tr><td>From</td><td>To</td><td>C.L.</td><td>Uncut</td><td>Gut.</td><td></td></tr><tr><td>37.0</td><td>39.0</td><td>2.0</td><td>.01</td><td>---</td><td></td></tr><tr><td>54.0</td><td>56.0</td><td>2.0</td><td>.24</td><td>---</td><td></td></tr></table>								Calc. Grade.				From	To	C.L.	Uncut	Gut.		37.0	39.0	2.0	.01	---		54.0	56.0	2.0	.24	---	
		Calc. Grade.																											
From	To	C.L.	Uncut	Gut.																									
37.0	39.0	2.0	.01	---																									
54.0	56.0	2.0	.24	---																									

LOGGED BY ASD

HOLE No. U-B 365

N.M.P.F. 37445

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	
87.0 - 136.0	alt buff & gry ser sch w outz lenses - T.S. 97.0 - 99.0	3802	2.0	.18	
	ore type sect T.S. 122.0 - 124.0 - T.S. 122.0 - 124.0	3803	2.0	.28	
	T.S. 124.0 - 127.0	3804	3.0	.21	
136.0 - 144.0	grn chl-ser sch				

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 364BEARING ---DIP AT COLLAR - 90LENGTH 122'LAT. 12796DEP. 7403 383WELEV. 5750DATE COMPLETED August 11th.PURPOSE SHAFT 2LEVEL 2WORKING 218 F Dr.SECTION 950M

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	Casing.				
2.0 - 6.0	Silic. carb ser sch dissem py.	5079	4.0	.43	
6.0 - 10.0	Gry ser sch 6" qtz bx with gry min at 8.0	5080	4.0	.02	
10.0 - 19.0	Gry silic carb ser sch dissem py.	5081	9.0	.05	
19.0 - 22.0	Gry sericitic grs sch or ser-chl sch local py.	5082	3.0	.04	
22.0 - 28.0	Gry silic-carb ser sch, py, aspy.	5083	6.0	.03	
28.0 - 31.0	As above.	5084	3.0	.13	
31.0 - 36.0	Gry silic ser sch, 25% qtz bx & band, py.	5085	5.0	.32	
36.0 - 40.0	As above.	5086	4.0	.10	
40.0 - 46.0	70% cherty gry qtz, local bx & ser sch, py, aspy, gry min.	5087	6.0	.32	
46.0 - 50.0	Ser sch minor qtz, py.	5088	4.0	.04	
50.0 - 69.0	Ser-chl sch, compact, minor qtz, carb almost schistose grs. ss-69.				
69.0 - 73.0	Ser sch, silic, 10% qtz bx, minor py.	5100	4.0	.02	
73.0 - 88.0	f.g. schistose grs, brown alt. fls. becoming mass.				

LOGGED BY AGBHOLE No. U-B 364

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
88.0 - 122.0	f.g. mass gs. light snfl. locally.				



# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 362SHAFT No. 2BEARING ---LEVEL 250DIP AT COLLAR ≠ 90°LAT. 1200 ≠ .76

DATE COMPLETED \_\_\_\_\_

DEP. 7422.45PURPOSE To test ASD Zone aboveWORKING B210-S Dr.LENGTH 225'ELEV. 5758.15second levelSECTION 275N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0.0 - 2.0	Casing				
2.0 - 7.0	20% qtz-carb lenses in ser sch spar min in part	5054	5.0	.03	
7.0 - 12.0	As above	5055	5.0	.25	
12.0 - 17.0	As above	5056	5.0	.25	
17.0 - 22.0	As above	5057	5.0	.13	
22.0 - 28.0	Qtz-carb lenses and strs in ser sch spar min throughout	5058	6.0	.12	
28.0 - 34.0	As above	5059	6.0	.02	
34.0 - 40.0	As above	5060	6.0	.01	
40.0 - 46.0	As above	5061	6.0	.13	
46.0 - 52.0	As above	5062	6.0	.13	
52.0 - 58.0	As above but with increasing min.	5063	6.0	.05	
58.0 - 63.0	30% qtz-carb lenses in ser sch min with py and aspy	5064	5.0	.08	
63.0 - 69.0	As above	5065	6.0	.17	
69.0 - 72.0	90% blue qtz min with py aspy and gray min, V.C. observed at 70.5	5066	3.0	2.87	

LOGGED BY \_\_\_\_\_

HOLE No. U-B 362

**GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD**

HOLE NO. U-B 362SHAFT #2BEARING ---LEVEL 250DIP AT COLLAR -79°LAT. 12004.76

DATE COMPLETED \_\_\_\_\_

DEP. 7422.45PURPOSE To test ASD Zone aboveWORKING B210-S DrLENGTH 225'ELEV. 5758.15second levelSECTION 275N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				OZ./TON	OZ./TON
0.0 - 2.0	Casing				
2.0 - 7.0	20% qtz-carb lenses in ser sch spar min in part	5054	5.0	.03	
7.0 - 12.0	As above	5055	5.0	.25	
12.0 - 17.0	" "	5056	5.0	.25	
17.0 - 22.0	" "	5057	5.0	.13	
22.0 - 28.0	Qtz-carb lenses and strs in ser sch spar min throughout	5058	6.0	.12	
28.0 - 34.0	As above	5059	6.0	.02	
34.0 - 40.0	" "	5060	6.0	.01	
40.0 - 46.0	" "	5061	6.0	.13	
46.0 - 52.0	" "	5062	6.0	.13	
52.0 - 58.0	" " , but with increasing min	5063	6.0	.05	
58.0 - 63.0	30% qtz-carb lenses in ser sch min with py and aspy	5064	5.0	.08	
63.0 - 69.0	As above	5065	6.0	.17	
69.0 - 72.0	90% blue qtz min with py aspy and grey min, V.G. observed at 70.5	5066	3.0	2.87	

LOGGED BY J.A.H.HOLE NO. U-B 362



FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
72.0 - 77.0	30% qtz-carb lenses spar min throughout	5067	5.0	.52	
77.0 - 81.0	Ser sch 30% banded & bx qtz, py, aspy	5068	4.0	.29	
81.0 - 87.0	As above	5069	6.0	.12	
87.0 - 92.0	80% qtz, ser sch, py, aspy	5070	5.0	.32	
92.0 - 97.5	As above gry min	5071	5.5	.41	
97.5 - 101.0	As above	5072	3.5	.26	
101.0 - 106.0	40% qtz bands & bx, ser, py, aspy	5073	5.0	.38	
106.0 - 108.0	As above	5074	2.0	.73	
108.0 - 113.0	Ser sch 50% qtz blobs elongated parallel schistesity, py, aspy	5075	5.0	.44	
113.0 - 118.0	Silic ser sch 30% qtz bx, py, aspy	5076	5.0	.19	
118.0 - 125.0	As above	5077	7.0	.36	
125.0 - 131.0	Ser sch 20% qtz, local sulphides	5078	6.0	.08	
131.0 - 138.0	Compact gry ser sch				
138.0 - 145.0	As above				
145.0 - 146.5	As above local minor qtz bx with py aspy	5089	1.5	.50	
146.5 - 149.0	Ser sch 40% qtz fine py aspy $\frac{1}{2}$ " gouge at 149 = def. fault	5090	2.5	.91	
149.0 - 155.0	70% qtz, ser, py, aspy, gry min, chalc 1/8" calc fault at 154	5091	6.0	1.39	
155.0 - 160.0	Ser sch, 25% qtz, py, aspy, chalc	5092	5.0	.21	
160.0 - 165.0	Ser sch 40% qtz, py, aspy	5093	5.0	.40	

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
72.0 - 77.0	30% qtz-carb lenses spar min throughout	5067	5.0	.52	
77.0 - 81.0	ser sch 30% banded & bx qutz, py, aspy	5068	4.0	.27	
81.0 - 87.0	ditto	5069	6.0	.12	
87.0 - 92.0	80% qutz, ser sch, py, aspy	5070	5.0	.32	
92.0 - 97.5	ditto gry min	5071	5.5	.41	
97.5 - 101.0	ditto	5072	3.5	.26	
101.0 - 106.0	40% qutz bands & bx, ser, py, aspy	5073	5.0	.38	
106.0 - 108.0	ditto	5074	2.0	.73	
108.0 - 113.0	ser sch 50% qutz blebs elongated parallel schistosity, py, aspy	5075	5.0	.44	
113.0 - 118.0	silic ser sch 30% qutz bx, py aspy	5076	5.0	.19	
118.0 - 125.0	ditto	5077	7.0	.36	
125.0 - 131.0	ser sch 20% qutz, local sulphides	5078	6.0	.08	
131.0 - 138.0	compact gry ser sch				
138.0 - 145.0	ditto				
145.0 - 146.5	ditto, local minor qutz bx with py aspy	5089	1.5	.50	
146.5 - 149.0	ser sch 40% qutz fine py aspy 1/2" gouge at 149 & def. fault	5090	2.5	.91	
149.0 - 155.0	70% qutz, ser, py, aspy, gry min; chalco 1/8" calc fault at 154	5091	6.0	1.39	
155.0 - 160.0	ser sch, 25% qutz, py, aspy, chalco	5092	5.0	.21	
160.0 - 165.0	ser sch 40% qutz, py, aspy	5093	5.0	.40	

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
165.0 - 170.0	Ser sch 40% qtz, py, aspy	5094	5.0	3.53	
170.0 - 175.0	75% gry qtz, minor sulphides	5095	5.0	1.63	
175.0 - 180.0	50% qta, abundant py, aspy, gry min, minor calc fault at 178	5096	5.0	.88	
180.0 - 184.0	40% qtz, py, aspy	5097	4.0	.87	
184.0 - 187.0	20% qtz, ser sch, minor sulphides	5098	3.0	.43	
187.0 - 193.0	Badly broken core, blocky ground, ser & chl-ser sch local qtz & sulphides	5099	4.0	.03	
193.0 - 200.0	1' white qtz, vest gry ser sch 5% qtz & carb bands & blebs, local dissem py.	5031	6.0 7.0	.02	
200.0 - 205.0	Ser sch 20% qtz, py, aspy, gry min, 203-205, rost local dissem py.	5032	5.0	.78	
205.0 - 210.0	Ser sch 30% qtz, py.	5033	5.0	.05	
210.0 - 214.0	Gry ser-chl sch, spotty py, local qtz-carb bx text	5034	4.0	.12	
214.0 - 219.0	Ser sch 20% qtz, py, carb	5039	5.0	.03	
219.0 - 225.0	Overburden - shows gravel				
<u>Calc. Au Grade.</u>					
	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut</u>
	7.0	69.2	62.0	.11	.10
	69.0	125.0	56.0	.48	.37
	125.0	131.0	6.0	.08	.08
	145.0	187.0	42.0	1.17	.96
	200.0	205.0	5.0	.78	
	210.0	214.0	4.0	.12	
				<u>Read</u>	<u>Corrected</u>
				87°	
	Dis. Test 200'				

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
165.0 - 170.0	ditto	5094	5.0	3.53	
170.0 - 175.0	75% gry qutz, minor sulphides	5095	5.0	1.63	
175.0 - 180.0	50% qutz, abundant py, aspy, gry min, minor calc fault at 178	5096	5.0	.88	
180.0 - 184.0	40% qutz, py, aspy	5097	4.0	.87	
184.0 - 187.0	20% qutz, ser sch, minor sulphides	5098	3.0	.43	
187.0 - 193.0	Badly broken core, blocky ground, ser & chl-ser sch local qutz & sulphides	5099	4.0 6.0	.03	
193.0 - 200.0	1' white qutz, rest gry ser sch 5% qutz & carb bands & blebs, local dissem py	5031	7.0	.02	
200.0 - 205.0	ser sch 20% qutz, py, aspy, gry min, 203-205, rest local dissem py	5032	5.0	.78	
205.0 - 210.0	ser sch 30% qutz, py	5033	5.0	.05	
210.0 - 214.0	Gry ser-chl sch, spotty py, local qutz-carb bx text	5034	4.0	.12	
214.0 - 219.0	ser sch 20% qutz, py, carb	5039	5.0	.03	
219.0 - 225.0	overburden shows gravel				
				</	

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE NO. U-B 361BEARING S 60 EDIP AT COLLAR -40°LENGTH 114LAT. 12147.5DEP. 7425ELEV. 5750DATE COMPLETED Aug. 5/48

PURPOSE \_\_\_\_\_

SHAFT #2LEVEL 250WORKING B-208 N Dr.SECTION 400 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	Casing				
2.0 - 7.0	70% qtz; sch remnants, py, aspy	5016	5.0	.45	
7.0 - 12.0	ditto	5017	5.0	.40	
12.0 - 17.0	ditto bx text.	5018	5.0	.49	.40(40)
17.0 - 22.0	40% qtz, bx text & cont'd sch, local heavy f.g., py	5019	5.0	.47	33
22.0 - 27.0	ditto	5020	5.0	.29	
27.0 - 32.0	ditto	5021	5.0	.27	
32.0 - 35.0	25% qtz, decreased sulphides	5022	3.0	.41	
35.0 - 51.0	Compact scr sch texture suggestive of tuffaceous material				
51.0 - 65.0	ditto but local qtz blebs & veinlets, t.s. 54-55 50% glassy qtz.	5023	1.0	.04	
65.0 - 70.0	silicified ser sch, 20% qtz, minor sulphides	5024	5.0	.05	
70.0 - 75.0	scr sch 60% gray qtz minor sulphides	5025	5.0	.32	
75.0 - 80.0	60% qtz, ser sch, py, aspy	5026	5.0	.82	.51(.42)
80.0 - 84.5	ditto with decreasing qtz at 84	5027	4.5	.38	14.5

LOGGED BY ASDHOLE NO. U/B 361

FOOTAGE	DESCRIPTION				SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
							oz./TON	oz./TON
84.5 - 93.0	gray ser sch qutz-carb bands							
93.0 - 95.0	ground core							
95.0 - 114.0	Light gry ser sch; banding suggests possible tuff.							
	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Calc. Av.</u> <u>Uncut Cut</u>				
	2.0	35.0	33.0	.40 .40				
	70.0	84.5	14.5	.51 .42				

Offset in bearing causes end of hole to be 11' south of section

N.M.P.-F3742-3

HOLE No. UB 360  
BEARING N 64 $\frac{1}{2}$  W  
DIP AT COLLAR 4 60°  
LENGTH 154.0

GIANT YELLOWKNIFE GOLD MINES LIMITED  
**CORE RECORD**

LAT. 12103.72 DATE COMPLETED \_\_\_\_\_  
DEP. 7493.47 31.385 PURPOSE Third level ore  
ELEV. 5591.5 395.844 definition

SHAFT 2  
LEVEL 425  
WORKING B 401 E XC  
SECTION 400 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	f.g. ser sch with qutzz-carb lenses with neg min				
2.0 - 3.5	50% qutzz lenses in ser sch min with py and aspy	5002	1.5	.11	
3.5 - 10.0	f.g ser sch with local carb lenses				
10.0 - 15.0	20% qutzz lenses in ser sch; spare min throughout.	5003	5.0	.08	
15.0 - 20.0	As above but with increasing min	5004	5.0	.13	
20.0 - 25.0	40% qutzz lenses and as above	5005	5.0	.23	
25.0 - 30.0	As above with increasing min	5006	5.0	.09	
30.0 - 35.0	50% qutzz lenses in ser sch; in part well min with py & aspy	5007	5.0	.06	
35.0 - 40.0	As above	5008	5.0	.02	
40.0 - 45.0	As above	5009	5.0	.07	
45.0 - 49.0	90% qutzz min with py and aspy	5010	4.0	.13	
49.0 - 55.0	70% qutzz lenses and as above	5011	6.0	.12	
55.0 - 60.0	40% qutzz-carb lenses in ser sch min with py and minor aspy	5012	5.0	.04	
60.0 - 66.0	20% qutzz-carb lenses and as above	5013	6.0	.02	

LOGGED BY JAH

HOLE No. UB 360

FOOTAGE	DESCRIPTION		SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
					oz./TON	oz./TON
66.0 - 72.0	As above		5014	6.0	.02	
72.0 - 77.0	40% qutzz-carb lenses and as above		5015	5.0	.38	
77.0 - 82.0	As above		5051	5.0	1.26	
82.0 - 86.0	As above		5052	4.0	.21	
86.0 - 90.0	60% qutzz lenses in ser sch min with py and aspy		5053	4.0	.59	
90.0 - 130.0	f.g. gray grn slightly sch grs in part slightly sil					
130.0 - 154.0	f.g mass grs.					
	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Calc.</u>	<u>Av.</u>	
				<u>Uncut</u>	<u>Cut</u>	
	72.0	90.0	18.0	.63	.54	
	10.0	90.0	80.0	.20	---	
	10.0	55.0	45.0	.10	---	
	55.0	72.0	17.0	.02	---	



**GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD**

HOLE No. U-B 359SHAFT #2BEARING ---LEVEL 425DIP AT COLLAR 90LAT. 12313DATE COMPLETED Aug. 3/48DEP. 7540.5PURPOSE Third level oreWORKING B-302 N Dr.LENGTH 127'ELEV. 5594definition.SECTION 600 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	Casing				
2.0 - 8.5	f.g. ser sch in part well banded with local carb lenses & neg min				
8.5 - 10.5	80% qutz-carb spar min	4991	2.0	.25	
10.5 - 23.0	f.g. ser sch possibly in part chl with local carb lenses				
23.0 - 27.0	20% qutz-carb lenses in ser sch min with py	4992	4.0	.07	
27.0 - 51.0	f.g. grey grn ser sch with scattered carb lenses and neg min				
51.0 - 55.5	70% qutz lenses in ser sch min with py aspy and minor grey min (1" section of core at 54.0 containing coarse v.g. was taken as specimen)	4993	4.5	.81	
55.5 - 60.0	40% qutz lenses in ser sch in part well min with py aspy and gray - v.g. in two places, min	4994	4.5	2.20	
60.0 - 64.0	70% qutz and as above - v.g. around 61.0	4995	4.0	.74	
64.0 - 69.0	80% qutz in ser sch with fine grey min, aspy & py, v.g. observed in two places associated with the fine lenticular-like gray min.	4996	5.0	2.66	
69.0 - 74.0	50% qutz and as above, possible v.g. but none observed	4997	5.0	1.76	

LOGGED BY JAHHOLE No. U-B 359

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
74.0 - 78.0	40% qtz with v.g. in two spots	4998	4.0	.33	
78.0 - 84.0	30% qtz-carb lenses in ser sch; min with py, aspy & minor grey min	4999	6.0	.46	
84.0 - 87.0	qtz-carb lenses in ser sch; spare min with py & aspy	5000	3.0	.09	
87.0 - 107.0	f.g. grey ser sch with scattered carb lenses & neg min				
107.0 - 109.0	90% qtz-carb spare min	2201	2.0	.01	
109.0 - 127.0	f.g. grey ser sch in part slightly chl with local qtz carb lenses and neg min				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Uncut</div> <div>Cut.</div> </div> <div> 51.0 84.0 33.0 1.29 1.15 </div>				

HOLE No. U-B 358GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORDSHAFT 2BEARING ----LAT. 12268DATE COMPLETED July 31/48LEVEL 425DIP AT COLLAR 7 90DEP. 7516PURPOSE Third level oreWORKING B-302 NLENGTH 101.0ELEV. 5595definition.SECTION 550 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	Casing				
2.0 - 3.5	50% qutz in ser sch; min with py and aspy	4967	1.5	.05	
3.5 - 13.0	qutz-carb lenses in ser sch with neg min				
13.0 - 17.0	30% qutz lenses in ser sch spare min with py & aspy	4968	4.0	.19	
17.0 - 22.0	90% qutz in ser sch; spare min throughout	4969	5.0	.22	
22.0 - 26.0	20% bx-like qutz in ser sch; spare min	4970	4.0	.03	
26.0 - 30.0	70% qutz in ser sch; spare min with py and aspy	4971	4.0	.02	
30.0 - 50.0	f.g. ser sch with local qutz-carb lenses with neg min; minor banding is exhibited throughout this entire section with the angle at sch being 70°				
50.0 - 53.0	30% qutz lenses in ser sch min with py and aspy	4972	3.0	.33	
53.0 - 58.0	50% qutz lenses and as above	4973	5.0	5.46	
58.0 - 63.0	90% qutz in ser sch min with py, aspy and minor gray min	4974	5.0	.34	
63.0 - 69.0	30% qutz-carb lenses in ser-sch; spare min with py & aspy	4975	6.0	1.53	
69.0 - 73.0	50% qutz carb and as above	4976	4.0	.41	

LOGGED BY JAHHOLE No. U-B 358

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
73.0 - 76.0	20% qutzz-carb and as above	4977	3.0	.23	
76.0 - 80.0	As above	4988	4.0	.11	
80.0 - 93.0	f.g. ser sch with local carb lenses				
93.0 - 95.0	40% qutzz lenses in ser sch; min with py & minor aspy	4989	2.0	.07	
95.0 - 101.0	f.g. ser sch with decreasing carb lenses towards 101.0				

HOLE No. UB 357

**GIANT YELLOWKNIFE GOLD MINES LIMITED**

BEARING N 60 W

DIP AT COLLAR 730°

LENGTH 61.0

LAT. 12103.72

DEF. 7493.47

ELEV. 5588.5

DATE COMPLETED Aug. 1/48

PURPOSE Third level ore

definition.

SHAFT 2

LEVEL 425

WORKING B 301 E X-C

SECTION 400 N

## CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				OZ./TON	OZ./TON
0 - 3.0	30% qutlz lenses in ser sch min with py and aspy	4978	3.0	.62	
3.0 - 10.0	qutlz-carb lenses in ser sch spare min throughout	4979	7.0	.10	
10.0 - 12.0	60% qutlz lenses in ser sch; min with py and aspy	4980	2.0	.56	.32(.27)
12.0 - 16.0	qutlz-carb lenses in ser sch; spare min	4981	4.0	.21	18.0
16.0 - 18.0	50% qutlz lenses in ser sch; min with py and aspy (from 0 - 18 the core was extremely blocky)	4982	2.0	.62	
18.0 - 25.0	qutlz-carb lenses spare min throughout	4983	7.0	.03	
25.0 - 32.0	30% qutlz-carb lenses and as above	4984	7.0	.05	
32.0 - 39.0	As above	4985	7.0	.03	
39.0 - 44.0	40% qutlz carb lenses; spare min	4986	5.0	.06	
44.0 - 49.5	As above	4987	5.5	.03	
49.5 - 55.0	20% qutlz carb lenses and as above	4990	5.5	.08	
55.0 - 61.0	f.g. ser sch with local carb lenses and neg min				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Calc. Grade</u>				
	0                18.0            18.0         Uncut      Cut				
					.32   .27

LOGGED BY JAH

HOLE No. UB 357

GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U-B 356

BEARING N 60 W

DIP AT COLLAR HOT.

LENGTH 262.0

LAT. 12567.2

DEP. 7599.8

ELEV. 5590

DATE COMPLETED \_\_\_\_\_

PURPOSE Third level ore  
definition.

SHAFT 2

LEVEL 425

WORKING B-302N

SECTION 850N

FOOTAGE		DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
					oz./TON	oz./TON
0 -	6.0	50% qutz & carb min w py & aspy	4956	6.0	.07	
6.0 -	9.0	30% qutz in ser sch; minor min	4957	3.0	.06	
9.0 -	17.0	gry ser sch w no sig qutz or min; dense & homog after 17.0				
17.0 -	74.0	dense gry chl-ser sch				
74.0 -	155.0	f.g. grn grs sch w snfl alt after 88.0; more mass after 140.0				
155.0 -	231.0	f.g. to m.g. alt sch grs w local snfl & calc; epid alt after 170.0				
231.0 -	251.0	gry-buff chl-ser sch; dense & rep very weak shearing				
251.0 -	262.0	chl grs sch				
						</

LOGGED BY JDB

HOLE No. U-B 356



GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U-B 354

BEARING S 60 E

DIP AT COLLAR H6r.

LENGTH 26.0

LAT. 12536

DEP. 7603.7

ELEV. 5590

DATE COMPLETED \_\_\_\_\_

PURPOSE Third level ore

definition.

SHAFT 2

LEVEL 425

WORKING B-302N

SECTION 825N

FOOTAGE	DESCRIPTION		SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
					oz./TON	oz./TON
0 - 5.5	60% qutz min w py & aspy		4948	5.5	.25	
5.5 - 10.5	70% qutz & carb; sparing min		4949	5.0	.30	
10.5 - 14.0	30% qutz lenses min w py & minor aspy		4950	3.5	.15	
14.0 - 26.0	grn gry ser sch w minor qutz & no min					
	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Calc.</u> <u>Uncut</u>	<u>Grade</u> <u>Cut</u>	
	0	14.0	14.0	.24	.24	

LOGGED BY JDB

Hole No. U-B 354



HOLE No. U-B 353

**GIANT YELLOWKNIFE GOLD MINES LIMITED**

SHAFT 2

BEARING N 60 W

LAT. 12540.6

DATE COMPLETED \_\_\_\_\_

LEVEL 425

DIP AT COLLAR Hor.

DEP. 7595.7

PURPOSE Third level ore

WORKING B-302 N

LENGTH 42.0

ELEV. 5590

definition.

SECTION 825 N[illegible]

LOGGED BY JDB

HOLE No. U-B 353

HOLE No. U-B 352

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

SHAFT 2

BEARING S 60 E

LEVEL 425

DIP AT COLLAR Hor.

LAT. 12508.6

DATE COMPLETED \_\_\_\_\_

WORKING B-302 N

LENGTH 23.0

DEP. 7601.0

PURPOSE Third level ore

SECTION 800 N

ELEV. 5590

definition.

[illegible]

LOGGED BY JDB

HOLE NO. U-B 352

GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U-B 351  
BEARING N 60 W  
DIP AT COLLAR Hor.  
LENGTH 48.0

LAT. 12516.9 DATE COMPLETED \_\_\_\_\_  
DEP. 7586.6 PURPOSE Third level ore  
ELEV. 5590 definition.

SHAFT 2  
LEVEL 425  
WORKING B-302 N  
SECTION 800 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 5.0	20% qutz lenses in ser sch; minor min	4936	5.0	.04	
5.0 - 7.0	30% qutz & as above	4937	2.0	.09	
7.0 - 10.5	gry ser sch w qutz lenses, no sig min	4938	3.5	.02	
10.5 - 15.5	30% qutz min w local py & aspy; tr gry min	4939	5.0	.21	1.050
15.5 - 23.0	40% qutz w carb min w py & aspy	4940	7.5	.40	3.000
23.0 - 26.5	qutz-carb in gry ser sch; minor min	4941	3.5	.03	4.050
26.5 - 48.0	gry ser sch w minor qutz & no min				
	<div><div><div><div><div><u>From</u></div><div>10.5</div></div><div><div><u>To</u></div><div>23.0</div></div><div><div><u>C.L.</u></div><div>12.5</div></div><div><div><u>Calc.</u> <u>Uncut</u></div><div>.32</div></div><div><div><u>Grade</u> <u>Cut</u></div><div>.32</div></div></div></div></div>				

GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U-B 350

SHAFT 2

BEARING S 60 E

LEVEL 425

DIP AT COLLAR Hor.

LAT. 12481.7

DATE COMPLETED \_\_\_\_\_

DEP. 7597.4

PURPOSE Third level ore

WORKING B-302 N

LENGTH 23.0

ELEV. 5590

definition.

SECTION 775 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 6.0	70% qutz w carb min w py & aspy	4934	6.0	.53	
6.0 - 9.0	20% qutz & carb min w minor py & aspy	4935	3.0	.07	
9.0 - 23.0	dk gry ser sch w minor qutz & no min				

LOGGED BY jdb

HOLE No. U-B 350

HOLE No. U-B 349

# GIANT YELLOWKNIFE GOLD MINES LIMITED

BEARING N 60 W

LAT. 12486.4

DATE COMPLETED \_\_\_\_\_

DIP AT COLLAR Hor.

DEP. 7589.2

PURPOSE Third level ore

LENGTH 74.0

ELEV. 5590

definition.

SHAFT. 2

LEVEL 425

WORKING B-307 N

SECTION 775 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				OZ./TON	OZ./TON
0 - 5.0	80% qutz well min w aspy; local gry min	4928	5.0	.57	2.850
5.0 - 9.0	30% qutz in ser sch; minor min	4929	4.0	.29	1.160
9.0 - 13.0	qutz lenses in ser sch; no sig min	4930	4.0	.03	.120
13.0 - 19.0	40% qutz min w py & aspy	4931	6.0	.53	3.180
19.0 - 34.0	gry ser sch w qutz lenses; no sig min				7.310
34.0 - 39.0	40% qutz w interc ser sch; minor py & aspy	4932	5.0	.96	
39.0 - 56.0	gry ser sch; few qutz lenses; f.s. 39.0 - 43.0	4933	4.0	.02	
56.0 - 74.0	gry chl-ser sch				

  

<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Calc. Uncut</u>	<u>Grade Cut</u>
0	19.0	19.0	.38	.38
34.0	39.0	5.0	.96	--

LOGGED BY JDB

HOLE No. U-B 349

## GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B 348BEARING S 60 EDIP AT COLLAR Hor.LENGTH 32.0LAT. 12457.6DEP. 7588.8ELEV. 5590

DATE COMPLETED \_\_\_\_\_

PURPOSE Third level oredefinition.SHAFT 2LEVEL 425WORKING B-302NSECTION 750N

## CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS																			
				OZ./TON	OZ./TON																		
0 - 5.0	40% qtz & pearly carb in ser sch; minor py & aspy	4924	5.0	.29	1.450																		
5.0 - 10.0	30% qtz & as above	4925	5.0	.18	.900																		
10.0 - 14.0	60% qtz & as above	4926	4.0	.24	.960																		
14.0 - 19.5	20% qtz lenses in ser sch; local min	4927	4.5	.22	.990																		
19.5 - 32.0	grn ser sch; no sig qtz or min				<u>4.300</u>																		
<table> <tr> <th><u>From</u></th><th><u>To</u></th><th><u>C.L.</u></th><th><u>Calc.</u></th><th><u>Grade</u></th><th></th></tr> <tr> <td></td><td></td><td></td><td><u>Uncut</u></td><td><u>Cut</u></td><td></td></tr> <tr> <td>0</td><td>19.5</td><td>19.5</td><td>.22</td><td>.22</td><td></td></tr> </table>						<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Calc.</u>	<u>Grade</u>					<u>Uncut</u>	<u>Cut</u>		0	19.5	19.5	.22	.22	
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Calc.</u>	<u>Grade</u>																			
			<u>Uncut</u>	<u>Cut</u>																			
0	19.5	19.5	.22	.22																			

LOGGED BY JDBHOLE No. U-B 348

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 347

BEARING N 60 W

DIP AT COLLAR Hor.

LENGTH 60.0

LAT. 12462.0

DEP. 7581.2

ELEV. 5590

DATE COMPLETED \_\_\_\_\_

PURPOSE Third level ore

definition.

SHAFT 2

LEVEL 425

WORKING B-302N

SECTION 750N

[illegible]

LOGGED BY: JDB

HOLE NO. U-B 347

HOLE No. U-B 346

**GIANT YELLOWKNIFE GOLD MINES LIMITED**

SHAFT 2

BEARING N 60W

LAT. 12437.3

DATE COMPLETED \_\_\_\_\_

LEVEL 425

DIP AT COLLAR Hor.DEP. 7573.8

PURPOSE Third level ore

WORKING B-302 N

LENGTH 60.0

ELEV. 5590

definition.

SECTION 725 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				OZ./TON	OZ./TON
0 - 20.0	gry ser sch w qutz lenses & local py	4919	4.0	.48	
20.0 - 24.0	50% qutz & retic carb min w py & aspy				
24.0 - 60.0	f.g. gry ser sch; local qutz strs; no min becoming chl-ser towards 60.0				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Calc. Uncut</div> <div>Grade Cut</div> </div>				
	<div> <div>20.0</div> <div>24.0</div> <div>4.0</div> <div>.48</div> <div>---</div> </div>				

LOGGED BY JDB

HOLE No. U-B 346



# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 345

BEARING N 60 W

DIP AT COLLAR Hor.

LENGTH 57.0

LAT. 12433

DEP. 7581.2

ELEV. 5590

DATE COMPLETED \_\_\_\_\_

PURPOSE Third level ore

definition.

SHAFT 2

LEVEL 425

WORKING B-302 N

SECTION 725 N

FOOTAGE		DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS OZ./TON OZ./TON	
0 -	5.0	70% qutzb-carb, in part well min w aspy	4912	5.0	.77	
5.0 -	10.0	60% qutzb-carb, sparing min; minor sp	4913	5.0	.43	
10.0 -	15.0	as above	4914	5.0	.37	
15.0 -	57.0	qutzb-carb lenses in gry-grn ser sch, no sig min				
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Calc. Uncut</u>	<u>Grade Cut</u>		
0	15.0	15.0	.52	.52		

LOGGED BY: JDB

HOLE NO. U-B 345

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 344SHAFT 2BEARING ----LEVEL 425DIP AT COLLAR 490°LAT. 1222°DATE COMPLETED July 30th, 1948DEP. 7499PURPOSE Third level ore definitionWORKING B-302NLENGTH 151.0ELEV. 5594SECTION 500N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0.0 - 2.0	Casing				
2.0 - 5.0	80% qtz sparingly min with py and aspy	4899	3.0	.05	
5.0 - 8.5	30% qtz as above	4900	3.5	.06	
8.5 - 16.0	Dk gry ser sch w no sig qtz or min	4901	7.5	.02	
16.0 - 24.0	30% qtz w carb minor min	4902	8.0	.02	
24.0 - 32.0	Qtz lenses in ser sch, no sig min	4903	8.0	.01	
32.0 - 39.0	As above w less qtz	4904	7.0	.01	
39.0 - 43.5	As above	4905	4.5	.01	
43.5 - 49.5	40% qtz lenses, incl mosaic carb, min w py and aspy	4906	6.0	.10	
49.5 - 52.0	As above w minor gry min	4958	2.5	.06	
52.0 - 59.0	80% qtz & carb min w py & aspy, minor sb	4959	7.0	.44	
59.0 - 64.0	80% wte qtz & carb min w py & aspy, minor gry min, V.G.	4960	5.0	.87	
64.0 - 71.0	30% qtz lenses in ser sch min w py & aspy	4961	7.0	.11	
71.0 - 75.5	40% qtz & as above	4962	4.5	.54	

LOGGED BY JDBHOLE No. U-B 344

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON																									
75.5 - 80.0	70% qtz & mosaic carb, py & aspy	4963	4.5	.39																									
80.0 - 85.5	30% bx qtz in ser sch, py & aspy	4964	5.5	.24																									
85.5 - 92.0	80% qtz & retic carb min w py aspy	4965	6.5	.22																									
92.0 - 120.0	Ser sch w qtz strs, no sig min, t.s. 107-108.5 t.s. 108.5-110.0	4966	1.5	.11																									
		5001	1.5	.06																									
120.0 - 142.0	Chl ser sch, dk gry w qtz-carb strs																												
142.0 - 151.0	Chl ser sch becoming sch grs towards 151.0																												
<table> <tr> <th colspan="3"></th><th colspan="2"><u>Calc. Grade.</u></th><th></th></tr> <tr> <th><u>From</u></th><th><u>To</u></th><th><u>C.L.</u></th><th><u>Uncut</u></th><th><u>Cut</u></th><th></th></tr> <tr> <td>43.5</td><td>52.0</td><td>8.5</td><td>.09</td><td>.09</td><td></td></tr> <tr> <td>52.0</td><td>92.0</td><td>40.0</td><td>.38</td><td>.34</td><td></td></tr> </table>									<u>Calc. Grade.</u>			<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut</u>		43.5	52.0	8.5	.09	.09		52.0	92.0	40.0	.38	.34	
			<u>Calc. Grade.</u>																										
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut</u>																									
43.5	52.0	8.5	.09	.09																									
52.0	92.0	40.0	.38	.34																									

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 344SHAFT 2BEARING ----LEVEL 425DIP AT COLLAR 7 90LAT. 12220DATE COMPLETED July 30th, 1948.DEP. 7499PURPOSE Third level ore def.WORKING B-302HLENGTH 151.0ELEV. 5594SECTION 500N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	Casing.				
2.0 - 5.0	80% qtz sparingly min w py & aspy.	4899	3.0	.05	
5.0 - 8.5	30% qtz & as above.	4900	3.5	.06	
8.5 - 16.0	Dk. gry ser sch w no sig qtz or min.	4901	7.5	.02	
16.0 - 24.0	30% qtz w carb, minor min.	4902	8.0	.02	
24.0 - 32.0	Qtz lenses in ser sch, no sig min.	4903	8.0	.01	
32.0 - 39.0	As above w less qtz.	4904	7.0	.01	
39.0 - 43.5	As above	4905	4.5	.01	
43.5 - 49.5	40% qtz lenses, incl mosaic carb, min w py & aspy.	4906	6.0	.10	
49.5 - 52.0	As above w minor gry min.	4958	2.5	.06	
52.0 - 59.0	80% qtz & carb min w py & aspy, minor sb.	4959	7.0	.44	
59.0 - 64.0	80% wte qtz & carb min w py, aspy, minor gry min, v.g.	4960	5.0	.87	
64.0 - 71.0	30% qtz lenses in ser sch min w py, aspy.	4961	7.0	.11	
71.0 - 75.5	40% qtz & as above.	4962	4.5	.54	
75.5 - 80.0	70% qtz & mosaic carb, py, aspy.	4963	4.5	.39	

JDE

LOGGED BY \_\_\_\_\_

U-B 344.

HOLE No. \_\_\_\_\_

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	
80.0 - 85.5	30% bx qtz in ser sch, py, aspy.	4964	5.5	.24	
85.5 - 92.0	80% qtz & retic carb min w py, aspy.	4965	6.5	.22	
92.0 - 120.0	Ser sch w qtz strs, no sig min.				
	T.S. 107-108.5 108.5-110.0	4966 5001	1.5 1.5	.11 .06	
120.0 - 142.0	Chl ser sch, dk. gry w qtz carb strs.				
142.0 - 151.0	Chl ser sch becoming sch grs towards 151.0				
<u>Calc. Grade.</u>					
	<u>From</u> <u>To</u> <u>C.I.</u> <u>Uncut</u> <u>Cut.</u>				
	43.5   52.0   8.5   .09   .09				
	52.0   92.0   40.0   .38   .34				

## GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE NO. U-B344

## CORE RECORD

SHAFT 2BEARING --LAT. 12220DATE COMPLETED July 30, 1948LEVEL 425DIP AT COLLAR 790DEP. 7499PURPOSE Third level ore definitionWORKING B-302NLENGTH 151.0ELEV. 5594SECTION 500N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				OZ./TON	OZ./TON
0 - 2.0	Casing				
2.0 - 5.0	80% qutzz sparingly min w pyx aspy.,	4899	3.0	.05	
5.0 - 8.5	30% qutzz & as above	4900	3.5	.06	
8.5 - 16.0	dk gry ser sch w no sig qutzz or min	4901	7.5	.02	
16.0 - 24.0	30% qutzz w carb., minor min	4902	8.0	.02	
24.0 - 32.0	qutzz lenses in ser sch., no sig min	4903	8.0	.01	
32.0 - 39.0	as above w less qutzz	4904	7.0	.01	
39.0 - 43.5	as above	4905	4.5	.01	
43.5 - 49.5	40% qutzz lenses, incl mosaic carb., min w py & aspy	4906	6.0	.10	
49.5 - 52.0	as above w minor gry min	4958	2.5	.06	
52.0 - 59.0	80% qutzz & carb min w py & aspy; minor sp	4959	7.0	.44	
59.0 - 64.0	80% w te qutzz & carb min w py & aspy; minor gry min; v.g.	4960	5.0	.87	
64.0 - 71.0	30% qutzz lenses in ser sch min w py & aspy	4961	7.0	.11	
71.0 - 75.5	40% qutzz & as above	4962	4.5	.54	

LOGGED BY J.D.B.HOLE NO. U-B344

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON																									
75.5 - 80.0	70% qutzz & mosaic carb., py & aspy	4963	4.5	.39																									
80.0 - 85.5	30% bx qutzz in ser sch; py & aspy	4964	5.5	.24																									
85.5 - 92.0	80% qutzz & retic carb min w py, aspy	4965	6.5	.22																									
92.0 - 120.0	ser sch w qutzz strss; no sig min; T.S. 107 - 108.5 ) T.S. 108.5 - 110.0)	4966 5001	1.5 1.5	.11 .06																									
120.0 - 142.0	chl ser sch., dk gry w qutzz-carb strss.																												
142.0 - 151.0	chl ser-sch becoming sch grs towards 151.0																												
<table> <tr> <th colspan="3"></th><th colspan="2">CALC. GRADE</th><th></th></tr> <tr> <th><u>From</u></th><th><u>To</u></th><th><u>C.L.</u></th><th><u>Uncut</u></th><th><u>Cut</u></th><th></th></tr> <tr> <td>43.5</td><td>52.0</td><td>8.5</td><td>.09</td><td>.09</td><td></td></tr> <tr> <td>52.0</td><td>92.0</td><td>40.0</td><td>.38</td><td>.34</td><td></td></tr> </table>									CALC. GRADE			<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut</u>		43.5	52.0	8.5	.09	.09		52.0	92.0	40.0	.38	.34	
			CALC. GRADE																										
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut</u>																									
43.5	52.0	8.5	.09	.09																									
52.0	92.0	40.0	.38	.34																									

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 343BEARING S 60 EDIP AT COLLAR - 60LENGTH 445.0LAT. 12794.7DEP. 7404.7 391WELEV. 5751

DATE COMPLETED \_\_\_\_\_

PURPOSE Ore probing below2nd level.SHAFT 2LEVEL 250WORKING B-218 NSECTION 950 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 3.0	casing				
3.0 - 26.0	dk gry chl-ser sch; no sig qtz or min				
26.0 - 32.5	30% gry qtz w gry ser sch; sparing min	4887	6.5	.09	.585
32.5 - 38.0	40% qtz & as above w aspy;	4888	5.5	.23	1.265
38.0 - 42.0	as above	4889	4.0	.23	.920
42.0 - 49.0	qtz lenses in ser sch; minor min	4890	7.0	.27	1.890
49.0 - 51.0	20% gry qtz in gry sch; sparing py, sp	4891	2.0	.11	.220
51.0 - 56.0	60% dk blue qtz min w minor sp & v.g.	4892	5.0	2.17	10.850
56.0 - 99.0	dk gry chl-ser sch; strong fault w gouge & bx 99.0				15.730
99.0 - 110.0	f.g. well banded ser sch; prob fuffac., well bedded slate 103.0 - 110.0				
110.0 - 136.0	dense buff ser sch.				
136.0 - 146.0	dense gry chl-ser sch; grad cont.,				
146.0 - 232.0	dense grn-gry grs sch grad w above; local snfl alt., calc.				
232.0 - 266.0	dense grn-gry chl. ser sch grad w above & w minute tan lent alt fl trs 265.0 - 266.0	4907	1.0	.64	

LOGGED BY JDEHOLE No. U-B 343



FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
266.0 - 277.5	dense gry ser sch; t.s. 276.0 - 277.5	4909	1.5	.04	
277.5 - 281.0	20% qutz carb in ser sch min w py	4908	3.5	.79	
281.0 - 327.0	dense gry ser sch; t.s. 281.0 - 282.0	4910	1.0	.02	
	t.s. 296.0 - 301.0 minor min sect	4911	5.0	.05	
327.0 - 355.0	dk gry chl-ser sch				
355.0 - 358.0	qutz lenses in ser sch impreg w py	4915	3.0	.04	
358.0 - 367.5	gry ser sch w minor qutz & no min				
367.5 - 371.0	30% qutz lenses min w py & aspy				
371.0 - 382.0	dk gry ser sch w qutz strs & lenses; lt gry to buff after 382.0				
382.0 - 390.0	gry-buff ser sch w qutz lenses	4917	8.0	.11	
390.0 - 421.0	chl-ser sch w qutz lenses; locally dense & grn				
421.0 - 424.0	qutz lenses in ser sch; minor min	4918	3.0	.03	
424.0 - 428.0	f.g. chl-ser sch				
428.0 - 445.0	m.g. - f.g. grs sch; calc;				
<u>D I P   T E S T S</u>					
<u>Depth</u>	<u>Read</u>	<u>Correct</u>			
150	57½	53 45			
300	50½	46 42			
445	44	40 36			

FOOTAGE	DESCRIPTION						SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
									oz./TON	oz./TON
		<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Calc.</u>	<u>Grade</u>				
					<u>Uncut</u>	<u>Cut</u>				
		26.0	56.0	30.0	.52	.29				
	incl.	51.0	56.0	5.0	2.17	--				
		265.0	266.0	1.0	.64	--				
		277.5	281.0	3.5	.79	--				
		367.5	371.0	3.5	.17	--				
		382.0	390.0	8.0	.11	--				

GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U-B 342

SHAFT 2

BEARING N 60 W

LEVEL 425

DIP AT COLLAR Hor

LAT. 12413.3

DATE COMPLETED \_\_\_\_\_

DEP. 7565.4

PURPOSE Third level ore

WORKING B-302 N

LENGTH 45.0

ELEV. 5589

definition

SECTION 700 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				OZ./TON	OZ./TON
0 - 28.0	dk gry chl-ser sch w numerous dragf & contort qutz lenses, no sig min.				
28.0 - 32.0	50% qutz well min w sph., py, aspy & gry min	4871	4.0	1.46	)
32.0 - 37.0	20% qutz in grn silic ser sch sparingly impreg w py	4872	5.0	.09	
37.0 - 40.5	40% qutz in ser sch; part well min w gry min	4873	3.5	1.61	
40.5 - 45.0	dk gry ser sch w minor local min	4874	4.5	.04	
				<u>From</u>	<u>To</u>
				<u>C.L.</u>	<u>Calc. Grade</u>
				<u>Uncut</u>	<u>Cut</u>
				28.0	40.5
				12.5	.95 .89

LOGGED BY JDB

HOLE No. U-B 342

HOLE No. U-B 341

# GIANT YELLOWKNIFE GOLD MINES LIMITED

BEARING S 60 E

LAT. 12409

DATE COMPLETED \_\_\_\_\_

DIP AT COLLAR Hor.

DEP. 7572.5

**PURPOSE** Ore definition

LENGTH 27.0

ELEV. 5589

third level.

SHAFT 2

LEVEL 425

WORKING B-302 N

SECTION 700 N

## CORE RECORD

[illegible]

LOGGED BY: JDB

HOLE No. U-B 341

GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U-B 340  
BEARING S 60 E  
DIP AT COLLAR Hor  
LENGTH 45.0

LAT. 12385  
DEP. 7564.3  
ELEV. 5589

DATE COMPLETED \_\_\_\_\_  
PURPOSE Third level ore  
definition

SHAFT 2  
LEVEL 425  
WORKING B-302 N  
SECTION 675 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS																			
				oz./TON	oz./TON																		
0 - 1.5	35% qutz min w py & aspy	4863	1.5	.41																			
1.5 - 5.5	gry ser sch; no qutz or min																						
5.5 - 12.0	20% qutz min w py & aspy	4864	6.5	.06																			
12.0 - 18.0	qutz lenses in ser sch; minor min	4865	6.0	.03																			
18.0 - 25.0	as above	4866	7.0	.12																			
25.0 - 28.0	gry ser sch; no min																						
28.0 - 45.0	grn-gry chr ser sch; qutz-carb lenses; no min.																						
<table><tr><th><u>From</u></th><th><u>To</u></th><th><u>C.L.</u></th><th><u>Calc.</u> <u>Uncut</u></th><th><u>Grade</u> <u>Cut</u></th><th></th></tr><tr><td>0</td><td>1.5</td><td>1.5</td><td>.41</td><td>--</td><td></td></tr><tr><td>18.0</td><td>25.0</td><td>7.0</td><td>.12</td><td>--</td><td></td></tr></table>						<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Calc.</u> <u>Uncut</u>	<u>Grade</u> <u>Cut</u>		0	1.5	1.5	.41	--		18.0	25.0	7.0	.12	--	
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Calc.</u> <u>Uncut</u>	<u>Grade</u> <u>Cut</u>																			
0	1.5	1.5	.41	--																			
18.0	25.0	7.0	.12	--																			

LOGGED BY JDB

HOLE No. U-B 340

HOLE No. U-B 339

HOLE No. U-B 338

BEARING S 60 E

DIP AT COLLAR Hor.

LENGTH 39.0

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

LAT. 12361.6

DEP. 7556

ELEV. 5589

DATE COMPLETED \_\_\_\_\_

PURPOSE Third level ore

definition.

SHAFT 2

LEVEL 425

WORKING B-302 N

SECTION 650 N

[illegible]

LOGGED BY JDB

HOLE No. U-B 338

GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U-B 337

BEARING S 60 E

DIP AT COLLAR Hor.

LENGTH 44.0

LAT. 12336.7

DEP. 7548

ELEV. 5589

DATE COMPLETED \_\_\_\_\_

PURPOSE Third level ore

definition.

SHAFT 2

LEVEL 425

WORKING B 302 N

SECTION 625 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 5.0	gry ser sch w qutz lenses & minor min	4849	5.0	.02	
5.0 - 10.0	20% qutz in ser sch w local py & aspy	4850	5.0	.66	
10.0 - 13.0	as above	4851	3.0	.22	
13.0 - 17.0	gry ser sch w qutz lenses; minor min	4852	4.0	.15	
17.0 - 35.0	gry ser sch w no sig qutz or min trs 25.0 - 26.0				
35.0 - 39.5	20% qutz in ser sch; minor py & aspy	4854	4.5	.61	
39.5 - 44.0	gry ser sch approach chl-ser at 44.0				

LOGGED BY JDB

HOLE No. U-B 337



## GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B 336BEARING S 60 EDIP AT COLLAR Hor.LENGTH 321.0LAT. 128943DEP. 7428ELEV. 5756

DATE COMPLETED \_\_\_\_\_

PURPOSE Ore definition and  
exploration.SHAFT 2LEVEL 250WORKING B-218 NSECTION 1050 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 52.0	f.g.-m.g. buff-gry chl ser sch, gran tx & grad w ser sch.,				
52.0 - 97.0	lt gry-buff., banded ser sch w local bx tx.,				
97.0 - 112.0	grn gry chl - ser sch approach grs sch towards 112.0.,				
112.0 - 137.0	lt grn grs sch., gen alt & w qutz-carb strs.,				
137.0 - 196.0	dk grn-gry chl-ser sch., local banding 170.0				
196.0 - 235.0	f.g. grn grs; possibly amyg p.l., hem fract; epid. threads w possible flow bx approach 235.0				
235.0 - 257.0	f.g. dk grn grs w small wte alt fl.,				
257.0 - 274.0	f.g. grs sch				
274.0 - 311.0	mass f.g.-m.g. grn grs w local snfl alt., sch 295.0-311.0.				
311.0 - 321.0	sly sch lt grn grs w epid alt.				

LOGGED BY \_\_\_\_\_

HOLE No. \_\_\_\_\_

# GIANT YELLOWKNIFE GOLD MINES LIMITED CORE RECORD

HOLE No. U-B 335SHAFT 2BEARING ----LEVEL 425DIP AT COLLAR 7 90LAT. 12171

DATE COMPLETED \_\_\_\_\_

DEP. 7483PURPOSE Third level oreWORKING B-302 NLENGTH 135.0ELEV. 5594

definition \_\_\_\_\_

SECTION 450 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 2.0	casing				
2.0 - 6.0	30% bx qtz & carb min w minor py & aspy	4845	4.0	.02	
6.0 - 11.0	qtz lenses in ser sch; minor min; bx tx	4846	5.0	.01	
11.0 - 16.0	as above	4847	5.0	.03	
16.0 - 21.0	as above	4848	5.0	.05	
21.0 - 26.0	20% qtz lenses in ser sch; minor min	4875	5.0	.08	.400
26.0 - 32.0	50% qtz w retic carb threads; minor gry min & sp	4876	6.0	.15	.900
32.0 - 40.0	30% bx qtz lenses in ser sch; py & aspy; local gry min & sp	4877	8.0	.37	2.960
40.0 - 48.0	40% qtz & as above	4878	8.0	.27	2.160
48.0 - 57.5	gry-buff ser sch w neglig qtz & min	4879	9.5	.03	.285
57.5 - 60.0	20% qtz lenses in ser sch min w py & minor aspy	4880	2.5	.04	.100
60.0 - 66.0	60% mosaic carb & qtz well min w gry min., v.g.	4881	6.0	.86	5.160
66.0 - 70.0	30% qtz lenses min w py & aspy	4882	4.0	.97	3.880
70.0 - 74.5	80% qtz w carb, in part well min w sp & gry min	4883	4.5	.65	2.925

LOGGED BY \_\_\_\_\_

HOLE No. 335

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	
74.5 - 83.0	60% qutz & carb w sch., py; aspy; v.g. in one place;	4884	8.5	.67	5.695
83.0 - 90.0	70% qutz, in part well min w sp & gry min	4885	7.0	.29	2.039
90.0 - 95.0	50% qutz w contort ser sch; min w py & aspy; v.g. in 1 place	4886	5.0	.53	2.650
95.0 - 98.0	40% qutz & carbonate well min w aspy	4893	3.0	1.53	4.590
98.0 - 105.0	80% qutz w carb; local gry min & v.g.	4894	7.0	.53	3.710
105.0 - 113.0	40% qutz in ser sch., sparing min	4895	8.0	.33	2.640
113.0 - 119.0	buff-gry ser sch, few qutz strs w min	4896	6.0	.06	33.280
119.0 - 126.0	40% qutz min w py & aspy	4897	7.0	.11	.770
126.0 - 135.0	40% qutz & as above w sly more min	4898	9.0	.22	1.980
					42.065
					35.135

From	To	C.L.	Calc. Uncut	Grade Cut
21.0	48.0	27.0	.23	--
60.0	113.0	53.0	.62	--
126.0	135.0	9.0	.22	--
21.0	135.0	114.0	.38	.31

**GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD**

HOLE NO. U-B 334BEARING S 60 EDIP AT COLLAR - 50 $\frac{1}{2}$ LENGTH 378.0LAT. 12887DEP. 7440ELEV. 5751

DATE COMPLETED \_\_\_\_\_

PURPOSE Third level oredefinition.SHAFT 2LEVEL 250WORKING B 218 NSECTION 1050 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				OZ./TON	OZ./TON
0 - 44.0	gry to buff gry ser sch; t.s. 19.5 - 23.5	4837	4.0	.02	
44.0 - 48.0	20% qutlz lenses in ser sch min w py & local aspy	4838	4.0	.80	3200
48.0 - 53.0	as above w less qutlz	4839	5.0	.41	2050
53.0 - 140.0	banded gry buff ser sch; minor qutlz & py; vuggy carb slips 113.0 & 123.0 & 151.0; slaty & possibly tuffaceous 113.0 - 114.5; 2' core ground				5250
140.0 - 166.0	grn-gry chl-ser sch;				
166.0 - 213.0	dk buff-gry ser sch; qutlz lenses; no sig min				
213.0 - 219.0	qutlz lenses in lt gry-buff ser sch; minor min	4840	6.0	.01	
219.0 - 222.5	20% qutlz lenses in dk gry ser sch; minor min	4841	3.5	.03	
222.5 - 241.0	gry-buff ser sch w qutlz lenses & no sig min				
241.0 - 246.0	20% qutlz lenses in ser sch; minor min	4842	5.0	.01	
246.0 - 247.0	dk gry ser sch w qutlz lenses				
247.0 - 261.0	grn sch grs w relic spher tx; abrupt cont 247.0., grad cont 261.0				
261.0 - 277.0	gry thinly banded ser sch; suggest bed.,				

LOGGED BY \_\_\_\_\_

HOLE NO. \_\_\_\_\_

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
277.0 - 288.5	grn-gry chl-ser sch				
288.5 - 326.0	m.g.-f.g. alt grs sch; tan lent alt fl., local short sect chl-ser sch trs 322.5 - 324.5	4843	2.0	.04	
326.0 - 330.0	grn-gry chl-ser sch				
330.0 - 333.5	20% qutz in ser sch w minor py & aspy	4844	3.5	.33	
<u>DIP TESTS</u>					
<u>Depth</u>	<u>Read</u>	<u>Correct</u>			
150	48	43 $\frac{1}{2}$			
300	39	35			
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Calc. Uncut</u>	<u>Grade Cut</u>	
44.0	53.0	9.0	.58	.58	
330.0	333.5	3.5	.33	--	

# GIANT YELLOWKNIFE GOLD MINES LIMITED CORE RECORD

HOLE NO. U-B 333  
BEARING S60E  
DIP AT COLLAR Hor.  
LENGTH 47.0

LAT. 12311.2  
DEP. 7542.6  
ELEV. 5589

DATE COMPLETED \_\_\_\_\_  
PURPOSE Third level ore definition

SHAFT 2  
LEVEL 425  
WORKING B-302N  
SECTION 600N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS																
				OZ./TON	OZ./TON															
0 - 7.5	30% qutz lenses in ser sch; py & minor aspy	4829	7.5	.10																
7.5 - 14.0	qutz lenses & strs in ser sch., minor min	4830	6.5	.10																
14.0 - 21.0	as above	4831	7.0	.12																
21.0 - 47.0	gry ser sch; local qutz lenses., no sig min																			
<table><tr><th colspan="3"></th><th colspan="2">CALC. GRADE</th></tr><tr><th><u>From</u></th><th><u>To</u></th><th><u>C.L.</u></th><th><u>Uncut</u></th><th><u>Cut</u></th></tr><tr><td>0</td><td>21.0</td><td>21.0</td><td>.10</td><td>.10</td></tr></table>									CALC. GRADE		<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut</u>	0	21.0	21.0	.10	.10
			CALC. GRADE																	
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut</u>																
0	21.0	21.0	.10	.10																

LOGGED BY J.D.B.

HOLE NO. U-B 333

GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U-B 332  
BEARING S60E  
DIP AT COLLAR Hor.  
LENGTH 41.0

LAT. 12289  
DEP. 7531  
ELEV. 5589

DATE COMPLETED \_\_\_\_\_  
PURPOSE Third level ore definition

SHAFT 2  
LEVEL 425  
WORKING B-302N  
SECTION 575N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS																								
				oz./TON	oz./TON																							
0 - 7.5	50% qutz in ser sch min w py & aspy; poor recovery., tr gry min & sp	4825	7.5	.81	6075																							
7.5 - 11.0	qutz lenses in ser sch., minor min	4826	3.5	.02	0070																							
11.0 - 17.0	20% qutz lenses in partly silic ser sch., minor min	4827	6.0	.88	5280																							
17.0 - 41.0	gry ser sch w qutz lenses & minor local min; 1/4" gouge 31.5	4728	6.0	.24	11425																							
T. S. 30.0 - 36.0																												
<table><tr><th colspan="2"></th><th rowspan="2">C&amp;L.</th><th colspan="2">CALC. GRADE</th><th></th></tr><tr><th>From</th><th>To</th><th>Uncut</th><th>Cut</th><th></th></tr><tr><td>0</td><td>17.0</td><td>17.0</td><td>.67</td><td>.67</td><td></td></tr><tr><td>30.0</td><td>36.0</td><td>6.0</td><td>.24</td><td>-</td><td></td></tr></table>								C&L.	CALC. GRADE			From	To	Uncut	Cut		0	17.0	17.0	.67	.67		30.0	36.0	6.0	.24	-	
		C&L.	CALC. GRADE																									
From	To		Uncut	Cut																								
0	17.0	17.0	.67	.67																								
30.0	36.0	6.0	.24	-																								

LOGGED BY J.D.B.

HOLE No. U-B 332

GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U-B 331  
BEARING S60E  
DIP AT COLLAR Hor.  
LENGTH 62.0

LAT. 12265 550N DATE COMPLETED \_\_\_\_\_  
DEP. 7522.5 24.117W PURPOSE Third level ore definition  
ELEV. 5589

SHAFT 2  
LEVEL 425  
WORKING B-302N  
SECTION 550N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS																			
				OZ./TON	OZ./TON																		
0 - 6.0	40% qutz & carb in ser sch min w py & aspy; tr gry min.,	4818	6.0	.49	2940																		
6.0 - 14.5	dk gry ser sch; no qutz or min	4819	8.5	.01	0085																		
14.5 - 20.0	30% qutz in sil ser sch; py & local aspy; speck v.g.	4820	6.5	.29	1885																		
20.0 - 25.0	20% qutz carb in yellow silic ser sch; py & local aspy;	4821	5.0	.07	4910																		
25.0 - 32.0	qutz-carb strs & lenses in gry ser sch., local min	4822	7.0	.04																			
32.0 - 37.0	as above	4823	5.0	.08																			
37.0 - 40.5	as above	4824	3.5	.07																			
40.5 - 62.0	gry ser sch; no sig qutz or min.																						
<table><tr><th colspan="2"></th><th colspan="2">CALC. GRADE</th><th colspan="2"></th></tr><tr><th>From</th><th>To</th><th>C.L.</th><th>Uncut</th><th>Cut</th><th></th></tr><tr><td>0</td><td>20.0</td><td>20.0</td><td>.24</td><td>.20</td><td></td></tr></table>								CALC. GRADE				From	To	C.L.	Uncut	Cut		0	20.0	20.0	.24	.20	
		CALC. GRADE																					
From	To	C.L.	Uncut	Cut																			
0	20.0	20.0	.24	.20																			

LOGGED BY J.D.B.

HOLE No. U-B331



GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U-B 330  
BEARING S60E  
DIP AT COLLAR Hor.  
LENGTH 33.0

LAT. 12241  
DEP. 75143  
ELEV. 5589

DATE COMPLETED \_\_\_\_\_  
PURPOSE Third level ore definition

SHAFT 2  
LEVEL 425  
WORKING B-302N  
SECTION 525N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS																
				OZ./TON	OZ./TON															
0 - 5.0	70% qutz (wte) min w py & aspy; local gry min; carb., v.g. at 0.5	4813	5.0	.74	3700															
5.0 - 11.0	30% qutz in silic ser sch., dissem py & aspy	4814	6.0	.05	0300															
11.0 - 16.0	qutz-carb lenses in yellow silic ser sch; py & local aspy	4815	5.0	.14	0750															
16.0 - 23.0	as above - 2' core ground	4816	7.0	.08	0560															
23.0 - 28.0	as above w less qutz & silic	4817	5.0	.22	1100															
28.0 - 33.0	gry ser sch., no sig qutz or min				6410															
<table><tr><th colspan="3"></th><th colspan="2">CALC. GRADE</th></tr><tr><th>From</th><th>To</th><th>C.L.</th><th>Uncut</th><th>Cut</th></tr><tr><td>0</td><td>28.0</td><td>28.0</td><td>.23</td><td>.15</td></tr></table>									CALC. GRADE		From	To	C.L.	Uncut	Cut	0	28.0	28.0	.23	.15
			CALC. GRADE																	
From	To	C.L.	Uncut	Cut																
0	28.0	28.0	.23	.15																

LOGGED BY J.D.B.

HOLE No. U-B 330

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B329  
 BEARING S60E  
 DIP AT COLLAR -75  
 LENGTH 588.0

LAT. 12887  
 DEP. 7440  
 ELEV. 5751

DATE COMPLETED \_\_\_\_\_  
 PURPOSE Fourth level ore definition

SHAFT 2  
 LEVEL 250  
 WORKING B-218N  
 SECTION 1050N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				OZ./TON	OZ./TON
0 - 33.0	gry ser sch; local banding & bx tx; qutzz-carb strss., no min				
33.0 - 39.0	qutzz strss & lenses in ser sch., dissem py	4802	6.0	.25	
39.0 - 71.0	gry ser sch., local frag appear., minor sect min sch;				
71.0 - 75.5	20% qutzz in ser sch min w py & aspy	4803	4.5	.57)	
75.5 - 77.0	ser sch minor min	4805	1.5	.21)	.48
77.0 - 106.0	gry ser sch; local banding; no min.,				6.0
106.0 - 139.5	m.g. dk gry chl-ser sch., grad w grs sch; vuggy carb ind possible fault				
139.5 - 158.0	grn-gry grs sch; f.g. w suggest amyg tx.,				
158.0 - 186.0	light to dk gry frag sch., local black sect impreg w py., (tuffaceous sed.) T. S. 182.0 - 186.0	4704	4.0	.01	
186.0 - 222.0	dense buff gry chl-ser sch				
222.0 - 293.5	f.g. tp m.g. grs sch w minor snfl alt.,				
293.5 - 304.5	m.g. chl sch w spotty qutzz & local py., 294.0 - 295.0 T.S. of qutzz	4811	1.0	.24	
304.5 - 319.0	chl-ser sch., no qutzz or min				

LOGGED BY J.D.B.

HOLE No. U-B329

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
319.0 - 334.0	m.g. gry-grn alt grs sch	4812	5.0	.39	
334.0 - 343.0	chl-ser sch				
343.0 - 369.5	gry ser sch w sect bull qutz; local banding w chty-like material				
369.5 - 374.5	qutz strs & lenses in ser sch., local min				
374.5 - 390.0	gry to buff ser sch; minor qutz & no min				
390.0 - 421.0	grn alt grs sch				
75.5 - 77.0	T. S. gry ser sch w minor qutz & min	4805	1.5	.21	
53.0 - 58.0	T. S. as above	4806	5.0	.05	
58.0 - 63.0	T. S. " "	4807	5.0	.03	
63.0 - 71.0	T. S. " "	4808	8.0	.04	
28.0 - 33.0	T. S. " "	4809	5.0	.02	
39.0 - 45.0	T. S. " "	4810	6.0	.07	
421.0 - 435.5	buff gry ser sch; locally silic & w minor py	4832	2.0	.13	
435.5 - 458.0	alt grs sch w minute tan alt fl				
458.0 - 464.0	chl-ser sch w qutz lenses				
464.0 - 466.0	30% qutz lenses min w py & aspy; local sp				
466.0 - 487.0	ser sch., local qutz lenses w minor py				
487.0 - 492.0	30% qutz in partly silic ser sch., py, aspy & tr gry min				
492.0 - 498.5	ser sch w qutz lenses & local py	4833	5.0	.32	

FOOTAGE		DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS																																									
					oz./TON	oz./TON																																								
498.5 - 502.0	qutz lenses in ser sch., local min		4834	3.5	.06																																									
502.0 - 525.0	buff to grn-gry ser sch., local qutz lenses., no sig min																																													
525.0 - 532.0	20% qutz lenses in partly silic ser sch., minor min		4834	7.0	.10																																									
532.0 - 536.0	sil ser sch w qutz lenses; minor min		4836	4.0	.03																																									
536.0 - 542.0	gry chl-ser sch																																													
542.0 - 588.0	grn-gry grs sch., snfl alt after 549.0																																													
<div>CALC. GRADE</div> <table><thead><tr><th>From</th><th>To</th><th>C.L.</th><th>Uncut</th><th>Cut</th></tr></thead><tbody><tr><td>33.0</td><td>39.0</td><td>6.0</td><td>.25</td><td>-</td></tr><tr><td>71.0</td><td>77.0</td><td>6.0</td><td>.48</td><td>.48</td></tr><tr><td>294.0</td><td>295.0</td><td>1.0</td><td>.24</td><td>-</td></tr><tr><td>369.5</td><td>374.5</td><td>5.0</td><td>.39</td><td>-</td></tr><tr><td>464.0</td><td>466.0</td><td>2.0</td><td>.13</td><td>-</td></tr><tr><td>487.0</td><td>492.0</td><td>5.0</td><td>.32</td><td>-</td></tr><tr><td>525.0</td><td>532.0</td><td>7.0</td><td>.10</td><td>-</td></tr></tbody></table>							From	To	C.L.	Uncut	Cut	33.0	39.0	6.0	.25	-	71.0	77.0	6.0	.48	.48	294.0	295.0	1.0	.24	-	369.5	374.5	5.0	.39	-	464.0	466.0	2.0	.13	-	487.0	492.0	5.0	.32	-	525.0	532.0	7.0	.10	-
From	To	C.L.	Uncut	Cut																																										
33.0	39.0	6.0	.25	-																																										
71.0	77.0	6.0	.48	.48																																										
294.0	295.0	1.0	.24	-																																										
369.5	374.5	5.0	.39	-																																										
464.0	466.0	2.0	.13	-																																										
487.0	492.0	5.0	.32	-																																										
525.0	532.0	7.0	.10	-																																										
<div>DIP TESTS</div> <table><thead><tr><th>Depth</th><th>Read.</th><th>Correct.</th></tr></thead><tbody><tr><td>150</td><td>74</td><td>71 <math>68\frac{1}{2}</math></td></tr><tr><td>300</td><td>71</td><td>67 <math>64\frac{3}{4}</math></td></tr><tr><td>450</td><td>64</td><td>60 <math>56</math></td></tr><tr><td>588</td><td>57</td><td>52 <math>48\frac{1}{2}</math></td></tr></tbody></table>							Depth	Read.	Correct.	150	74	71 $68\frac{1}{2}$	300	71	67 $64\frac{3}{4}$	450	64	60 $56$	588	57	52 $48\frac{1}{2}$																									
Depth	Read.	Correct.																																												
150	74	71 $68\frac{1}{2}$																																												
300	71	67 $64\frac{3}{4}$																																												
450	64	60 $56$																																												
588	57	52 $48\frac{1}{2}$																																												

HOLE No. U-B328

**GIANT YELLOWKNIFE GOLD MINES LIMITED**

SHAFT 2

BEARING 60E

LEVEL 425

DIP AT COLLAR Hor.

LAT. 12216.8

DATE COMPLETED \_\_\_\_\_

WORKING B-302N

LENGTH 41.0

DEP. 7506.5

**PURPOSE** Ore definition

SECTION 500N

ELEV. 5588

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				OZ./TON	OZ./TON
0 - 10.0	80% qtz w carb well min w py & aspy; local grt min & sp., fine v.g. in two places	4782	10.0	.42	
10.0 - 15.0	30% qtz in partly silic ser sch; py, local aspy & sp	4783	5.0	.18	
15.0 - 21.0	as above	4784	6.0	.29	
21.0 - 24.0	qtz lenses in ser sch; minor min	4785	3.0	.21	
24.0 - 41.0	ser sch w qtz lenses & no min.				
	<u>CALC.GRADE</u> From To G.I. Uncut Cut (alt.)    0    24.0    24.0    .31    .31				

LOGGED BY J.D.B.

HOLE No. U-B328

GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U-B327  
BEARING E60E  
DIP AT COLLAR Hor.  
LENGTH 35.0

LAT. 12190.6  
DEP. 7497.4  
ELEV. 5588

DATE COMPLETED \_\_\_\_\_  
PURPOSE Ore definition

SHAFT 2  
LEVEL 425  
WORKING B-302N  
SECTION 475N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS																									
				oz./TON	oz./TON																								
0 - 4.0	20% qtz in ser sch., minor min	4779	4.0	.02																									
4.0 - 10.0	40% qtz in partly silic ser sch; min w py & local aspy	4780	6.0	.28																									
10.0 - 17.0	qtz strs & lenses in ser sch., minor local min	4781	7.0	.12																									
17.0 - 29.0	gry ser sch w qtz lenses & no sig min																												
29.0 - 35.0	grn chl-ser sch																												
<table><tr><th colspan="2"></th><th colspan="2">CALC. GRADE</th><th colspan="2"></th></tr><tr><th>From</th><th>To</th><th>C.I.</th><th>Uncut</th><th>Cut</th><th></th></tr><tr><td></td><td>4.0 10.0</td><td>6.0</td><td>.28</td><td>-</td><td></td></tr><tr><td>(alt.)</td><td>4.0 17.0</td><td>13.0</td><td>.19</td><td>.19</td><td></td></tr></table>								CALC. GRADE				From	To	C.I.	Uncut	Cut			4.0 10.0	6.0	.28	-		(alt.)	4.0 17.0	13.0	.19	.19	
		CALC. GRADE																											
From	To	C.I.	Uncut	Cut																									
	4.0 10.0	6.0	.28	-																									
(alt.)	4.0 17.0	13.0	.19	.19																									

LOGGED BY J.D.B.

HOLE No. U-B327

# GIANT YELLOWKNIFE GOLD MINES LIMITED CORE RECORD

HOLE No. U-8326  
BEARING 360E  
DIP AT COLLAR Hor.  
LENGTH 44.0

LAT. 12168.5  
DEP. 7489.6  
ELEV. 5588

DATE COMPLETED \_\_\_\_\_  
PURPOSE Ore definition

SHAFT 2  
LEVEL 425  
WORKING B-302N  
SECTION 450N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS																									
				OZ./TON	OZ./TON																								
0 - 3.5	qtz lenses & strs in ser sch., minor min	4774	3.5	.02																									
3.5 - 13.0	30% qtz in partly silic ser sch., py & minor aspy; v.g.	4775	9.5	.07)	.12																								
		--	0.1	5.00)																									
13.0 - 20.0	20% qtz lenses in ser sch; minor min	4776	7.0	.09																									
20.0 - 38.5	gry ser sch w qtz lenses., no sig min., T. ... 26.0 - 27.5	4778	1.0	.04																									
38.5 - 44.0	grn ser sch																												
<table> <tr> <th colspan="3"></th><th colspan="2">CALC. GRADE</th><th></th></tr> <tr> <th>From</th><th>To</th><th>C.I.</th><th>Uncut</th><th>Cut</th><th></th></tr> <tr> <td></td><td>3.5</td><td>20.0</td><td>16.5</td><td>.10</td><td>.10</td></tr> <tr> <td>(alt.)</td><td>3.5</td><td>13.0</td><td>9.5</td><td>.12</td><td>-</td></tr> </table>									CALC. GRADE			From	To	C.I.	Uncut	Cut			3.5	20.0	16.5	.10	.10	(alt.)	3.5	13.0	9.5	.12	-
			CALC. GRADE																										
From	To	C.I.	Uncut	Cut																									
	3.5	20.0	16.5	.10	.10																								
(alt.)	3.5	13.0	9.5	.12	-																								

LOGGED BY J.D.B.

HOLE No. U-8326

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B325

BEARING S60°

DIP AT COLLAR. Hor.

LENGTH 44.0

LAT. 12144.7

DEP. 7480.8

ELEV. 5588

DATE COMPLETED \_\_\_\_\_

**PURPOSE** Ore definition

SHAFT 2

LEVEL 425

WORKING E-302N

SECTION 425N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				OZ./TON	OZ./TON
0 - 1.0	qutx-carb lenses in chl-ser sch., minor min	4768	1.0	.02	
1.0 - 5.0	40% qutz in ser sch min w py & local aspy	4769	4.0	.11	
5.0 - 8.0	qutz lenses in ser sch., no sig min	4770	3.0	.04	
8.0 - 10.5	30% qutz in ser sch min w py & local aspy	4771	2.5	.08	
10.5 - 14.0	20% silic qutz lenses in ser sch; minor min	4772	3.5	.04	
14.0 - 18.5	qutz lenses in ser sch., no sig min	4773	4.5	.01	
18.5 - 35.0	gry ser sch w qutz-carb lenses., no sig min				
35.0 - 44.0	grn chl-ser sch T. S. qutz 34.0 ~ 35.0	4777	1.0	.07	

  

	From	To	C.I.	CALC. GRADE	
				Uncut	Cut
	1.0	5.0	4.0	.11	-

LOGGED BY J.D.B.

HOLE NO. U-B325



## GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 324BEARING 358EDIP AT COLLAR -73ELENGTH 527.0LAT. 12657.3DEP. 7443ELEV. 5850

DATE COMPLETED \_\_\_\_\_

PURPOSE Fourth level ore definitionSHAFT 2LEVEL 250WORKING B-202NSECTION 850N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 9.0	30% qtz in partly silic ser sch., min w py & minor aspy	4765	9.0	.07	
9.0 - 15.0	gry chl-ser sch; minor qtz lenses				
15.0 - 42.0	gry grs sch w tan lent alt fl.,				
42.0 - 61.0	f.g. grn sch grs; local bx tx				
61.0 - 112.0	m.g. grn mass grs ep threads; diabasic tx 75-82; sect snfl alt after 82				
112.0 - 142.0	m.g.-c.g. gry grn diabasic grs				
142.0 - 182.0	m.g. dk grn grs sch w snfl alt., possible fault zone in sch at 148; vuggy pk carb (fault?) at 167.0				
182.0 - 223.0	m.g. grn gry mottled sch grs				
223.0 - 233.0	gry grs sch w tan lent alt fl.,				
233.0 - 277.0	gry chl-ser sch., may be tuffaceous to 239.0 T. S. 236.5 - 237.5 - sub ore type T. S. 253.0 - 255.0 - " " "	4766 4767	1.0 2.0	.48 .04	
277.0 - 284.0	green chl sch				
284.0 - 336.0	m.g. grn grs sch w qtz-carb strs; carb fault slip 313.0; grad w chl sch				
336.0 - 367.0	grn chl sch T. S. 337.5 - 339.0	4786	1.5	.15	

LOGGED BY J.D.B.HOLE No. U-B324

