

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 319  
 BEARING S60E  
 DIP AT COLLAR - 52°  
 LENGTH 296.0

LAT. 12655  
 DEP. 7445  
 ELEV. 5750

DATE COMPLETED \_\_\_\_\_  
 PURPOSE Third level ore definition

SHAFT 12  
 LEVEL 250  
 WORKING B-202II  
 SECTION 850N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				oz./TON	oz./TON
0 - 3.0	casing				
3.0 - 10.0	20% qtz in sil ser sch; heavily min w py after 7.0	4738	7.0	.09	
10.0 - 18.0	dense gry chl-ser sch grad w grs sch				
18.0 - 29.0	gry alt grs sch				
29.0 - 102.0	slt sch to mass m.g. grs; calc strcs., silic & impreg w py 53.0 - 56.0; fine snfl alt after 64.5				
102.0 - 118.0	dense v.f.g. grs becoming sch towards 118.0				
118.0 - 180.5	gry chl-ser sch grad w grs sch; short sect min w py & qtz;				
	T. S. 120.0 - 121.0	4739	1.0	.12	
	T. S. 130.0 - 131.5	4740	1.5	.19	
	mottled after 167.0				
180.5 - 182.5	40% qtz well min w bands aspy	4741	2.0	.08	
182.5 - 186.0	qtz lenses in ser sch; minor min	4742	3.5	.01	
186.0 - 187.5	60% qtz & retic carb min w py, aspy	4743	1.5	.09	
187.5 - 190.0	chl-ser sch w qtz lenses & neg min	4744	2.5	.02	
190.0 - 196.0	40% qtz & retic carb min w py, aspy & minor sp to gry min	4745	6.0	.13	

LOGGED BY J.D.B.

HOLE No. U-B 319

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
196.0 - 199.0	20% qtz lenses in ser sch; minor min	4746	3.0	.11	.34/17.0
199.0 - 209.5	grn chl-ser sch; qtz strcs; no min				
209.5 - 212.5	20% qtz lenses in ser sch; minor py & aspy	4747	3.0	.50	
212.5 - 215.5	gry chl-ser sch				
215.5 - 217.5	20% qtz lenses in ser sch., minor py & aspy	4748	2.0	.45	
217.5 - 234.0	light to dk gry ser sch., locally silic., minor qtz & neglig min., vuggy carb fault slip 219.0				
234.0 - 238.0	20% qtz lenses in sil ser sch; minor min	4749	4.0	.03	
238.0 - 244.0	40% qtz min w py, aspy & tr of gry min in carb	4750	6.0	.05	
244.0 - 248.5	as above	4751	4.5	.12	
248.5 - 252.5	ser sch w minor qtz & min	4752	4.0	.08	
252.5 - 258.0	40% qtz min w py, aspy	4753	5.5	.27)	
258.0 - 263.0	50% qtz & as above	4754	5.0	.15)	
263.0 - 269.5	as above	4755	6.5	.29)	
269.5 - 282.0	grn chl-ser sch grad w grs sch grad w grs sch				
282.0 - 296.0	f.g. grs sch becoming mass towards 296.0				

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON										
	<div>DIP TESTS</div> <table><thead><tr><th>Depth</th><th>Read.</th><th>Correct.</th></tr></thead><tbody><tr><td>150</td><td>51</td><td>46½</td></tr><tr><td>288</td><td>37½</td><td>33½</td></tr></tbody></table>	Depth	Read.	Correct.	150	51	46½	288	37½	33½				
Depth	Read.	Correct.												
150	51	46½												
288	37½	33½												