

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B 262  
 BEARING S60E  
 DIP AT COLLAR Hor.  
 LENGTH 55.0

LAT. 12838  
 DEP. 7331 476W  
 ELEV. 5755

DATE COMPLETED Oct. 4/57  
 PURPOSE Ore definition

SHAFT #2  
 LEVEL 250  
 WORKING E204-N Dr.  
 SECTION 95CN

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS																								
				oz./TON	oz./TON																							
0 - 6.0	20% bx like qtz-carb in ser sch with minor min	4000-A	6.0	0.18)																								
6.0 - 9.0	30% qtz in ser sch min with py and aspy	4000-B	3.0	0.30)																								
9.0 - 16.0	Qtz lenses and stringers in ser sch min with py and aspy	4000-C	7.0	0.02																								
16.0 - 22.0	Buff ser sch with qtz-carb lenses																											
22.0 - 25.0	20% qtz-carb in ser sch well min with py and minor aspy; 1' core missing	4000-D	2.0/ 3.0	0.62																								
25.0 - 50.0	Buff ser sch with scattered qtz-carb lenses in part bx tx, minor min T.S. 28.0 - 31.0	4000-E	3.0	0.02																								
50.0 - 55.0	Buff ser sch with minor qtz-carb																											
<table> <tr> <th colspan="2"></th><th rowspan="2">C.L.</th><th colspan="2">CALC. GRADE</th><th></th></tr> <tr> <th>From</th><th>To</th><th>Uncut</th><th>Cut</th><th></th></tr> <tr> <td>0</td><td>9.0</td><td>9.0</td><td>.23</td><td>.23</td><td></td></tr> <tr> <td>22.0</td><td>25.0</td><td>3.0</td><td>.62</td><td>--</td><td></td></tr> </table>								C.L.	CALC. GRADE			From	To	Uncut	Cut		0	9.0	9.0	.23	.23		22.0	25.0	3.0	.62	--	
		C.L.	CALC. GRADE																									
From	To		Uncut	Cut																								
0	9.0	9.0	.23	.23																								
22.0	25.0	3.0	.62	--																								

LOGGED BY J.A.H.

HOLE No. U-B 262

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
55.0 - 60.0	Qtz lenses in ser sch min with py, 1 ft of core missing	3231	4.0/5.0	.07	
60.0 - 62.0	60% qtz in ser sch min with py and aspy, fine V.G.	3232	2.0	1.22	
62.0 - 71.5	Gray ser sch with few qtz lenses and minor local min	3233	9.5	.05	
71.5 - 77.5	90% qtz and carb including dk. qtz min with py aspy sp and gray minerals, local V.G.	3234	6.0	1.99	)
77.5 - 82.0	Qtz lenses in ser sch min with py, 2 1/2 ft of core missing	3235	2.0/4.5	.41	)
82.0 - 85.5	80% dk qtz and carb spar min with py and aspy; possible fault slip at 85.5, 1 ft of core ground	3236	2.5/3.5	.58	)
85.5 - 90.0	Qtz stringers in ser sch with minor min	3237	3.5/4.5	.05	
90.0 - 104.0	Gray ser sch locally banded				
104.0 - 113.0	Buff gray ser sch with local qtz carb lenses				
113.0 - 118.0	Qtz lenses and stringers in ser sch spar min with py and aspy	3241	5.0	.07	
118.0 - 124.0	50% qtz in ser sch well min with py and minor aspy	3242	6.0	.13	
124.0 - 131.0	30% bx like qtz in ser sch min with py and aspy	3243	7.0	.11	
131.0 - 133.0	Qtz-carb stringers in ser sch min with py and aspy	3244	2.0		
133.0 - 160.0	Buff ser sch with local qtz-carb lenses				
	T.S. - 138.0 - 140.0	3245	2.0		
	T.S. - 148.0 - 150.0	3246	2.0		
	T.S. - 156.0 - 157.0	3247	1.0		
160.0 - 163.0	Qtz lenses and stringers in ser sch	3248	3.0		

FOOTAGE		DESCRIPTION					SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
					<u>CALC. GRADE</u>					
		<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut</u>				
		0	9.0	9.0	.23	.23				
		22.0	25.0	3.0	.62	--				
		60.0	62.0	2.0	1.22	--				
		71.5	85.5	14.0	1.12	1.01				
		118.0	124.0	6.0	.13	--				