

GIANT YELLOWKNIFE GOLD MINES LIMITED  
CORE RECORD

HOLE No. U-A-78

BEARING West

DIP AT COLLAR Horiz.

LENGTH 26.0 (37.5)

LAT. 5900

DEP. 5865.5

ELEV. 5677

DATE COMPLETED \_\_\_\_\_

PURPOSE Ore definition

SHAFT 1

LEVEL 325

WORKING 302

SECTION 5900

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS																			
				oz./TON	oz./TON																		
0 - 5.0	60% qutz in ser sch; min w py & aspy Ground core 0.5 between 0-5.0	2788	5.0	.37																			
5.0 - 9.0	30% qutz lenses in ser-chl sch, local min	2789	4.0	.22																			
9.0 - 26.0	chl sch w qutz strs & lenses; calc; no sign min			.9																			
- END OF HOLE -																							
<table><tr><th colspan="2"></th><th colspan="2">GRADE</th><th colspan="2"></th></tr><tr><th><u>From</u></th><th><u>To</u></th><th><u>C.L.</u></th><th><u>Uncut</u></th><th><u>Cut</u></th><th></th></tr><tr><td>0</td><td>9.0</td><td>9.0</td><td>.29</td><td>.29</td><td></td></tr></table>								GRADE				<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut</u>		0	9.0	9.0	.29	.29	
		GRADE																					
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Uncut</u>	<u>Cut</u>																			
0	9.0	9.0	.29	.29																			

LOGGED BY D. M.

HOLE No. U-A-78

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
207.0 - 214.0	as above	16765	7.0	.15	
214.0 - 221.0	chl ser sch w 20% qtz carb banded weak arspy & py	16766	7.0	.14	
221.0 - 228.0	as above	16767	7.0	.03	
228.0 - 235.0	as above	16768	7.0	.03	
235.0 - 241.0	chl ser sch - w min qtz carb				
241.0 - 248.0	chl ser sch w 20% qtz carb weak arspy & py	16773	7.0	.08	
248.0 - 280.5	chl sch w min ser & qtz carb				
280.5 - 286.0	chl ser w 20% qtz carb weak arspy & py	16774	5.5	.05	
286.0 - 363.0	chl sch w min qtz carb str breccia in sections				
363.0 - 371.5	chl sch w min ser & 20% qtz carb, min narrow bands py & arspy	16778	8.5	.02	
<u>Dip Tests</u>					
	<u>Footage</u>	<u>Read</u>	<u>Corr.</u>		
	150	0	0		
	300	0	0		

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
26.0 - 39.0	chl sch w min ser & qtz carb some breccia, min py				
39.0 - 44.0	chl ser sch w 20% qtz carb few bands w weak arspy & py	16737	5.0	.05	
44.0 - 51.0	chl sch w min ser & qtz carb weak arspy & py	16738	7.0	.03	
51.0 - 58.0	as above	16739	7.0	.03	
58.0 - 62.0	chl sch, min qtz carb, little py	16740	4.0	.06	
62.0 - 64.0	chl sch dk green, min qtz carb str				
64.0 - 67.0	grs sch, min chl, buff snfl alt				
67.0 - 74.0	chl sch, w min qtz carb				
74.0 - 78.0	chl sch w min ser & qtz carb				
78.0 - 84.0	grs sch, min chl				
84.0 - 88.0	chl ser w min qtz carb & py				
88.0 - 105.0	chl sch w min ser, partly brecciated				
105.0 - 177.0	chl grs sch, min qtz carb w brecciation				
177.0 - 182.0	60% qtz carb w ser sch, weak py & arspy	16741	5.0	.14	
182.0 - 189.0	as above fair arspy & py	16742	5.0/7.0	.13	
189.0 - 191.0	chl sch w min ser & qtz carb	16761	2.0	.12	
191.0 - 192.5	50% qtz carb w ser sch fair arspy & py	16762	1.5	.33	
192.5 - 200.0	chl ser sch w min qtz carb & py	16763	7.5	.06	
200.0 - 207.0	30% qtz carb, w chl ser sch, weak arspy & py	16764	7.0	.05	