

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-3655SHAFT 2BEARING --LEVEL 575DIP AT COLLAR -90LAT. 13404DATE COMPLETED DEP. 7449.5PURPOSE No. 1 Shoot Def.WORKING E-407NLENGTH 305.0ELEV. 5120SECTION 1500V

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLDS ASSAYS	
				OZ./TON	OZ./TON
0 - 2.0	Cs.				
2.0 - 6.5	40% quartz., gr aspy	6924	4.5	.31	
6.5 - 11.0	dk chl-ser sch, minor quartz & min	6925	4.5	.10	
11.0 - 39.0	grn gb sch, enfl alt, sp alt 34.0				
39.0 - 79.0	m.g. sp grn grs; enfl, sp, sch after 79.0 v no sp.				
79.0 - 147.0	m.g. grn grs sch				
147.0 - 153.0	m.g. grn (gr) sch grs				
153.0 - 215.5	m.g. dk grn grs sch				
215.5 - 233.5	dk gry-grn chl-ser sch				
233.5 - 261.5	chty & blk elaty tuffac sch; part heavily min v po. (slaty 239.0-261.5) t.s. micsect, t. sp & grv min, V.G. (?)	6949	2.5	.14	
	255.5 - 259.0				
	t.s. 260.0 - 265.0	6950	5.0	.01	
261.5 - 305.0	Compact gry-buff ser sch; local po (buff?)				
	From To C.L. Grade				
	2.0 6.5 4.5 .31				
	255.5 259.0 2.5 .14				

LOGGED BY JJPHOLE No. U-3655

FOOTAGE		DESCRIPTION		SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
						OZ./TON	OZ./TON
		<u>Dip Test</u>					
		<u>Depth</u>	<u>Read</u>	<u>Correct</u>			
		300	31	734			

N.M.P.-F3/44-5

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	
	<div><div><div><div><div><u>Depth</u></div><div>150</div><div>290</div></div><div><u>Read</u></div><div>60</div><div>47½</div></div><div><u>Correct</u></div><div>56</div><div>43</div></div><div><div><div>Dip Tests</div></div></div></div>				
deepened 304.0 - 332.0	dk grn-gry chl-ser sch				
332.0 - 356.0	dk grn chl grs sch				