

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1087BEARING S60EDIP AT COLLAR -465LENGTH 101.0LAT. 13330.64DEP. 7476.41 S37WELEV. 5446

DATE COMPLETED _____

PURPOSE B-409 Stope DevelopmentSHAFT 2LEVEL 575WORKING B-407NSECTION 1450N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
0-1.0	cs				
1.0-10.0	gry ser sch; (tuffac?)				
10.0-16.0	gry ser sch; qtz-carb lens; ^{py} aspy (tuffac?)	9475	6.0	1.16	
16.0-23.0	gry ser sch; minor qtz-carb lens; py	9476	7.0	.04	
23.0-30.0	gry ser sch				
30.0-33.0	gry ser sch; qtz-carb lens; py	9477	3.0	.02	
33.0-92.0	gry ser sch				
92.0-97.5	60% qtz-carb; py, aspy	9478	5.5	.51	
97.5-101.0	gry ser-sch (tuffac?)				
	<div> <div>From</div> <div>To</div> <div>G.L.</div> <div>Grade</div> </div> <div> <div>10.0</div> <div>16.0</div> <div>6.0</div> <div>1.16</div> </div> <div> <div>92.0</div> <div>97.5</div> <div>5.5</div> <div>.51</div> </div>				

Logged by DMHole No. U-B1087

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B 1086

SHAFT 2

BEARING ---

LAT. 13348 N

DATE COMPLETED

LEVEL 575

DIP AT COLLAR -90

DEP. 7446.5

PURPOSE B-410 Stope Development

WORKING B-407N

LENGTH 53.0

ELEV. 5437.91

SECTION 1450N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	cs				
2.0-10.0	grn-gry chl-ser sch; qtz-carb lens, py, aspy	9470	8.0	.11	
10.0-16.0	20% qtz-carb; spar min py, aspy	9471	6.0	.22	
16.0-23.5	grn-gry chl-ser sch				
23.5-30.0	40% qtz-carb; py, aspy, po	9472	6.5	.50	3.250
30.0-34.0	25% qtz-carb; spar min, py, aspy	9473	4.0	.18	.720
34.0-39.0	grn-gry, chl-ser sch; qtz-carb lens, py, aspy, tr of sp & gry min	9474	5.0	.20	<u>1.000</u>
					<u>4.970</u>
39.0-53.0	grn-gry chl-ser sch; loc qtz-carb lens spar min				
	<div><div>From</div><div>To</div><div>C.L.</div><div>Grade</div></div>				
	<div>10.0</div> <div>23.5</div> <div>16.0</div> <div>39.0</div> <div>6.0</div> <div>15.5</div> <div>.22</div> <div>.32</div>				

Logged by DM

Hole No. U-B1086

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1085

CORE RECORD

SHAFT 2BEARING -LAT. 13348

DATE COMPLETED _____

LEVEL 575DIP AT COLLAR 4 90DEP. 7446.5 ^{631W}PURPOSE B-410 Stope DevelopmentWORKING B-407NLENGTH 123.0ELEV. 5446SECTION 1450N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-6.0	20% qtz-carb; py, aspy	9464	4.5	.16	
6.0-13.0	gry ser sch; qtz-carb lenses; py, aspy	9465	7.0	.20	
13.0-23.5	buff ser sch; loc. py min				
23.5-28.5	gry ser sch; qtz len., spar min py, aspy	9466	5.0	.06	
28.5-32.0	buff-gry ser sch				
32.0-37.0	buff-gry ser sch, qtz-carb lens; minor py, aspy	9467	5.0	.09	
37.0-61.0	gry to buff ser sch; loc. qtz-carb; spar min				
61.0-73.0	gry-grn chl-ser sch				
73.0-96.0	gry ser sch; loc. qtz-carb spar min				
96.0-101.0	mass po; minor py min; minor qtz-carb (tuffac?) 99.0 to 101.0	9468	5.0	.01	
101.0-120.0	dark gry sch; mass py min; minor qtz-carb (tuffac?) 101.0-106.0	9469	5.0	.01	
120.0-123.0	dark grn grs-sch (tuffac?) 2" Of ser schon end of hole				
	From To C.L. Grade				

Logged by DM 1.5 13.0 11.5 .19Hole No. U-B1085

SECTION 1525N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-46.5	m.g. grn grs sch w possible resid amyg. becom prog lighter towards 46.5				
46.5-76.0	buff comp ser sch; prob tuffac; 67.0-74.0 slaty & cherty tuff w mass lenses po				
76.0-80.5	30% qutzz-carb; py, aspy, local sp & gry min	9456	4.5	.39	1.755
80.5-86.0	silic ser sch; local min	9457	5.5	.04	.220
86.0-91.5	20% qutzz-carb; py, minor aspy	9458	5.5	.15	.825
91.5-98.5	60% black qutzz-carb; py, aspy, local gry min, v.g.	9459	7.0	.66	<u>4.620</u>
98.5-101.0	buff ser sch w minor qutzz & min	9460	3.5	.07	<u>7.440</u>
101.0-122.5	dk buff waxy ser sch; prob tuffac				
122.5-128.5	70% qutzz; sp, gry min	9461	5/6.0	.10	..600
128.5-133.5	buff ser sch w minor local qutzz & min	9462	5.0	.32	1.600
133.5-138.0	20% qutzz-carb; minor local sp	9463	4.5	.13	<u>.585</u>
138.0-148.0	buff waxy tx ser sch				<u>2.785</u>
	<div style="display: flex; justify-content: space-around;"> <div>From 76.0 122.5</div> <div>To 98.5 138.0</div> <div>C.I. 22.5 15.5</div> <div>Grade .33 .18</div> </div>				

Hole No. U-B1084

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1083SHAFT 3BEARING S60ELAT. 13435.31

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR 480DEP. 7445.04PURPOSE ASD Zone Def.WORKING S-704NLENGTH 208.0ELEV. 5445.5SECTION 1400S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
0-1.0	cs				
1.0-61.0	f.g. sly sch grs to 26.0 & grs sch after 26.0				
61.0-77.5	f.g.-m.g. grn sch grs; minor chty sect				
77.5-95.5	as above w gran dioritic tx (int?)				
95.5-120.0	f.g.-m.g. dk grn sch grs				
120.0-153.0	as above merg w dk mottled grs sch				
153.0-174.5	gry mottled chl-ser sch				
174.5-181.0	40% qutzz-carb; py, aspy	12033	6.5	.26	
181.0-188.0	qutzz lenses in ser sch; minor min	12034	7.0	.05	
188.0-194.0	20% qutzz; minor min	12035	5.5/6.0	.09	
194.0-199.5	30% qutzz; py, aspy	12036	5.5	.18	
199.5-203.0	gry-buff ser sch				
203.0-208.0	as above marg into chl-ser sch				
<div style="display: flex; justify-content: space-between;"> <div> <p><u>From</u> <u>To</u> <u>G.L.</u> <u>Grade</u></p> <p>174.5 181.0 6.5 .26</p> </div> <div> <p><u>DIP TEST</u></p> <p><u>Depth</u> <u>Read.</u> <u>Correct.</u></p> <p>206 74½ 71½</p> </div> </div>					

Logged by JDBHole No. U-C1083

SECTION 1525N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-57.5	m.g. grantx dk grn gry grs sch				
57.5-70.5	gry comp chl-ser sch				
70.5-79.0	buff comp ser sch				
79.0-84.0	mottled qutz-carb in ser sch; aspy	9451	5.0	.51	2.550
84.0-88.0	80% qutz-carb well min w v.g.	9452	4.0	(2.74 3.32)	12.120
88.0-95.0	30% qutz-carb; py, local gry min & sp	9453	7.0	.42	<u>2.940</u>
95.0-102.0-	buff silic ser sch; minor local min	9454	7.0	.01	<u>17.610</u>
102-108.0	qutz-carb lenses in silic ser sch; local min	9455	6.0	.08	
108.0-162.0	gry-buff banded ser sch (tuffac?)				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	79.0 95.0 16.0 1.10				

Hole No. U-B1082

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1081

SHAFT 3

BEARING S60E

LAT. 10506.23

DATE COMPLETED _____

LEVEL 750

DIP AT COLLAR 4 60

DEP. 6665.32

PURPOSE Ore Def.

WORKING B-704N

LENGTH 122.0

ELEV. 5254.5

SECTION 1400S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-3.0	cs				
0-16.0	f.g. chl'c grs sch.				
16.0-73.0	f.g. gry chl sch merg w chl-ser sch				
73.0-101.0	buff banded ser sch				
101.0-106.0	30% qutzh-carb; py, aspy	12030	4/5.0	.16	.800
106.0-112.0	50% qutzh-carb; py, aspy; sp	12031	6.0	.33	1.980
112.0-116.5	30% & as above	12032	4.5	.07	.315
					3.095
116.5-122.0	gry banded ser sch merg w chl-ser by 122.0				
	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	
	101.0	116.5	15.5	.20	

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1080

SHAFT 3

BEARING S60E

LAT. 10506.23

DATE COMPLETED

LEVEL 750

DIP AT COLLAR 30

DEP. 6665.32

PURPOSE Ore Def.

WORKING C-704N

LENGTH 94.0

ELEV. 5254

SECTION 1400S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS													
				OZ./TON	OZ./TON												
0-3.0	cs																
3.0-7.0	f.g. chl sch																
7.0-27.0	gry chl-ser sch w qutz lenses																
27.0-62.5	gry buff ser sch w barren qutz-carb t.s. 53.0-54.5	12026	1.5	.08													
62.5-69.0	20% qutz-carb; py	12027	6.5	.41													
69.0-74.0	qutz lenses in ser sch; minor min	12028	5.0	.02													
74.0-77.0	as above	12029	3.0	.01													
77.0-94.0	dk buff ser sch																
<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td><td colspan="2"></td></tr><tr><td>62.5</td><td>69.0</td><td>6.5</td><td>.41</td><td colspan="2"></td></tr></table>						<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>			62.5	69.0	6.5	.41		
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>														
62.5	69.0	6.5	.41														

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1079SHAFT 2BEARING S60ELAT. 13435.31

DATE COMPLETED _____

LEVEL 575DIP AT COLLAR 465DEP. 7445.04PURPOSE B-409 St. Dev.WORKING B-407NLENGTH 133.0ELEV. 5446.5SECTION 1525N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-17.0	gran chl-ser sch; local py, t.s. 6.0-8.0	7142	2.0	.12	
17.0-58.5	coarse gran gry-grn grs sch				
58.5-63.5	20% qutzz-carb; aspy	7143	5.0	.74	3.700
63.5-68.5	as above	7144	5.0	.49	2.450
68.5-75.0	40% qutzz-carb; py, aspy	7145	6.5	.40	2.600
75.0-81.5	as above w minor gry min	7146	6.5	.73	4.745
81.5-87.0	80% dk porcel qutzz will min w aspy, v.g.	7147	5.5	8.62	47.410 (27.500)
87.0-92.0	as above, v.g.	7148	5.0	3.90	19.500
92.0-97.0	60% & as above; v.g.	7149	5.0	1.48	7.400
97.0-105.0	as ab ove; sect dk qutzz, v.g.	7150	8.0	1.27	10.160 .770

Logged by JDBHole No. U-B1079

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
105.0-112.0	35% qtz-carb; py, aspy	7103	7.0	.11	
112.0-117.0	as above w 8" blue qtz w v.g.	7104	5.0	.16	.800
117.0-121.0	as above w 8" gry qtz w v.g.	7105	4.0	.84	3.360
					102.895
121.0-125.0	gry chl ser-sch; bx tx; 12" slaty; toffac				
125.0-133.0	lt gry ser sch				
<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>					
<div> <div>58.5</div> <div>121.0</div> <div>62.5</div> <div> <div>Uncut</div> <div>Cut</div> <div>1.64</div> <div>1.32</div> </div> </div>					

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1078

BEARING S60E

DIP AT COLLAR Hor.

LENGTH 108.0

LAT. 10506.23

DEP. 6665.32

ELEV. 5253

DATE COMPLETED _____

PURPOSE Zone Def.

SHAFT 3

LEVEL 750

WORKING C-704N

SECTION 1400S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-9.0	grn chl sch				
9.0-55.0	grn buff ser sch; qutzz-carb lenses				
55.0-60.0	30% qutzz; py, aspy, tr, sp	12020	5.0	.47	2.350
60.0-65.0	20% & as above	12021	5.0	.48	2.400
65.0-70.0	30% & as above	12022	5.0	.47	2.350
70.0-75.0	40% & as above w tr gry min	12023	5.0	.79	3.950
75.0-81.0	50% & as above	12024	6.0	.31	1.960
					12.910
					.720
81.0-85.0	qutzz lenses in ser sch; local min	12025	4.0	.18	13.630
85.0-108.0	buff comp mottled ser sch				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	alt 55.0 85.0 30.0 .45				

Logged by JDB

Hole No. U-C1078

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1077SHAFT 2BEARING -LAT. 13437.9

DATE COMPLETED _____

LEVEL 575DIP AT COLLAR 790DEP. 7541PURPOSE B-409 St. Dev.WORKING B-409NLENGTH 134.0ELEV. 5446.5SECTION 1575N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-6.0	40% qtz-carb generously sprinkled w py	7129	5.0	.23	1.150
6.0-11.0	50% qtz-carb as above	7130	5.0	.14	.700
11.0-16.0	35% & as above	7131	5.0	.35	1.750
16.0-23.0	30% & as above	7132	7.0	.05	<u>.350</u>
23.0-29.0	gry silic ser sch impreg w py	7133	6.0	.17	
29.0-34.0	40% qtz-carb; sparing min	7134	5.0	.57	
34.0-39.0	gry ser sch; py	7135	5.0	.06	
39.0-43.0	as above	7136	4.0	.06	
43.0-48.0	40% qtz-carb; sp,	7137	5.0	.39	1.950
48.0-53.0	20% qtz-carb; py	7138	5.0	1.35	6.750
53.0-57.5	as above	7139	4.5	.78	3.510
57.5-62.5	40% qtz-carb, py, aspy	7140	5.0	.33	<u>1.650</u>
62.5-67.0	dk ser sch; dissem py	7141	4.5	.01	<u>13.860</u>

Logged by JDBHole No. U-B1077

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
67.0-99.0	gry-buff ser sch				
99.0-120.0	dk gry s chl-ser sch w tan alt fl				
120.0-134.0	m.g. grn grs sch				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1076SHAFT 2BEARING N60WLAT. 13440.09

DATE COMPLETED _____

LEVEL 575DIP AT COLLAR 465DEP. 7537.19PURPOSE B-409 Stope Dev.WORKING B-409 NLENGTH 101.0ELEV. 5446.5SECTION 1575N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-8.0	qutlz lenses in ser sch; py, aspy	7118	7.0	.04	
8.0-13.5	80% qutlz richly min w gry min & v.g.	7119	5.5	1.39	
13.5-25.5	gry ser sch				
25.5-29.0	dk ser sch w qutlz lenses, py, po	7120	3.5	.43	1.505
29.0-34.0	930% qutlz, py, po, sp	7121	5.0	1.00	5.00
34.0-39.0	40% qutlz-carb; aspy, gry min, speck v.g.	7122	5.0	2.87	14.350 20.855
39.0-57.0	gry-buff ser sch				
57.0-62.0	20% qutlz; py, aspy, gry min	7123	5.0	.43	2.150
62.0-68.5	qutlz lenses in silic ser sch; py, minor aspy; chrome micas	7124	6.5	.16	1.040
68.5-73.0	gry ser sch neg min	7125	4.5	.01	.045
73.0-80.0	qutlz lenses; py, po	7126	7.0	.20	1.400
80.0-85.0	dk gry ser sch w minor qutlz	7127	5.0	.06	.300
85.0-88.5	20% qutlz-carb; minor min	7128	3.5	.33	1.155 6.090

Logged by JDBHole No. U-B1076

N.M.P.-F3/44-5

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON													
88.5-99.0	gry ser sch																
99.0-101.0	gry chl-ser sch																
	<table><tr><th><u>From</u></th><th><u>To</u></th><th><u>C.L.</u></th><th><u>Grade</u></th></tr><tr><td>8.0</td><td>13.5</td><td>5.5</td><td>1.39</td></tr><tr><td>25.5</td><td>39.0</td><td>13.5</td><td>1.54</td></tr></table>	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	8.0	13.5	5.5	1.39	25.5	39.0	13.5	1.54				
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>														
8.0	13.5	5.5	1.39														
25.5	39.0	13.5	1.54														

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1075
BEARING N60W
DIP AT COLLAR 730
LENGTH 166.0

LAT. 10260.3
DEP. 6794.2
ELEV. 5218
DATE COMPLETED _____
PURPOSE A.S.D. Zone Def.

SHAFT 3
LEVEL 100
WORKING Station
SECTION 15503

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	cs				
2.0-161.0	v.f.g. lt gry grn chty tx anyg pl; variol at int; hem fract; variol not prom.				
161.0-166.0	frozen clay - overboarden				

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1074SHAFT 2BEARING N60WLAT. 13440.09

DATE COMPLETED _____

LEVEL 575DIP AT COLLAR 45DEP. 7537.19PURPOSE B-409Stope Dev.WORKING B-409NLENGTH 108.0ELEV. 5446.5SECTION 1575N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-3.5	30% qtz; py, sp	7113	3.5	1.36	
3.5-44.5	buff comp ser sch				
44.5-51.5	20% qtz, py, a-py, sp	7114	7.0	.73	
51.5-93.0	gry-buff ser sch; comp				
93.0-98.0	30% qtz-carb; py, aspy	7115	5.0	.98	4.900
98.0-102.5	as above w sp	7116	4.5	1.95	8.775
102.5-106.0	60% dk qtz-carb; sp, gry min, v.g.	7117	3.5	.69	<u>2.415</u>
106.0-108.0	gry ser sch merg w chl-ser				<u>16.090</u>
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div> <div> <div>0</div> <div>3.5</div> <div>3.5</div> <div>1.36</div> </div> <div> <div>44.5</div> <div>51.5</div> <div>7.0</div> <div>.73</div> </div> <div> <div>93.0</div> <div>106.0</div> <div>13.0</div> <div>1.23</div> </div>				

Logged by JDBHole No. U-B1074

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B1073

BEARING N60W

DIP AT COLLAR 730

LENGTH 108.0

LAT. 13465.58

DEP. 7543.87

ELEV. 5443

DATE COMPLETED _____

PURPOSE B-409 Stope Dev.

SHAFT 2

LEVEL 575

WORKING B-409N

SECTION 1600N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-24.0	gry ser sch; minor qutzz-carb				
24.0-30.0	20% qutzz sect; well min w aspy; local gry min	7103	6.0	3.34	20.040
30.0-36.5	as above w decreas qutzz	7104	6.5	.33	2.145
36.5-41.5	gry partly silic ser sch; py	7105	5.0	.55	2.750
41.5-48.0	20% qutzz; py	7106	6.5	.22	1.430
48.0-53.0	silic ser sch w minor ore type sect	7107	5.0	.36	1.800
53.0-59.0	30% qutzz in ore type sect; gru min, sp	7108	6.0	2.70	16.200
59.0-62.5	as above	7109	3.5	.42	<u>1.470</u> 45.835
62.5-87.0	gry ser sch				
87.0-93.0	qutzz lenses in ser sch; py, aspy	7110	6.0	.38	2.280
93.0-99.0	40% qutzz-carb; sp	7111	6.0	.65	3.900
99.0-106.0	as above incl blue qutzz w gry min	7112	7.0	.54	<u>3.780</u> 8.960
106.0-108.0	gry ser sch				

From	To	C.L.	Grade
24.0	62.5	38.5	1.19
87.0	106.0	19.0	.47

Logged by JDB

Hole No. U-B1073

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1072BEARING N60WDIP AT COLLAR 760LENGTH 85.0LAT. 13465.58DEP. 7543.87ELEV. 5446.5

DATE COMPLETED _____

PURPOSE B-409 Stope Dev.SHAFT 2LEVEL 575WORKING B-409NSECTION 1600N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-8.0	35% qtz carb; py, po, sp; gry min	7097	7.0	3.95	
8.0-15.0	40% & as above	7098	7.0	1.06	
15.0-22.0	30% bx qtz; py, aspy, gry min in sch	7099	7.0	.96	
22.0-27.5	qtz-carb lenses in silic ser sch; py; minor gry min & aspy	7100	5.5	.08	
27.5-83.0	gry ser sch; local qtz & min, t.s. 36.0-37.0 t.s. 79.0-81.5	7101	1.0	..23	
		7102	2.5	.33	
83.0-85.0	dk gry chl-ser sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div> <div> <div>1.0</div> <div>22.0</div> <div>21.0</div> <div>1.99</div> </div>				

Logged by JD3Hole No. U-B1072

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B1071SHAFT 2BEARING ---LAT. 134.62DATE COMPLETED LEVEL 575DIP AT COLLAR 790DEP. 7549.5PURPOSE B-409 Stope Dev.WORKING B-409NLENGTH 66.0ELEV. 5447.5SECTION 1600N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-6.0	qtz-lenses in gry silic ser sch impreg w py	7089	4.5	.17	.765
6.0-10.5	30% qtz-carb; py	7090	4.5	.28	1.260
10.5-17.0	qtz lenses in silic ser sch; py, aspy	7091	6.5	.22	1.430
17.0-24.0	as above w increas qtz-carb	7092	7.0	.15	<u>1.050</u>
24.0-32.0	qtz-carb lenses in silic ser sch w py	7093	8.0	.02	<u>4.505</u>
32.0-44.0	gran gry ser sch				
44.0-50.0	gran gry ser sch w minor qtz-carb & py	7094	6.0	.01	
50.0-56.5	50% qtz-carb well ein w sp	7095	6.5	.68	4.420
56.5-59.0	25% qtz-carb; py, aspy	7096	2.5	.81	<u>2.025</u>
59.0-63.5	gry ser sch				<u>6.445</u>
63.5-66.0	dk gry dragf chl-ser sch				
	<div> <div>From</div> <div>To</div> <div>G.L.</div> <div>Grade</div> </div> <div> <div>1.5</div> <div>24.0</div> <div>22.5</div> <div>.20</div> </div> <div> <div>50.5</div> <div>59.0</div> <div>9.0</div> <div>.71</div> </div>				

Logged by JDRHole No. U-B1071

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1070SHAFT 3BEARING N60WLAT. 10260.3

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR Hor.DEP. 6794.2PURPOSE A.S.D. Zone DefWORKING StationLENGTH 357.0ELEV. 5915SECTION 1550S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
0-1.0	cs				
1.0-159.0	f.g. dense lt gry grs; prom amyg; p.l., 1" fault bx 78.5; distinctly variolitic at intervals 88.0-159.0; variol p.l.				
159.0-209.0	f.g. gry-grn grs sch; sch grs 180-186.0				
209.248.5	mass f.g. grs; retic ep threads; snfl alt after 231.0				
248.5-257.0	f.g. dk grn chl'c grs sch				
257.0-273.0	f.g. dk gry buff chl-ser sch				
273.0-278.0	20% qutzz in silic ser sch; py, local aspy	12007	5.0	.11	
278.0-283.0	as above w decreas qutzz	12008	5.0	.04	
283.0-288.0	as above w increas qutzz	12009	5.0	.04	
288.0-293.0	30% qutzz; py, aspy	12010	5.0	.28	1.400
293.0-298.0	20% & as above	12011	5.0	.30	1.500
298.0-303.0	as above	12012	5.0	.41	2.050
303.0-308.0	30% & as above	12013	5.0	.35	1.750

Logged by JDBHole No. U-C1070

Hole No. U-C1070

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. UB-1069SHAFT 2BEARING ---LAT. 13416.0

DATE COMPLETED _____

LEVEL 575DIP AT COLLAR 790DEP. 7527.0 5964PURPOSE B-409 Stope Dev.WORKING B-409NLENGTH 96.0ELEV. 5447.5SECTION 1550N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	ss				
1.0-6.0	50% dk qtz-carb; py, aspy, po	7074	5.0	.07	.350
6.0-11.0	40% qtz-carb & as above; v.g. (1")	7075	5.0	.58	2.900
11.0-16.0	70% qtz-carb; py, rich v.g. throughout	7076	5.0	(4.37 4.70	32.650
16.0-18.5	as above	7077	2.5	(7.16 7.48	<u>13.300</u> 44.200
18.5-25.5	intergran qtz-carb in gry ser sch impreg w py	7078	7.0	.07	
25.5-33.0	as above	7079	7/7.5	.07	
33.0-40.0	as above	7080	7.0	.03	
40.0-47.0	as above	7081	7.0	.04	
47.0-54.0	35% qtz-carb; dissemin py	7082	7.0	.23	1.610
54.0-61.0	20% qtz-carb; dissemin, py, aspy	7083	7.0	.44	3.080
61.0-64.0	as above	7084	3.0	.27	.310
64.0-70.0	50% qtz-carb; local sp., gry min	7085	6.0	.33	1.980

Logged by _____

Hole No. UB-1069

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
70.0-77.5	gry ser sch w intergran qtz-carb; minor min	7086	7.5	.09	.675
77.5-82.0	20% qtz-carb; aspy	7087	4.5	.63	2.835
82.0-89.0	as above	7088	7.0	.82	5.740
89.0-96.0	dk buff-gry ser sch				16.730

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1068SHAFT 2BEARING -LAT. 13377.0

DATE COMPLETED _____

LEVEL 575DIP AT COLLAR 490DEP. 7494.5PURPOSE B-409 Stope Dev.WORKING B-409NLENGTH 93.0ELEV. 5448SECTION 1500N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 1.0	cs.				
1.0 - 7.0	20% qtz-carb in dk sch; py, xls aspy; tr sp	7061	6.0	.05	
7.0 - 13.5	buff ser sch; no sig min	7062	6.5	.01	
13.5 - 20.0	dk gry ser sch w intergran carb; py, po	7063	6.5	.18	1.170
20.0 - 25.0	30% qtz-carb; py, po; gry min; 12" w v.g.	7064	5.0	2.27	11.350
25.0 - 32.0	buff ser sch; no sig min	7065	7.0	.01	.070
32.0 - 39.0	as above	7066	7.0	.03	.210
39.0 - 45.0	25% qtz-carb; tr gry min & sp; py	7067	6.0	.41	2.460
45.0 - 53.0	buff-gry ser sch; minor intergran qtz-carb; po; dissem py, fine acic aspy	7068	8.0	.66	5.280
53.0 - 60.0	as above	7069	7.0	.21	1.470
60.0 - 67.0	as above	7070	7.0	.24	<u>1.680</u>
67.0 - 74.0	as above; sp	7071	7.0	.09	<u>23.690</u>
74.0 - 81.0	as above w decreas min	7072	7.0	.02	

Logged by JDBHole No. U-B1068

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
81.0 - 84.5	as above	7073	3.5	.01	
84.5 - 93.0	dk gry-buff ser sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>13.5</div> <div>67.0</div> <div>53.5</div> <div>.44</div> </div>				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-61067

BEARING N60W

DIP AT COLLAR 4730

LENGTH 318.0

LAT. 10261.5

DEP. 6788.9

ELEV. 5741.5

DATE COMPLETED _____

PURPOSE A.S.D. Zone Def.

SHAFT 3

LEVEL 250

WORKING Station

SECTION 15508

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-244.0	f.g. gry grs; anyg; resid variol 12.0; hem fract; resid variol 78.0 & 85.0; 113.5, sch 130.0-138.0; chty- ep sect after 157.0 & darker grn; sch 171.0-178.0; spotted alt aureoles after 210.0; prob p.l. to 233.0; snfl alt after 223.0				
244.0-257.0	dk grn grs sch merg w above				
257.0-267.0	gry chl-sch merg w above				
267.0-274.5	gry chl-ser sch merg w above				
274.5-279.5	30% qutx-carb; minor min	12001	5.0	.21	1.050
279.5-284.5	as above; increas min	12002	5.0	.68	3.400
284.5-289.5	as above	12003	5.0	.12	.600
289.5-295.5	35% qutx-carb; py, aspy	12004	6.0	.36	2.160
295.5-303.0	dk gry-buff ser sch	12005	7.5	.02	7.210
303.0-309.0	20% qutx-carb; minor min	12006	6.0	.02	
309.0-318.0	dk gry-buff ser sch				

From To C.L. Grade
274.5 295.5 21.0 .34

DIP TEST

Logged by JDB

Depth Read. Correct.
300 13 10

Hole No. U-61067

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1066BEARING N60WDIP AT COLLAR -44LENGTH 98.0LAT. 11754.30DEP. 7306.72ELEV. 5753

DATE COMPLETED _____

PURPOSE A.S.D. Zone Def.SHAFT 2LEVEL 250WORKING B-2103SECTION 0

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-26.0	m.g. chl'e grs sch w qutzz-carb strs.				
26.0-42.0	m.g. grn chl-ser sch w qutzz-carb				
42.0-48.0	30% qutzz-carb; minor min	7054	6.0	.17	
48.0-53.0	as above	7055	5.0	.05	
53.0-60.0	20% and as above	7056	7.0	.02	
60.0-65.5	as above	7057	5.5	.03	
65.5-70.5	30% qutzz-carb., aspy	7058	5.0	.03	
70.5-73.5	as above	7059	3.0	.09	
73.5-90.0	buff ser sch; t.s. 83.5-85.0	7060	1.5	.06	
90.0-98.0	buff grn chl-ser sch merg w grs sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>42.0</div> <div>48.0</div> <div>6.0</div> <div>.17</div> </div>				

Logged by JDBHole No. U-B1066

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1065SHAFT 2BEARING N60WLAT. 11754.30

DATE COMPLETED _____

LEVEL 250DIP AT COLLAR Hor.DEP. 7306.72PURPOSE A.S.D. Zona Def.WORKING B-210SLENGTH 83.0ELEV. 5756.5SECTION 0

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-29.0	f.g. chl'e grs sch; qutzz-carb lenses; local dragf; 1 ft ground				
29.0-36.0	grn chl-ser sch w qutzz-carb strss; 4 ft ground				
36.0-41.0	as above merg into ser sch; 1 ft grnd				
41.0-45.5	as above merg into chl-ser sch; 1 ft grnd				
45.5-48.5	20% qutzz lenses; minor min	7053	2/3.0	.05	
48.5-61.0	qutzz lenses in chl-ser sch				
61.0-72.0	m.g. grn grs sch w calc strss				
72.0-83.0	hern'e chty ep material				

Logged by JDBHole No. U-B1065

N.M.P.-F3742-3

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1064SHAFT 3BEARING N60WLAT. 10261.5

DATE COMPLETED _____

LEVEL 250DIP AT COLLAR Hor.DEP. 6738.9PURPOSE A.S.D. Zone Def.WORKING StationLENGTH 267.0ELEV. 5739.5SECTION 1550S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-205.5	f.g. gry-grn grs; amyg; prob., ep threads; hem fract., variol sect., 49.5, 69.0, sch & fract 93.0-105.0, resid variol 95.0-137.0, increas hem & possible fault 131.5; sch sect 141.0-147.0, increas ep & snfl alt after 191.0, prob mass (non-pillowed) after 137.0				
205.0-221.0	m.g. grn chl'e grs sch				
221.0-223.0	gry-buff chl-ser sch				
223.0-224.5	80% qutlz-carb; py, aspy	9299	1.5	.01	
224.5-228.5	qutlz lenses in ser sch; minor min	9300	4.0	.01	
228.5-260.0	dk ser sch w qutlz lenses; no sig min; mottled w gry-buff qutlz-carb				
260.0-264.0	as above merg into chl-ser sch				
264.0-267.0	gen grs sch				

Logged by JDBHole No. U-C1064

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1063BEARING S60EDIP AT COLLAR 4 65LENGTH 63.0LAT. 12067.42DEP. 7266.10ELEV. 5907

DATE COMPLETED _____

PURPOSE B-205 St. Dev.SHAFT 2LEVEL 100WORKING B113NSECTION 250N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-12.0	dk gry chl-ser sch locally mottled w qutzz-carb				
12.0-63.0	buff waxy drag f ser sch; qutzz-carb lenses trs 51.5-54.0	7052	2.5	2.20	

Logged by JDBHole No. U-B1063

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1062BEARING N60WDIP AT COLLAR 460LENGTH 80.0LAT. 12071.67DEP. 7258.74ELEV. 5907

DATE COMPLETED _____

PURPOSE B-205 Stope Dev.SHAFT 2LEVEL 100WORKING B-113NSECTION 250N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-7.5	gry ser sch				
7.5-13.5	qutlz lenses ser sch; minor min	7195	6.0	.17	1.020
13.5-21.0	20% qutlz; minor py, aspy	7196	7.5	.61	4.575
21.0-23.0	80% qutlz; sp, gry min	7197	2.0	.55	1.100
23.0-30.0	qutlz lenses in ser sch; minor min	7198	7.0	.27	1.890
30.0-37.0	as above	7199	7.0	.26	1.820
37.0-42.0	as above	7200	5.0	.05	.250
					10.655
42.0-80.0	grn chl-ser sch				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	7.5 42.0 34.5 .30				

Logged by JDBHole No. U-B1062

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-C1061

BEARING N60W

DIP AT COLLAR 30

LENGTH 249.0

LAT. 10263.50

DEP. 6786.18

ELEV. 5577

DATE COMPLETED _____

PURPOSE A S D Zone Expl.

SHAFT 3

LEVEL 425

WORKING Station

SECTION 1550S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS																			
				OZ./TON	OZ./TON																		
0-1.0	cs																						
1.0-176.0	f.g. gry-grn sch grs; amyg; hem fract & op threads after 28.0; amyg p.l.; grn & mass after 86.5; m.g.; dk & sch after 115.0; snfl alt after 169.0																						
176.0-191.0	f.g. chl'c grs sch																						
191.0-200.0	as above merg into grn schl sch																						
200.0-206.5	80% mottled qutzz-carb; sparing min, tr gry min in mosaic carb	9293	6.5	.19	1.235																		
206.5-212.0	80% qutzz-carb; fine acic aspy, local gry min in late carb	9294	5.5	.21	1.155																		
212.0-217.0-	as above	9295	5.0	.38	1.900																		
217.0-224.0	qutzz-carb lenses in ser sch; minor min	9296	7.0	.04	.280																		
224.0-230.0	30% qutzz-carb; py aspy	9297	6.0	.23	1.380																		
230.0-235.0	20% & as above	9298	5.0	.43	2.150																		
235.0-249.0	gry-buff chl-ser sch																						
<table> <tr> <td><u>From</u></td><td><u>To</u></td><td><u>G.L.</u></td><td><u>Grade</u></td><td colspan="2"><u>DIP TEST</u></td></tr> <tr> <td></td><td></td><td></td><td></td><td><u>Depth</u></td><td><u>Read</u> <u>Correct</u></td></tr> <tr> <td>200.0</td><td>235.0</td><td>35.0</td><td>.23</td><td>216</td><td>20 17</td></tr> </table>						<u>From</u>	<u>To</u>	<u>G.L.</u>	<u>Grade</u>	<u>DIP TEST</u>						<u>Depth</u>	<u>Read</u> <u>Correct</u>	200.0	235.0	35.0	.23	216	20 17
<u>From</u>	<u>To</u>	<u>G.L.</u>	<u>Grade</u>	<u>DIP TEST</u>																			
				<u>Depth</u>	<u>Read</u> <u>Correct</u>																		
200.0	235.0	35.0	.23	216	20 17																		

Logged by JDB

Hole No. U-C1061

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B 1060SHAFT 2BEARING S 60 ELAT. 12048.59

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR 430DEP. 7249.67PURPOSE B-205 Stope Dev.WORKING 8-113 NLENGTH 27.0ELEV. 5904.71SECTION 225 N

FOOTAGE

DESCRIPTION

SAMPLE
NUMBERSAMPLE
LENGTHGOLD ASSAYS
OZ./TON OZ./TON

0.0 - 1.0

ss.

1.0 - 22.0

gry chl-ser sch mottled w quartz-carb: hem sup prox to fault zone

22.0 - 61.0

gry ser sch w quartz-carb and light gry silic sect

61.0 - 67.0

as above merg into chl-ser sch

Logged by J.D.B.Hole No. U-B 1060

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1060BEARING ~~N60W~~ S60EDIP AT COLLAR 45LENGTH 50.0LAT. 12067.42
~~12071.67~~DEP. 7266.10
~~7258.71~~ELEV. 5907

CORE RECORD

DATE COMPLETED _____

PURPOSE B-205 Stope Dev.SHAFT 2LEVEL 100WORKING B-113NSECTION 250N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-24.0	gry gran chl-ser sch				
24.0-30.0	as above merg into ser sch mottled w qtz				
30.0-42.0	as above merg into chl-ser sch				
42.0-50.0	as above merg into ser sch				

Logged by JDBHole No. U-B1060

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1059SHAFT 2BEARING N58¹/₂WLAT. 12416.16

DATE COMPLETED _____

LEVEL 425DIP AT COLLAR 4 67¹/₂DEP. 7559.18PURPOSE MiningWORKING B-306 St.LENGTH 44.0ELEV. 5643.56SECTION 700N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	cs				
2.0-9.0	30% qtz-carb; py, aspy	7190	7.0	.05	
9.0-16.0	25% qtz-carb. py, aspy	7191	7.0	.05	
16.0-23.0	30% qtz-carb; py, aspy	7192	7.0	.11	
23.0-30.0	40% qtz-carb; py, aspy	7193	7.0	.10	
30.0-31.0	ser sch; qtz-carb lenses; sparsely min	7194	1.0	.12	
31.0-44.0	gry to buff-gry ser sch				

Logged by D.M.Hole No. U-B1059

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1058

SHAFT 3

BEARING N60W

LAT. 10263.50

DATE COMPLETED _____

LEVEL 425

DIP AT COLLAR -30

DEP. 6789.18

PURPOSE A S D Zone Def.

WORKING Station

LENGTH 203.0

ELEV. 5572

SECTION 1550S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-93.5	f.g. lt grn grs; amyg; ep threads; hem fract; p.l.; psuedo-variol 55.0-70.0				
93.5-129.0	f.g. dk gry to black chl'e grs sch; may in part be basic dike				
129.0-153.5	gry chl-ser sch				
153.5-155.5	20% qutzz-carb; minor min	9290	2.0	.06	
155.5-160.0	qutzz-carb lenses in ser sch. minor min	9291	4.5	.02	
160.0-164.5	40% qutzz-carb; py, aspy	9292	4.5	.21	
164.5-175.0	gry chl-ser sch				
175.5-203.0	f.g. gry-grn grs sch; calc.				
	<div>From To C.L. Grade 160.0 164.5 4.5 .21</div>				
	<div>DIP TEST</div>				
	<div>Depth Read. Correct 203 29 25</div>				

Logged by JDE

Hole No. U-C1058

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-C1057BEARING N60WLAT. 10263.50

DATE COMPLETED _____

DIP AT COLLAR Hor.DEP. 6786.13PURPOSE A S D Zone Def.LENGTH 220.0ELEV. 5574.5SHAFT 3LEVEL 425WORKING StationSECTION 1550S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-121.0	f.g. grn sch grs; amyg; chty-op sect; hem fract.				
121.0-144.5	f.g. grs sch; snfl alt. calc. chl sch; 134.0 to 144.5				
144.5-154.5	gry chl-ser sch w qutzz-carb strss; t.s. 145.5-147.5	9283	2.0	.03	
154.5-161.5	gry ser sch w qutzz-carb strss				
161.5-167.0	buff silic ser sch; minor min	9284	5.5	.16	
167.0-173.0	qutzz-carb strss in buff sil sch; minor min	9285	6.0	.01	
173.0-180.0	20% qutzz-carb in buff silic sch; minor py, aspy	9286	7.0	.01	
180.0-185.0	as above	9287	5.0	.07	
185.0-190.0	as above	9288	5.0	.02	
190.0-204.5	qutzz lenses in dk ser sch; minor local min t.s. 202.0-204.0-	9289	2.0	.05	
204.5-211.5	dk banded waxy ser sch (tuffac.)				
211.5-220.0	dk gry chl sch				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	161.5 167.0 5.5 .16				

Logged by JDBHole No. U-C1057

GIANT YELLOWKNIFE GOLD MINES LIMITED CORE RECORD

HOLE No. U-B1056

BEARING N58.1

DIP AT COLLAR 31.5

LENGTH 37.0

LAT. 12417.10

DEP. 7557.78

ELEV. 5640.98

DATE COMPLETED _____

PURPOSE Mining

SHAFT 2

LEVEL 425

WORKING B-306 St.

SECTION 700N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS													
				OZ./TON	OZ./TON												
0-2.0	gry ser sch																
2.0-9.0	40% qutz-carb; py, aspy	7186	7.0	.22													
9.0-11.5	50% qutz-carb; py, aspy	7187	2.5	.07													
11.5-14.5	gry ser sch																
14.5-22.0	45% qutz-carb; py, aspy	7188	7.5	.25													
22.0-27.0	30% qutz-carb; py, aspy	7189	5.0	.05													
27.0-37.0	gry to buff-gry ser sch																
	<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td></tr><tr><td>2.0</td><td>9.0</td><td>7.0</td><td>.22</td></tr><tr><td>14.5</td><td>22.0</td><td>7.5</td><td>.25</td></tr></table>	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	2.0	9.0	7.0	.22	14.5	22.0	7.5	.25				
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>														
2.0	9.0	7.0	.22														
14.5	22.0	7.5	.25														

Logged by D.H.

Hole No. U-B1056

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1055BEARING N62¹/₂WDIP AT COLLAR 466°LENGTH 107.0'LAT. 12391.75DEP. 7556.0ELEV. 5649.02

DATE COMPLETED _____

PURPOSE B-306 StopeMiningSHAFT s 2LEVEL 425WORKING B-306St.SECTION 675N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0-1.0	cs				
1.0-4.0	25% qutzz-carb; py & aspy	7184	3.0	.39	
4.0- 8.0	50% qutzz-carb; py, and aspy	7170	4.0	.35	
8.0-15.0	buff-gry ser-sch; sparing min	7171	7.0	.01	
15.0-18.0	buff-gry ser-sch; qutzz-carb lenses; sparing min	7172	3.0	.14	
18.0-25.0	60% mosaic-carb; py, aspy	7173	7.0	.26	
25.0-30.0	55% qutzz-carb; py, aspy	7174	5.0	.48	
30.0-37.0	30% qutzz-carb; py, aspy	7175	7.0	.12	
37.0-44.0	40% qutzz-carb; py, aspy	7176	7.0	.06	
44.0-51.0	40% qutzz-carb; py, aspy	7177	7.0	.05	
51.0-58.0	40% qutzz-carb; py, aspy	7178	7.0	.07	
58.0-65.0	30% qutzz-carb; py, aspy	7179	7.0	.13	
65.0-72.0	40% qutzz-carb; py, aspy	7180	7.0	.26	
72.0-79.0	40% qutzz-carb; py, aspy	7181	7.0	.09	

Logged by D.M.Hole No. U-B1055

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS													
				OZ./TON	OZ./TON												
79.0-85.0	30% qutz-carb; py, aspy	7182	6.0	.07													
85.0-88.0	20% qutz-carb; minor min	7183	3.0	.10													
88.0-93.0	ser sch																
93.0-101.0	ser sch with qutz-carb lenses; sparing min	7185	8.0	.07													
101.0-107.0	gry ser sch																
	<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td></tr><tr><td>1.0</td><td>30.0</td><td>29.0</td><td>.25</td></tr><tr><td>65.0</td><td>72.0</td><td>7.0</td><td>.26</td></tr></table>	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	1.0	30.0	29.0	.25	65.0	72.0	7.0	.26				
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>														
1.0	30.0	29.0	.25														
65.0	72.0	7.0	.26														

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-31054BEARING N49WDIP AT COLLAR 426LENGTH 43.0LAT. 12394.76DEP. 7553.68ELEV. 5648.35

DATE COMPLETED _____

PURPOSE B-306 StopeMiningSHAFT 2LEVEL 425WORKING B-306 St.SECTION 675N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-3.0	cs				
3.0-7.0	60% mosaic carb; sparing min	7165	4.0	.16	.640
7.0-10.5	qut-z-carb lenses in ser sch; local aspy	7166	3.5	.10	.350
10.5-16.0	20% qut-z-carb with py, aspy, tr of sp	7167	5.5	.35	<u>1.925</u> 2.915
16.0-23.5	buff-gry ser-sch				
23.5-28.0	20% qut-z-carb with py and aspy	7168	4.5	.38	
33.0-43.0	buff-gry ser-sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div>3.0</div> <div>16.0</div> <div>13.0</div> <div>.22</div>				
	<div>23.5</div> <div>33.0</div> <div>9.5</div> <div>.40</div>				

Logged by D.M.Hole No. U-31054

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1052

SHAFT 2

BEARING --

LAT. 12271.5

DATE COMPLETED _____

LEVEL 100

DIP AT COLLAR 490

DEP. 7162.5

PURPOSE B-215 Stope Dev.

WORKING B-114N

LENGTH 51.0

ELEV. 5907

SECTION 375N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS													
				OZ./TON	OZ./TON												
0-1.0	cs																
1.0-5.0	30% qutz; py, aspy	7155	4.0	.09													
5.0-25.5	grn-gry-buff chl-ser sch; ser sch to 13.0																
25.5-30.0	30% qutz in porcel ser sch; sparing min	7156	4.5	.01													
30.0-37.0	as above w local sp & gry min	7157	7.0	.10													
37.0-43.0	as above	7158	6.0	.01													
43.0-51.0	gry-buff ser sch																
	<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td></tr><tr><td>1.0</td><td>5.0</td><td>4.0</td><td>.09</td></tr><tr><td>30.0</td><td>37.0</td><td>7.0</td><td>.10</td></tr></table>	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	1.0	5.0	4.0	.09	30.0	37.0	7.0	.10				
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>														
1.0	5.0	4.0	.09														
30.0	37.0	7.0	.10														

Logged by JDB

Hole No. U-B1052

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B10 50SHAFT 2BEARING N60WLAT. 12274.59

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR Hor.DEP. 7159.25PURPOSE B-215 Stope Dev.WORKING B-114NLENGTH 69.0ELEV. 5903.5SECTION 375N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-5.0	30% qutzz-carb. py, aspy	9342	5.0	.15	
5.0-10.0	as above	9343	5.0	.02	
10.0-15.0	20% & as above	9344	5.0	.05	
15.0-21.5	qutzz-carb lenses in ser sch; minor min	9345	6.5	.04	
21.5-28.5	40% qutzz-carb; py, aspy, tr sp	9346	7.0	.11	
28.5-32.0	qutzz lenses in grn ser sch; minor min	9347	3.5	.07	
32.0-37.0	as above	9348	5.0	.02	
37.0-42.0	30% qutzz in porcel ser sch; sparing min	9349	5.0	.05	
42.0-47.0	as above	9350	5.0	.04	
47.0-54.0	as above	7151	7.0	.01	
54.0-60.0	qutzz-carb lenses in chl-ser sch; minor min	7152	6.0	.02	
60.0-66.0	as above w decreas qutzz	7153	6.0	.01	
66.0-69.0	grn chl-ser sch merg w grs sch				
	<div>From</div> <div>0</div> <div>To</div> <div>5.0</div> <div>C.L.</div> <div>5.0</div> <div>Grade</div> <div>.15</div>				

Logged by JDBHole No. U-B1050

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1049SHAFT 2BEARING S60ELAT. 12302.67

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR Hor.DEP. 7210.05PURPOSE B-205 StopeWORKING B-114NLENGTH 48.0ELEV. 5903.5Ore Def.SECTION 425N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-8.0	gry-grn ser sch; ts ore section 300-4.0	9334	1.0	1.97	
8.0-15.0	20% qtz; py, aspy	9335	6.0/7.0	.19	1.330
15.0-20.0	30% and as above	9336	4/5.0	.21	1.050
20.0-25.0	40% & as above	9337	4.5/5.0	.29	1.450
25.0-30.0	60% qtz; aspy, gry min; sp, fine v.g.	9338	5.0	1.68	8.400
30.0-35.0	30% qtz-carb; py, aspy	9339	5.0	.83	4.150
35.0-42.0	20% qtz-carb sect in dense ser sch; py, aspy	9340	7.0	.61	4.270
42.0-48.0	as above	9341	5/6.0	.29	<u>1.740</u>
					22.390
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	3.0 4.0 1.0 1.97				
	8.0 48.0 40.0 .56				

Logged by JDBHole No. U-B1049

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1048SHAFT 2BEARING -LAT. 12306

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR 490DEP. 7204PURPOSE B-215 Stope Dev.WORKING B-114NLENGTH 50.0ELEV. 5907.5SECTION 425 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-2.0	80% qtz-carb; sp, gry min; seam v.g.	9328	1.0	12.82	12.820
2.0-8.5	60% qtz; aspy; fine gry min; fine v.g.	9329	6.5	.84	5.460
8.5-13.5	as above w retic carb; aspy, fine v.g.	9330	5.0	.56	2.800
13.5-21.0	40% qtz-carb; aspy	9331	7.5	.31	2.325
21.0-24.5	buff banded ser sch	9332	3.5	.04	23.405
24.5-28.0	30% qtz-carb; py, aspy	9333	3.5	.14	
28.0-50.0	grn-gry chl-ser sch w barren qtz-carb; 2" fault bx 34.5				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div> <div> <div>1.0</div> <div>21.0</div> <div>20.0</div> <div>1.17</div> </div>				

Logged by JDBHole No. U-B1048

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1047SHAFT 3BEARING N60WLAT. 10332.7

DATE COMPLETED _____

LEVEL 575DIP AT COLLAR 455DEP. 6755.5PURPOSE ASD Zone DetWORKING C-501WLENGTH 249.0ELEV. 5427.5SECTION 1500S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 78.5	grn chl sch w qutzz-carb strcs; grs sch 21.0-25.0 & 28.0-41.0; chl-ser sch 64.0-69.0				
78.5 - 83.0	20% carb in chl sch impreg w aspy	9272	4.5	.10	
83.0 - 86.0	30% & as above	9273	3.0	.13	
86.0 - 98.0	gry-grn chl'c grs sch				
98.0 - 127.0	gry-grn chl sch w qutzz-carb strcs				
127.0 - 136.0	comp grn-buff chl-ser sch				
136.0 - 142.5	20% qutzz-carb in silic ser sch; py, aspy	9274	6.5	.16	1.040
142.5 - 149.5	as above w increas silic	9275	7.0	.25	<u>1.750</u> 2.790
149.5 - 157.0	silic ser sch w qutzz-carb lenses; minor min	9276	7.5	.05	
157.0 - 164.0	as above	9277	7.0	.02	
164.0 - 171.0	as above; py	9278	7.0	.02	
171.0 - 178.0	as above w decreas qutzz & silic	9279	7.0	.01	

Logged by JDBHole No. U-C1047

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	
178.0 - 230.0	qutlz lenses in ser sch; minor local min t.s. 178.0 - 180.0 t.s. 211.5 - 213.0 t.s. 220.0 - 223.0	9280 9281 9282	2.0 1.5 3.0	.02 .03 .12	
230.0 - 242.0	dk buff chl-ser sch				
242.0 - 249.0	f.g. - m.g. grs sch merg into epgrs by 246.0				
	<div> <div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div> <div> <div>136.0</div> <div>149.5</div> <div>13.5</div> <div>.20</div> </div> </div>				
	<div> <div>Dip Test</div> <div> <div>Depth</div> <div>Read.</div> <div>Correct</div> </div> <div> <div>237</div> <div>47</div> <div>42$\frac{1}{2}$</div> </div> </div>				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1046

SHAFT 2

BEARING --

LAT. 12306

DATE COMPLETED _____

LEVEL 100

DIP AT COLLAR -90

DEP. 7204

PURPOSE B-215 stope Dev.

WORKING B-114 N

LENGTH 25.0

ELEV. 5899

SECTION 425 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	cs				
2.0-5.0	20% qtz; py, aspy	9326	3.0	.11	
5.0-19.0	gry ser sch; t.s. 11.0-13.5	9327	1.5/2.5	.54	
19.0-25.0	dk gry chl-ser sch w barren qtz-carb				
	<div><div><div><div><u>From</u></div><div>11.0</div></div><div><div><u>to</u></div><div>13.5</div></div><div><div><u>C.L.</u></div><div>2.5</div></div><div><div><u>Grade</u></div><div>.54</div></div></div></div>				

Logged by J.D.B.

Hole No. U-B1046

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1045BEARING N60WDIP AT COLLAR Hor.LENGTH 101.0LAT. 12308.52DEP. 7199.92ELEV. 5903

DATE COMPLETED _____

PURPOSE B-215 Stope Dev.SHAFT IILEVEL 100WORKING B-114NSECTION 425N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 1.5	40% qtz; sparing min	9321	1.5	.20	.300
1.5 - 7.0	qtz lenses in ser sch; local min	9322	5.5	.41	2.255
7.0 - 12.0	as above	9323	5.0	1.10	5.500
12.0 - 16.5	as above	9324	4.5	.32	<u>1.440</u>
16.5 - 101.0	gry & buff ser sch; t.s. min sect. 33.5-38.5 local bx tx; chl-ser sch after 96.0	9325	5.0	.03	<u>9.495</u>
<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>					
<div> <div>0</div> <div>16.5</div> <div>16.5</div> <div>.57</div> </div>					

Logged by JDBHole No. U-B1045

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1044BEARING N60WDIP AT COLLAR 45LENGTH 139.0LAT. 12097.95DEP. 7263.42ELEV. 5909

DATE COMPLETED _____

PURPOSE B-205 Stope Def.SHAFT IILEVEL 100WORKING B-113NSECTION 275N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 9.0	buff ser sch				
9.0 - 14.0	gutz lenses in ser sch., local min	9307	5.0	.18	.900
14.0 - 19.0	as above incl 6" high-grade	9308	5.0	.33	1.650
19.0 - 24.0	as above w increas qutz & carb	9309	5.0	.26	1.300
24.9 - 29.0	as above	9310	5.0	.10	.500
29.0 - 31.5	as above	9311	2.5	.16	.400
31.5 - 59.0	gry ser sch				4.750
59.0 - 64.0	qutz lenses in partly silic ser sch; py, local aspy	9312	5.0	.11	
64.0 - 71.0	as above	9313	7.0	.11	
71.0 - 77.0	as above	9314	6.0	.08	
77.0 - 82.0	as above	9315	5.0	.04	
82.0 - 87.0	as above	9316	5.0	.08	
87.0 - 92.0	as above	9317	5.0	.05	

Logged by _____

Hole No. _____

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
92.0 - 98.0	60% mottled qtz-carb; minor min	9318	6.0	.02	
98.0 - 104.0	as above, sparing min	9319	6.0	.02	
104.0 - 111.0	50% qtz w retic carb & hem zone	9320	7.0	.08	
111.0 - 139.0	gry ser sch w sect chl-ser 121.0-129.0				
	<div> <div>From</div> <div>To.</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>9.0</div> <div>31.5</div> <div>22.5</div> <div>.21</div> </div>				

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-C1043SHAFT IIIBEARING -LAT. 10323.5

DATE COMPLETED _____

LEVEL 950DIP AT COLLAR -90DEP. 6770.5PURPOSE Expl.WORKING C-901WLENGTH 293.0ELEV. 5046SECTION 1500S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 3.0	Cs				
3.0 - 60.5	dk gry chl-ser sch, tan lent alt flu local qtz mottling; t.s. 57.0-60.5	9260	3.5	.02	
60.5 - 66.5	40% qtz-carb; py	9261	6.0	.01	
66.5 - 72.0	20% qtz-carb; py	9262	5.5	.07	
72.0 - 77.0	as above	9263	5.0	.03	
77.0 - 83.0	as above	9264	6.0	.05	
83.0 - 90.5	as above	9265	7.5	.30)	2.250
90.5 - 96.0	as above	9266	5.5	.24)	1.320
96.0 - 101.0	as above	9267	5.0	.01)	.050
101.0 - 106.0	40% qtz-carb, tr gry min	9268	5.0	.56)	2.800
106.0 - 110.0	30% & as above	9269	4.0	.05	6.420
110.0 - 115.0	20% qtz; minor min	9270	5.0	.05	
115.0 - 120.0	minor qtz & min in chl-ser sch	9271	5.0	.13	

Logged by JDBHole No. U-C1043

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS										
				OZ./TON	OZ./TON									
120.0 - 269.0	gry chl-ser sch; waxy & banded ser sch 146.5-148.5 & 161.0-162.5; dk & gran tx after 1670; dk after 198.0; greenish after 266.0													
269.0 - 293.0	grn grs sch merg w sch grs after 283.0													
	<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td></tr><tr><td>83.0</td><td>106.0</td><td>23.0</td><td>.28</td></tr></table>	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	83.0	106.0	23.0	.28					
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>											
83.0	106.0	23.0	.28											
	<u>Dip Tests</u>													
	<table><tr><td><u>Depth</u></td><td><u>Read.</u></td><td><u>Correct</u></td></tr><tr><td>186.0</td><td>86</td><td>84</td></tr><tr><td>293.0</td><td>86</td><td>84</td></tr></table>	<u>Depth</u>	<u>Read.</u>	<u>Correct</u>	186.0	86	84	293.0	86	84				
<u>Depth</u>	<u>Read.</u>	<u>Correct</u>												
186.0	86	84												
293.0	86	84												

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORDHOLE No. U-B1042SHAFT IIBEARING S60ELAT. 12093.25

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR 45DEP. 7271.56PURPOSE B-205 Stope Dev.WORKING B-113 NLENGTH 92.0ELEV. 5907SECTION 275 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 2.0	Cs.				
2.0 - 92.0	gry chl-ser sch merg w grs sch; barren qtz-carb & red oxid suggest prox to late fault; sect ser sch 57.0-69.5 & 77.0-89.5.				

Logged by JDBHole No. U-B1042

SHAFT III

LAT. 10323.79

DATE COMPLETED _____

LEVEL 950

DEP. 6768.23

PURPOSE Develop.

WORKING C-901W

ELEV. 5046

SECTION 1500S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 2.0	cs.				
2.0 - 7.0	qutlz lenses in ser sch; minor min	9252	5.0	.04	
7.0 - 12.0	as above	9253	2.5/5.0	.05	
12.0 - 16.0	20% & as above	9254	4.0	.08	.320
16.0 - 22.0	as above	9255	6.0	.13	<u>.780</u>
					1.100
22.0 - 24.5	qutlz lenses in ser sch; minor min	9256	1.0/2.5	.06	
24.5 - 30.5	as above —	9257	6.0	.27	
30.5 - 35.0	as above	9258	4.5	.02	
35.0 - 77.0	dk chl-ser sch locally soaked w gutz; t.s. 53.0-55.0	9259	2.0	.07	
77.0 - 83.0	grn grs sch				
83.0 - 98.0	f.g. grn sch grs				
	<div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div>				
	<div>12.0</div> <div>22.0</div> <div>10.0</div> <div>.11</div>				
	<div>24.5</div> <div>30.5</div> <div>6.0</div> <div>.27</div>				

Hole No. U-C1041

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1040

SHAFT III

BEARING N60W

LAT. 10323.79

DATE COMPLETED _____

LEVEL 950

DIP AT COLLAR -30

DEP. 6768.23

PURPOSE Develop.

WORKING C-901W

LENGTH 82.0

ELEV. 5048

SECTION 1500S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 1.0	cs				
1.0 - 45.5	gry & buff banded ser sch w qutzz-carb strcs.,				
	t.s. min sect 8.0 - 15.0	9448	7.0	.41	
	t.s. 15.0 - 20.0	9449	5.0	.05	
	t.s. 20.0 - 25.0	9450	4.0	.05	
45.5 - 60.0	buff comp. ser sch; t.s. 52.0 - 55.0	9251	3.0	.01	
60.0 - 68.5	dk buff comp chl-ser sch				
68.5 - 73.5	f.g. grn grs sch				
73.5 - 82.0	as above merg into sch grs				
	<u>From</u> <u>To.</u> <u>C.L.</u> <u>Grade</u>				
	8.0 15.0 7.0 .41				

Logged by JDB

Hole No. U-C1040

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1039SHAFT IIBEARING -LAT. 12095.7

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR 790DEP. 7267PURPOSE B-205 Stope Dev.WORKING B-113NLENGTH 68.0ELEV. 5907SECTION 275N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS																	
				OZ./TON	OZ./TON																
0 - 2.0	Cs.																				
2.0 - 18.5	gry & buff ser sch																				
18.5 - 24.0	30% qutz; py, aspy	9301	5.5	.46	2.530																
24.0 - 28.5	20% & as above	9302	4.5	.68	3.060 5.590																
28.5 - 43.0	buff ser sch																				
43.0 - 49.0	20% qutz; py, aspy	9303	6.0	.63																	
49.0 - 56.0	qutz lenses in ser sch; py, aspy	9304	7.0	.08																	
56.0 - 61.0	as above	9305	5.0	.15																	
61.0 - 65.0	as above	9306	4.0	.24																	
65.0 - 68.0	gry chl-ser sch; into granite boulder 68.0																				
	<table><tr><td>From</td><td>To</td><td>C.L.</td><td>Grade</td></tr><tr><td>18.5</td><td>28.5</td><td>10.0</td><td>.56</td></tr><tr><td>43.0</td><td>49.0</td><td>6.0</td><td>.63</td></tr><tr><td>61.0</td><td>65.0</td><td>4.0</td><td>.24</td></tr></table>	From	To	C.L.	Grade	18.5	28.5	10.0	.56	43.0	49.0	6.0	.63	61.0	65.0	4.0	.24				
From	To	C.L.	Grade																		
18.5	28.5	10.0	.56																		
43.0	49.0	6.0	.63																		
61.0	65.0	4.0	.24																		

Logged by JDBHole No. U-B1039

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-C1038

SHAFT 111

BEARING --

LAT. 10323.5

DATE COMPLETED _____

LEVEL 950

DIP AT COLLAR 490

DEP. 6770.5

PURPOSE Develop.

WORKING C-901W

LENGTH 110.0

ELEV. 5054

SECTION 1500S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	
0-1.0 1.0-18.0 18.0-81.0 81.0-110.0	cs dk gry ser sxh w barren qutz-carb. as above merg into schl-ser sch. dk grn comp chl sch				

Logged by _____

Hole No. _____

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U- B1037BEARING N60WDIP AT COLLAR 7 45LENGTH 97.0LAT. 12064.57DEP. 7255.09ELEV. 5906.5

DATE COMPLETED _____

PURPOSE B-205 Stope

Dev. _____

SHAFT 11LEVEL 100WORKING B-113NSECTION 300N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-8.0	buff ser sch				
8.0-10.5	20% qutzz-carb; minor gry min & sp	9239	2.5	.41	1.025
10.5-16.0	40% qutzz w sect high-grade ore type	9240	5.5	1.03	5.665
16.0-22.5	as above	9241	6.5	.33	2.145
22.5-26.0	buff ser sch; minor qutzz & min	9242	3.5	.06	.210
26.0-31.0	chty ser sch w qutzz & minor min	9243	5.0	.25	1.250
31.0-35.5	as above w sect ore type	9244	4.5	.09	<u>.405</u>
35.5-59.5	gry-buff ser sch				10.700
59.5-63.5	60% qutzz-carb; sparing min	9245	4.0	.19	
63.5-70.0	qutzz lenses in ser sch; py local aspy	9246	6.5	.05	
70.0-76.0	40% qutzz in silic ser sch impreg w py	9247	6.0	.05	
76.0-79.0	gry silic ser sch; dissem py	9248	3.0	.02	

Logged by J.D.B.Hole No. U-B1037

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
79.0-97.0	gry ser sch w ore-type section 87.5-88.5 and 94.0-95.5	9249	1.0	.10	
		9250	1.5	.40	
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div> <div> <div>8.0</div> <div>35.5</div> <div>27.5</div> <div>.39</div> </div>				

SHAFT 111

CORE RECORD

LEVEL 950

WORKING C-901W

SECTION 1500S

[illegible]

Logged by JD.R.

Hole No. U-C1036

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-C1035BEARING N60WDIP AT COLLAR 4 30LENGTH 136.0LAT. 10323.79DEP. 6768.23ELEV. 5051.5

DATE COMPLETED _____

PURPOSE Develop.SHAFT 111LEVEL 950WORKING C-901WSECTION 1500S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-2.0	dk gry ser sch				
2.0-5.5	30% qutzz-carb; py, aspy	9427	3.5	.05	.175
5.5-10.5	as above; local sp	9428	5.0	.10	.500
10.5-13.5	as above	9429	3.0	.15	.450
					<u>1.125</u>
13.5-19.0	qutzz lenses in ser sch; minor min	9430	5.5	.01	
19.0-22.0	as above	9431	4.0	.01	
22.0-55.0	gry ser sch locally mottled w qutzz-carb; short sect chl-ser sch.				
55.0-136.0	as above merg into chl-ser sch w short sect ser sch; dense & merg w grs sch after 116.0				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	2.0 13.5 11.5 .10				

Logged by JDBHole No. U-C1035

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1034

CORE RECORD

SHAFT 11BEARING --LAT. 12062.2 300N DATE COMPLETED _____LEVEL 100DIP AT COLLAR 7 90DEP. 7259.1 ^{impossible}_{168w 476.} PURPOSE B-205 Stope Dev.WORKING B-113NLENGTH 65.0ELEV. 5908SECTION 300N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-12.0	gry-buff & banded ser sch				
12.0-18.0	qutlz lenses in ser sch; gry min	9231	5/6.0	.14	.840
18.0-21.0	60% qutlz well min w gry min	9232	3.0	.69	2.070
21.0-28.5-	30% qutlz-carb well min w py, aspy	9233	7.5	.22	1.650
28.5-36.5	as above w v.g. & gry min	9234	8.0	.72	5.760
36.5-41.0	as above	9235	4.5	.22	.990
41.0-46.0	as above; streaks sp	9236	5.0	.27	1.350
46.0-53.0	20% & as above	9237	7.0	.22	1.540
53.0-57.5	as above w decreas qutlz & min	9238	4.5	.21	.945
					15.145
57.5-65.0	dk gry chl-ser sch w rusty slip 57.5				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	12.0 57.5 45.5 .33				

Logged by JDBHole No. U-B1034

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U- C1033SHAFT 111BEARING N60WLAT. 10323.79

DATE COMPLETED _____

LEVEL 950DIP AT COLLAR Hor.DEP. 6368.23PURPOSE Develop.WORKING B-901WLENGTH 74.0ELEV. 5049.5SECTION 1500S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS													
				OZ./TON	OZ./TON												
0-2.0	cs																
2.0-6.0	20% qutz-carb lenses; py,local aspy	9419	4.0	.02	.080												
6.0-11.0	as above	9420	5.0	.18	.900												
11.0-16.5	as above w decreas qutz & min	9421	5.5	.01	.980												
16.5-22.0	qutz lenses in ser sch; minor min	9422	5.5	.01													
22.0-25.0	as above	9423	3.0	.01													
25.0-54.5	gry & buff ser sch; few qutz-carb lenses; neg min. trs 39.5-42.0	9424	2.5	.37													
54.5-58.5	20% qutz-carb; py, aspy	9425	4.0	.23													
62.5-71.0	grn-gry chl-ser sch																
71.0-74.0	grn grs sch																
58.5-62.5	40% qutz-carb; py, aspy	9426	4.0	.34													
	<table><tr><td>From</td><td>To</td><td>C.L.</td><td>Grade</td></tr><tr><td>2.0</td><td>11.0</td><td>9.0</td><td>.10</td></tr><tr><td>54.5</td><td>62.5</td><td>8.0</td><td>.28</td></tr></table>	From	To	C.L.	Grade	2.0	11.0	9.0	.10	54.5	62.5	8.0	.28				
From	To	C.L.	Grade														
2.0	11.0	9.0	.10														
54.5	62.5	8.0	.28														

Logged by JDBHole No. U-C1033

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-C1032BEARING N60WDIP AT COLLAR Hor.LENGTH 90.0LAT. 10408.65DEP. 6653.76ELEV. 5247.5

DATE COMPLETED _____

PURPOSE Develop.SHAFT 111LEVEL 750WORKING C-701WSECTION 1500S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs.				
1.0-26.0	gry ser sch w qutzz-carb lenses & no sig min				
26.0-67.5	gry chl-ser; short staty sections 35.0-46.0 & to 55.0; merg w grs sch by 67.5				
67.5-90.0	f.g. grn grs sch				

Logged by J.D.B.Hole No. U-C1032

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORDHOLE No. U-B1031SHAFT 11BEARING S60ELAT. 12347.60

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR -30DEP. 7027.92PURPOSE B-215 Stope Dev.WORKING B-215 Sub-DrLENGTH 450ELEV. 5830.5SECTION 375 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-40.5	gry ser sch w local mottled qutzz-carb partic 35.0-39.0				
40.5-45.0	f.g. grn grs sch				

Logged by J.D.B.Hole No. U/B1031

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-C1030BEARING -DIP AT COLLAR -90LENGTH 93.0LAT. 10361DEP. 6730ELEV. 5243.5DATE COMPLETED PURPOSE Develop.SHAFT 111LEVEL 750WORKING B-701WSECTION 1500S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	es				
1.0-25.0	dk gry ser sch w qutzz-carb lenses & minor local min;				
25.0-28.0	20% qutzz & mottled carb in partly silic ser sch; py, local aspy	9410	3.0	.02	
28.0-43.5	dk gry ser sch				
43.5-48.5	gry ser sch w dissern py & minor aspy	9411	5.0	.59	
48.5-53.5	qutzz -carb lenses & as above	9412	5.0	.51	
53.5-60.5	gry ser sch; minor dissern min	9413	7.0	.01	
60.5-67.5	as above	9414	7.0	.01	
67.5-73.0	as above	9415	5.5	.01	
73.0-80.0	20% qutzz incl lenses ore type; py, aspy tr sp & gry min	9416	7.0	.14	
80.0-86.0	as above w decreas qutzz & min	9417	6.0	.03	
86.0-91.0	dk ser sch w qutzz lenses & minor min	9418	5.0	.04	
91.0-93.0	dk ser sch				
	<div>From</div> <div>43.5</div> <div>To</div> <div>53.5</div> <div>C.I.</div> <div>10.0</div> <div>Grade</div> <div>.55</div>				

Logged by J.D.B.Hole No. U-C1030

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-C1028BEARING N60WDIP AT COLLAR -65LENGTH 126.0LAT. 10362DEP. 6728.5ELEV. 5243.5

DATE COMPLETED _____

PURPOSE Develop.SHAFT 111LEVEL 750WORKING C-701 WSECTION 1500S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	cs				
2.0-24.0	gry mottled ser sch w qutzz-carb lenses t.s. 17.5-19.5	7249	2.0	.04	
24.0-29.5	qutzz-carb lenses in ser sch; minor min	7250	5.5	.06	
29.5-32.0	as above	9401	2.5	.03	
32.0-37.0	30% qutzz incl 12" high quality ore type w sp & gry min	9402	5.0	.89	4.450
37.0-42.0	30% qutzz in shredded ser sch; py, aspy	9403	5.0	.36	1.800
42.0-46.0	gran ser sch w minor qutzz & neg min	9404	4.0	.26	1.040
46.0-52.0	80% porceln mottled qutzz-carb; sparing sp	9405	6.0	.60	3.600
52.0-57.5	40% qutzz-carb; shreds ser; gry min & sp	9406	5.5	.37	2.035
57.5-64.0	60% qutzz well min w gry min & sp incl sect high grade ore type	9407	6.5	.83	5.395
64.0-71.0	40% qutzz-carb; py, aspy. gry min; sp	9408	7.0	.32	<u>1.540</u>
					<u>19.860</u>
71.0-81.5	gry ser sch				
81.5-104.0	as above, merg into chl-ser sch; qutzz-carb lenses				
104.-126.0	as above, merg into ser sch. t.s. 117.5-118.5	9409	1.0	.08	

Logged by J.D.B.

From	To	C.L.	Grade
32.0	71.0	39.0	.51

Hole No. U-C1028

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1027SHAFT 111BEARING N60WLAT. 10363.5

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR -40DEP. 6726PURPOSE Develop.WORKING C-701 WLENGTH ~~314.0~~ 34.5ELEV. 5243.5SECTION 15008

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	cs				
2.0-22.0	gry ser sch w qutlz lenses				
22.0-27.0	qutlz-carb lenses in ser sch; py; minor aspy	7235	5.0	.14	.700
27.0-32.5	20% qutlz-carb; py, sparing aspy	7236	5.5	.58	3.190
32.5-37.0	60% qutlz-carb w yellow ser shreds; sparing py, aspy	7237	4.5	.49	2.205
37.0-40.5	as above; creamy carb seams w gry min	7238	3.5	.45	1.575
40.5-47.0	20% qutlz-carb in partly silic ser sch; py minor aspy	7239	6.5	.35	2.275
47.0-52.0	as above	7240	5.0	.05	.250
52.0-57.0	as above	7241	5.0	.29	1.450
57.0-62.5	as above	7242	5.5	.29	1.595
					13.240
62.5-67.5	as above	7243	5.0	.06	.300
67.5-73.0-	as above	7244	5.5	.03	.165
73.0-76.0	as above	7245	3.0	.08	.240

Logged by J.D.B.Hole No. U-C1027

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1029
BEARING S60E
DIP AT COLLAR -6
LENGTH 27.0

12347.60
LAT 7027.92
DEP. 5831.5
ELEV.

DATE COMPLETED _____
PURPOSE R-215 Stope Dev.

SHAFT 11
LEVEL 100
WORKING R-215 Sub Dr.
SECTION 375 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-27.0	gry ser sch w minor mottled qutzz-carb; ore type 25.0-27.0; broke into floor of Stope 27.0				

Logged by J.D.B.

Hole No. U/B1029

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS oz./TON																					
76.0-82.5	gry ser sch w minor qutz & min	7246	6.5	.02	<u>.130</u>																				
82.5-87.0	40% qutz & mosaic carb; py gry min & sp	7247	4.5	.56	2.520																				
87.0-94.5	qutz lenses in ser sch incl 12" ore type	7248	7.5	.39	<u>2.925</u> <u>5.445</u>																				
					19.520																				
	<table><tr><td></td><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td></tr><tr><td></td><td>22.0</td><td>62.5</td><td>40.5</td><td>.32</td></tr><tr><td></td><td>82.5</td><td>94.5</td><td>12.0</td><td>.45</td></tr><tr><td>ait</td><td>22.0</td><td>94.5</td><td>72.5</td><td>.27</td></tr></table>		<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>		22.0	62.5	40.5	.32		82.5	94.5	12.0	.45	ait	22.0	94.5	72.5	.27				
	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>																					
	22.0	62.5	40.5	.32																					
	82.5	94.5	12.0	.45																					
ait	22.0	94.5	72.5	.27																					

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1026

BEARING West

DIP AT COLLAR Hor.

LENGTH 91.0

LAT. 10359.96

DEP. 6723.43

ELEV. 5247.5

DATE COMPLETED _____

PURPOSE Develop.

SHAFT 111

LEVEL 750

WORKING C-701W

SECTION 1500S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-6.0	30% qtz-carb; minor min	7229	5.0	.02	
6.0-63.0	dk gry mottled ser sch; trs min	7230	2.5	.44	
		7231	2.5	.04	
63.0-69.0	40% qtz-carb; sparing py, aspy; minor sp	7232	5/6.0	.19	1.140
69.0-75.5	30% qtz-carb; py, minor aspy	7233	6.5	.20	1.300
75.5-80.0	40% porcel qtz-carb; sparing min	7234	4.5	.22	.990
					3.430
80.0-91.0	dk gry mottled ser sch				

Logged by J.D.B.

Hole No. U-C1026

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1025
BEARING N30W
DIP AT COLLAR Hor.
LENGTH 94.0

LAT. 10367.44
DEP. 6727.33
ELEV. 5247.5

DATE COMPLETED _____
PURPOSE Develop.

SHAFT 111
LEVEL 750
WORKING C-701W
SECTION 1500S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	cs				
2.0-21.0	dk gry & mottled ser sch w chty tx sect				
21.0-24.0	50% qutzz-carb; py, minor aspy; tr sp	7222	3.0	.01	
24.0-53.0	dk gry mottled ser sch; minor qutzz-carb; buff after 39.0; trs 49.0-53.0	7223	4.0	.01	
53.0-59.0	qutzz-carb in buff silic ser sch; py	7224	6.0	.24	1.440
59.0-64.0	as above	7225	5.0	.17	.850
64.0-69.0	20% qutzz-carb in gry-buff silic ser sch; py, minor aspy	7226	5.0	.23	1.150
69.0-71.5	as above	7227	2.5	.03	.075
71.0-76.5	60% qutzz-carb; py; sparing acic aspy	7228	5.0	.31	1.550
76.5-81.0	buff banded ser sch (tuffac?)				5.065
81.0-94.0	gny-buff ser sch; minor qutzz-carb				
	<div>From To C.L. Grade</div> <div>53.0 76.5 23.5 .21</div>				

Logged by J.D.B.

Hole No. U-C1025

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1024BEARING N60WDIP AT COLLAR Hor.LENGTH 480.0LAT. 12055.61DEP. 6834.99ELEV. 5902

DATE COMPLETED _____

PURPOSE Expl.SHAFT IILEVEL 100WORKING StationSECTION 25N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 2.0	cs.				
2.0 - 7.0	20% qtz; py, minor aspy	9211	5.0	.03	
7.0 - 14.0	as above w increas min	9212	7.0	.05	
14.0 - 17.0	as above	9213	3.0	.08	
17.0 - 36.0	grn-gry ser sch w local min sect.				
36.0 - 43.0	20% qtz-carb; minor min	9214	7.0	.05	
43.0 - 50.5	30% & as above, aspy	9215	7.5	.10	
50.5 - 55.5	grn chl-ser sch				
55.5 - 61.0	30% qtz-carb; minor min	9126	5.5	.07	
61.0 - 67.0	60% white & porcel qtz; sparing min	9127	6.0	.05	
67.0 - 72.0	40% porcel qtz-carb; py	9128	5.0	.04	
72.0 - 77.0	20% & as above	9129	3.5/5.0	.01	
77.0 - 111.5	grn comp ser sch w chty sect after 95.0 t.s. min sect 112.5-117.0	9220	4.5	.11	

Logged by JDBHole No. U-B1024

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON																					
141.5 - 148.0	40% qutz-carb, sparing min	9221	6.5	.11	.715																				
148.0 - 156.0	qutz sections in ser sch, minor min	9222	4/8.0	.13	1,040																				
156.0 - 160.0	80% qutz-carb, py, aspy	9223	4.0	.19	.760																				
160.0 - 254.0	dk gry chl-ser sch w minor sect qutz t.s. 204.5-209.0	9224	4.5	.22	2.515																				
	comp & merg w grs sch after 229.0;																								
	<table> <tr> <th>From</th><th>To</th><th>C.L.</th><th>Grade</th></tr> <tr> <td>36.0</td><td>50.5</td><td>14.5</td><td>.08</td></tr> <tr> <td>112.5</td><td>117.0</td><td>4.5</td><td>.11</td></tr> <tr> <td>141.5</td><td>160.0</td><td>18.5</td><td>.13</td></tr> <tr> <td>204.5</td><td>209.0</td><td>4.5</td><td>.22</td></tr> </table>	From	To	C.L.	Grade	36.0	50.5	14.5	.08	112.5	117.0	4.5	.11	141.5	160.0	18.5	.13	204.5	209.0	4.5	.22				
From	To	C.L.	Grade																						
36.0	50.5	14.5	.08																						
112.5	117.0	4.5	.11																						
141.5	160.0	18.5	.13																						
204.5	209.0	4.5	.22																						
254.0 - 299.5	f.g. to m.g. grn grs sch w local snfl alt & gran sect.																								
299.5 - 301.5	40% qutz-carb., minor min.	9229	2.0	.11																					
301.5 - 339.5	grn grs sch w sly sericitized sect., t.s. 50% qutz w aspy 308.0-311.0	9230	3.0	.04																					
339.5 - 349.5	f.g. grn chl'c sch, banded, <u>tuffac.</u>																								
349.5 - 400.0	f.g. gry porphyritic sch alt w sect of above, qutz phenox up to 1/4" diam; square feld phenox x-c,																								
400.0 - 417.0	gry chl-ser sch, dragf, small qutz-carb lenses,																								
417.0 - 480.0	dk gry-grn chl'c sch, small dragf qutz-carb lenses, (<u>tuffac.</u>)																								
	<u>Rods Frozen</u>																								

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1023

SHAFT 111

BEARING N60W

LAT. 10332.7

DATE COMPLETED _____

LEVEL 575

DIP AT COLLAR -50

DEP. 6755.5

PURPOSE Develop.

WORKING D-501W

LENGTH 1890

ELEV. 5419.5

SECTION 1500S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-310	cs				
3.0-101.0	m.g. dk grn grs sch w local snfl ait chl sch 74.0-90.0				
101.0-115.0	m.g. grn gran chl sch				
115.0-121.5	f.g. gry-buff banded chl-ser sch (tuffac?)				
121.5-133.5	f.g. dense gry ser sch				
133.5-148.0	dk gry chl-ser sch				
148.0-154.0	gry-buff ser sch w qutzz-carb lenses				
154.0-159.0	qutzz lenses in banded ser sch; minor min	7218	5.0	.07	
159.0-166.0	qutzz lenses in silic ser sch; py, minor aspy	7219	7.0	.25	1.750
166.0-171.0	20% qutzz; speck gry min & sp	7220	5.0	.16	.800 2.550
171.0-189.0	dk gry-buff ser sch merg w chl-ser sch by 189.0, trs banded min sect 177.0-179.5	7721	2.5	.13	

From 159.0 To 171.0 C.L. 12.0 Grade .21

Dip Tests

Depth 150 Read. 47 Corecct. 42½

Logged by J.D.B.

Hole No. U-C1023

Ref / 5 E

N.M.P.-F3742-3

G-11

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B1022SHAFT 2BEARING -LAT. 12045.3

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR -90DEP. 6852.5PURPOSE Develop.WORKING StationLENGTH 58.0ELEV. 5897SECTION 25 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	cs				
2.0-7.0	30% qtz lenses; py, minor aspy	9201	5.0	.23	1.150
7.0--13.0	as above	9202	6.0	.07	.420
13.0-17.0	70% qtz w bx carb; py	9203	4.0	.05	.200
17.0-24.0	90% qtz; sparing min; fine v.g. over 18"	9204	7.0	.10	.700
24.0-30.0	as above; ex v.g.	9205	6.0	.17	1.020
30.0-37.0	90% qtz w increasing amounts of barren type	9206	7.0	.04	.280
37.0-44.0	70% with 3' bull wte qtz	9207	7.0-	.04	.280
44.0-47.5	as above merg into silic sch with v.g. in the wte qtz over 18"	9208	3.5	(.33 (.57	1.575 5.625
47.5-58.0	dense dk gry chl-ser sch mottled w qtz-carb to 52.5			.0	
	<div>From</div> <div>2.0</div> <div>To</div> <div>47.5</div> <div>C.L.</div> <div>45.5</div> <div>Grade</div> <div>.12</div>				

Logged by J.D.B.Hole No. U-B1022

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U - B1021SHAFT 2BEARING -LAT. 11954

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR 4 90DEP. 6962.5PURPOSE Develop.WORKING 8-1155LENGTH 46.0ELEV. 5907.5SECTION 0

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-6.0	80% qutz-carb; py, aspy	9396	4/5.0	.65	3.250
6.0-12.0	as above	9397	6.0	.13	.780
12.0-16.5	70% & as above	9398	3.5/4.5	.07	.315
16.5-20.0	60% & as above	9399	3.5	.06	<u>.210</u>
					4.555
20.0-46.0	grn chl-ser sch merg w grs sch				

Logged by J.D.B.Hole No. U-B1021

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1020

BEARING N60W

DIP AT COLLAR -30

LENGTH 175.0

LAT. 10332.7

DEP. 6755.5

ELEV. 5421.5

DATE COMPLETED _____

PURPOSE A.S.D. Zone Def.

SHAFT 3

LEVEL 575

WORKING E-501W

SECTION 1500S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	cs.				
2.0-84.0	m.g. chl grs sch; calc; chl sch 38.5-43.0				
84.0-94.0	f.g.-m.g. grn chl sch				
94.0-102.0	f.g. banded & mottled chl-ser sch; (Tuffac.)				
102.0-115.0	f.g. grn-gry chl -ser sch				
115.0-118.0	20% qutz-carb lenses; minor min	7215	3.0	.26	.780
118.0-123.0	30% poreel qutz-carb; py, aspy, tr gry min & sp	7216	5.0	.12	.600
123.0-128.0	as above	7217	5.0	.09	<u>.450</u> 1.830
128.0-141.5	dense buff-gry ser sch				
141.5-144.5	as above; w waxy tx (tuffac.)				
144.5-155.0	dense buff-gry chl-ser sch				
155.0-175.0	f.g. dense grn chl grs sch				
			</		

Logged by J.D.B.

Hole No. U-C1020

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U - B1019

BEARING -

DIP AT COLLAR - 90

LENGTH 26.0

LAT. 11954

DEP. 6962.5

ELEV. 5899

DATE COMPLETED _____

PURPOSE Develop.

SHAFT 2

LEVEL 100

WORKING B - 1153

SECTION 0

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	cs				
2.0-7.5	20% qtz; minor min	9393	5.5	.09	
7.5-21.0	gry ser sch; tis min sect 17.5-21.0	9394	3.5	.22	
21.0-26.0	dk gry chl-ser sch				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	17.5 21.0 3.5 .22				

Logged by J.D.B

Hole No. U-B1019

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1018
BEARING N 60 W
DIP AT COLLAR + 30
LENGTH 120.0

LAT. 10332.7
DEP. 6755.5
ELEV. 5425.5

DATE COMPLETED _____
PURPOSE A.S.D. Zone Det.

SHAFT 3
LEVEL 575
WORKING C-501 W
SECTION 1500 S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS																			
				OZ./TON	OZ./TON																		
0-62.0	f.g. grn-gry chl sch w sect merg w grs sch; grs sch 3,0-12.0; qutzz-carb lenses; merg w chl-ser sch by 62.0																						
62.0-88.5	dense gry-grn chl-ser sch																						
88.5-93.0	qutzz lenses in ser sch; minor min	7213	4.5	.07																			
93.0-98.0	30% qutzz-carb; py, minor aspy	7214	5.0	.20																			
98.0-104.5	gry-buff ser sch; waxy 102.0-104.5 (tuffac.)																						
104.5-120.0	dense gry chl-ser sch merg w grs sch																						
<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td><td colspan="2"></td></tr><tr><td>93.0</td><td>98.0</td><td>5.0</td><td>.20</td><td colspan="2"></td></tr></table>						<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>			93.0	98.0	5.0	.20								
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>																				
93.0	98.0	5.0	.20																				
<table><tr><td colspan="6"><u>Dip Test</u></td></tr><tr><td><u>Depth</u></td><td><u>Read.</u></td><td><u>Correct.</u></td><td colspan="3"></td></tr><tr><td>120</td><td>26</td><td>22.12</td><td colspan="3"></td></tr></table>						<u>Dip Test</u>						<u>Depth</u>	<u>Read.</u>	<u>Correct.</u>				120	26	22.12			
<u>Dip Test</u>																							
<u>Depth</u>	<u>Read.</u>	<u>Correct.</u>																					
120	26	22.12																					

Logged by J.D.B.

Hole No. U-C1018

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
120.0-134.5	f.g. dk grn grs sch; calc				
134.5-189.0	f.g. grn grs; ep strs; small black triang fl (dissem mt); magnetic; possible p.l.				
189.0-201.5	f.g - m.g. gran grs sch				
201.5-22.0	f.g.-m.f. fran grs sch; gry w chl'c selv.				
222.0-247.0	grey gran chl'c grs sch or chl sch				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1017BEARING N 60 WDIP AT COLLAR Hor.LENGTH 128.0LAT. 11957.68DEP. 6956.30ELEV. 5903.5

DATE COMPLETED _____

PURPOSE Develop.SHAFT 2LEVEL 100WORKING B-1153SECTION 0

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-6.0	40% qutzz-carb; py, minor aspy	9374	6.0	.06	.360
6.0-11.0	30% & as above	9375	5.0	.24	1.200
11.0-15.0	20% & as above	9376	4.0	.08	<u>.320</u> 1.880
15.0-47.5	gry chl-ser sch w qutzz-carb lenses				
47.5-57.5	30% qutzz-carb; minor min	9377	6.5/10.0	.01	
57.5-59.5	20% & as above	9379	2.0	.02	
59.5-75.5	gny chl-ser sch				
75.5-80.5	qutzz lenses in ser sch; py, minor aspy	9380	5.0	.12	.600
80.5-84.5	as above; silic	9381	4.0	.52	2.080
84.5-91.0	30% qutzz in silic ser sch; py, aspy	9382	6.5	.30	1.950
91.0-96.0	80% wte qutzz w dk fl., v.g.	9383	5.0	(1.12, (1.64)	6.900
96.0-102.5	80% wte qutzz; sparing min.	9384	2.5/6.5	.24	1.560
102.4-108.0	60% & as above; red hem fault zone	9385	5.5	.33	1.815
108.0-112.0	40% qutzz in red hem fault zone	9386	3/4.0	.395	1.560

Logged by J.D.B.Hole No. U-B1017

76

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
112.0-120.0	70% qutz-carb; sparing min	9391	6/8.0	.16	1.280
120.0-128.0	50% & as above	9392	5.5/8.0	.19	<u>1.520</u>
					19.256

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1016BEARING S 60 EDIP AT COLLAR Hor.LENGTH 57.0LAT. 11950.50DEP. 6968.73ELEV. 5903.5

CORE RECORD

DATE COMPLETED _____

PURPOSE Develop.SHAFT 2LEVEL 100WORKING B-115SSECTION 0

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-3.5	40% qtz; py, aspy; tr gry min; speck v.g.	9370	3.5	.06	.210
3.5-8.5	as above; increas carb	9371	5.0	.17	.850
8.5-16.0	20% qtz in silic ser sch; py, minor aspy	9372	7.5	.10	.750
					<u>1.810</u>
16.0-36.0	grn-gry chl-ser sch w local qtz-carb				
36.0-42.0	30% qtz; py, minor aspy	9373	6.0	.06	
42.0-57.0	gry-grn chl-ser sch w barren qtz-carb				
	<div> <div>FROM</div> <div>0</div> </div> <div> <div>TO</div> <div>16.0</div> </div> <div> <div>G.L.</div> <div>16.0</div> </div> <div> <div>GRADE</div> <div>.11</div> </div>				

Logged by J.D.B.Hole No. U-B1016

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1015
BEARING N 60 W
DIP AT COLLAR Hor.
LENGTH 276.0

LAT. 10332.7
DEP. 6755.5
ELEV. 5423.5
DATE COMPLETED _____
PURPOSE A.S.D. Zone def.

SHAFT 3
LEVEL 575
WORKING C-501W
SECTION 1500S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-23.5	f.g. chl sch or chl grs sch; qutzz-carb lenses snfl.				
23.5-73.5	f.g.dk grn chl grs sch or chl sch				
73.5-92.0	f.g. dense grn-gry chl sch; merg w chl-ser., qutzz-carb lenses				
92.0-96.0	f.g. dk waxy mottled chl-ser sch(tuffac)				
96.0-104.0	mostly wte bull qutzz				
104.0-178.0	gry chl-ser sch w qutzz-carb lenses, streaked & mottled w carb, locally banded, dense, mottled & merg w grs sch				
178.0-203.0	buff, comp ser sch; trs qutzz-carb 186.5-187.5	7209	1.0	.04	
203.0-266.0	dense gry chl-ser sch; trs, qutzz & py 222.0-223.0	7210	1.0	.13	
266.0-276.0	grn f.g. dense grs sch				
	<div>From to C.L. Grade</div> <div>222.0 223.0 1.0 .13</div>				

Logged by J.DB.

Hole No. U-C1015

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1013SHAFT 2BEARING --LAT. 11968

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR -90DEP. 6989PURPOSE Develop.WORKING B-115NLENGTH 41.0ELEV. 5899SECTION 25N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	cs.				
2.0-9.0	30% qtz-carb; py, aspy, minor sp & gry min	9368	7.0	.40	2.800
9.0-12.5	as above; speck v.g.	9369	3.5	1.93	<u>6.755</u>
					9.555
12.5-19.5	gry ser sch				
19.5-41.0	grn chl-ser sch merg w grs sch				
	<u>FROM</u> <u>TO</u> <u>C.L.</u> <u>GRADE</u>				
	2.0 12.5 10.5 .91				

Logged by J.D.B.Hole No. U/B1013

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1012
BEARING -
DIP AT COLLAR + 90
LENGTH 65.0

LAT. 119° 68'
DEP. 6989
ELEV. 5908

DATE COMPLETED _____
PURPOSE Devel.

SHAFT 2
LEVEL 100
WORKING B-115 S
SECTION 25 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-4.0	30% qutz; py, aspy	9362	4.0	.13	.520
4.0-10.0	30% qutz-carb in yellow silic ser sch	9363	6.0	.22	<u>1.320</u> <u>1.840</u>
10.0-17.0	as above	9364	7.0	.03	
17.0-25.0	20% qutz-carb., minor min	9365	8.0	.03	
25.0-46.0	gry ser sch w qutz-carb				
46.0-48.0	gry chl-ser sch				
48.0-53.0	silic ser sch w 12" ore type	9366	5.0	.12	
53.0-56.0	60% qutz-carb., py, minor aspy	9367	3.0	.21	
56.0-60.0	grn chl-ser sch				
60.0-65.0	as above merg into grs sch				
	<div>FROM TO C.L. GRADE</div> <div>0 10.0 10.0 .18</div> <div>53.0 56.0 3.0 .21</div>				

Logged by J.D.B.

Hole No. U-B1012

SHAFT 3

CORE RECORD

LEVEL 4th.

WORKING C-501W

SECTION 1500N

[illegible]

Logged by J.D.B.

Hole No. U-C1011

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1010BEARING N60WDIP AT COLLAR Hor.LENGTH 130.0LAT. 11970.73DEP. 6983.83ELEV. 5903.5

DATE COMPLETED _____

PURPOSE Developm³SHAFT 2LEVEL 100WORKING B-115SSECTION 25N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-7.5	50% gutz-carb., aspy, tr v.g.	9144	<u>6.5</u> 7.5	(.77 (.85	6.075
7.5-14.0	80% gutz w retic carb & black fl., sparing aspy & gry min	9145	6.5	.08	.520
14.0-19.0	As above	9146	5.0	.43	2.150
19.0-24.0	60% and as above; Well min waspy, v.g.	9147	5.0	(.33 (.34	1.650
24.0-29.0	as above	9148	5.0	.29	1.450
29.0-33.0	50% and as above	9149	4.0	.10	.400
33.0-39.0	20% gutz-carb; py, minor aspy	9150	6.0	.14	<u>.840</u> 13.085
39.0-43.0	grn-gry chl-ser sch				
43.0-57.5	gry ser sch				
57.5-76.0	dk gry chl-ser sch				
76.0-81.0	20% gutz in wte porcel ser sch; minor min	9351	5.0	.06	
81.0-86.0	as above	9352	5.0	.02	

Logged by J.D.B.Hole No. U-B1010

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B1009

BEARING S60E

DIP AT COLLAR Hor.

LENGTH 55.0

LAT. 11965.06

DEP. 6993.76

ELEV. 5903.5

DATE COMPLETED _____

PURPOSE Develop.

SHAFT 2

LEVEL 100

WORKING B-1155

SECTION 25N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-7.5	70% gutz w retic carb., sparing aspy, gry min; fine v.g. (?)	9140	7.5	(2.45 2.68)	19.200
7.5-13.0	50% & as above	9141	5.5	.37	<u>2.035</u> 21.235
13.0-24.5	grn-gry cnl-ser sch				
24.5-30.5	40% gutz w retic carb., py, aspy; local gry min-	9142	6.0	.77	
30.5-36.5	gutz lenses in ser sch., miner py, aspy	9143	6.0	.04	
36.5-48.0	grn-gry cnl-ser sch				
48.0-55.0	as above merg into grs sch				
	<div> <div>FROM</div> <div>o</div> <div>24.5</div> </div> <div> <div>TO</div> <div>13.0</div> <div>30.5</div> </div> <div> <div>C.L.</div> <div>13.0</div> <div>6.0</div> </div> <div> <div>GRADE</div> <div>1.63</div> <div>.77</div> </div>				513

Logged by J.D.B.

Hole No. U-B1009

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1008

SHAFT II

BEARING -

LAT. 12261.49

DATE COMPLETED _____

LEVEL 425

DIP AT COLLAR -90

DEP. 7490.87

PURPOSE Mining

WORKING B-306 St.

LENGTH 22.0

ELEV. 5667.55

SECTION 531N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 1.0	Cs.				
1.0 - 10.0	20% qtz; local min; aspy	9138	9.0	.31	
10.0 - 15.0	qtz lenses in ser sch; minor min	9139	3/5.0	.03	
15.0 - 22.0	gry ser sch				
	<div><div><div><div><u>From</u></div><div>1.0</div></div><div><div><u>To</u></div><div>10.0</div></div><div><div><u>C.L.</u></div><div>9.0</div></div><div><div><u>Grade</u></div><div>.31</div></div></div></div>				

Logged by JDR

Hole No. U-B1008

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-E1006

SHAFT II

BEARING R62°-41W

LAT. 12231.59

DATE COMPLETED _____

LEVEL 425

DIP AT COLLAR -29°-06'

DEP. 7501.90

PURPOSE Mining

WORKING B-306 St.

LENGTH 24.0

ELEV. 5675.61

SECTION 519.5N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 5.5	20% qutz; local min	9133	5.5	.02	
5.5 - 12.5	60% qutz carb; aspy	9134	6.5/7.0	.29	2.030
12.5 - 19.0	As above, tr gry min	9135	5/6.5	.91	5.915
19.0 - 20.5	20% qutz; minor min	9136	1.5	.03	7.945
20.5 - 24.0	buff ser sch				
	<div><div><u>From</u></div><div>5.5</div></div>	<div><div><u>To</u></div><div>19.0</div></div>	<div><div><u>C.L.</u></div><div>13.5</div></div>	<div><div><u>Grade</u></div><div>.59</div></div>	

Logged by JDB

Hole No. U-E1006

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1005BEARING N63°-49'WDIP AT COLLAR 429°-39'LENGTH 30.0LAT. 12241.52DEP. 7502.01ELEV. 5679.22

DATE COMPLETED _____

PURPOSE MiningSHAFT IILEVEL 425WORKING B-306 St.SECTION 519.5 N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 6.5	20% qtz lenses; py, aspy	9131	6.5	.02	
6.5 - 9.0	buff ser sch., minor qtz & min	9132	2.5	.01	
9.0 - 30.0	gry & buff ser sch; tan lent alt fl.				

Logged by JDBHole No. U-B1005

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1004

BEARING N63-03W

DIP AT COLLAR Hor.

LENGTH 29.0

LAT. 12241.63

DEP. 7501.87

ELEV. 5677.50

DATE COMPLETED _____

PURPOSE Mining

SHAFT II

LEVEL 425

WORKING B-306 St.

SECTION 519.5 N.

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0. - 4.0	qutz lenses in ser sch., miner min.	9127	4.0	.02	
4.0 - 9.5	30% qutz-Carb., local aspy	9128	5.5	.19	
9.5 - 14.5	qutz lenses in ser sch., local min.	9129	5.0	.02	
14.5 - 22.0	as above	9130	5.0/7.5	.15	
22.0 - 29.0	gry-buff ser sch				
	<div><div><u>From</u></div><div>4.0</div></div>	<div><div><u>To</u></div><div>9.5</div></div>	<div><div><u>C.L.</u></div><div>5.5</div></div>	<div><div><u>Grade</u></div><div>.19</div></div>	

Logged by J.D.B.

Hole No. U-B1004

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1003

SHAFT II

BEARING N60W

LAT. 12893.33

DATE COMPLETED _____

LEVEL 425

DIP AT COLLAR 45

DEP. 7335.07 *500W*

PURPOSE Stope Dev.

WORKING B-310 Stope

LENGTH 29.0

ELEV. 5668.50

SECTION 1000N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS									
				OZ./TON	OZ./TON								
0 - 29.0	<p>gry & buff ser sch; t.s. gry min & sp 17.0 - 18.5 no other min</p> <table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td></tr><tr><td>17.0</td><td>18.5</td><td>1.5</td><td>.46</td></tr></table>	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	17.0	18.5	1.5	.46	9126	1.5	.46	
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>										
17.0	18.5	1.5	.46										

Logged by JDB

Hole No. U-B1003

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1002

SHAFT II

BEARING N60W

LAT. 12892.95

DATE COMPLETED _____

LEVEL 425

DIP AT COLLAR Hor.

DEP. 7335.38

PURPOSE Stope Dev.

WORKING B-310 St.

LENGTH 30.0

ELEV. 5663.76

SECTION 1000N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
0 - 30.0	gry ser sch; 12" blue qtz & qtz bx 13.5-14.5	9125	.57		
	<div><div><div><div><u>From</u></div><div>13.5</div></div><div><div><u>To</u></div><div>14.5</div></div><div><div><u>C.L.</u></div><div>1.0</div></div><div><div><u>Grade</u></div><div>.57</div></div></div></div>				

Logged by JDB

Hole No. U-B1002

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-31001SHAFT IIBEARING S60ELAT. 12049.1

DATE COMPLETED _____

LEVEL 425DIP AT COLLAR 430DEP. 7309.6 501WPURPOSE Stope Dev.WORKING B-310 lse.LENGTH 69.0ELEV. 5708.2SECTION 950N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 8.0	buff ser sch				
8.0 - 12.5	qutzz-carb in buff ser sch, local gry min & sp	9119	4.5	.39	1.755
12.5 - 17.0	As above w minor min	9120	4.5	.14	.630
17.0 - 22.0	90% dk gry qutzz; sparing gry min & sp	9121	5.0	2.27	11.350
22.0 - 29.0	95% black qutzz py, aspy, sp, gry min	9122	7.0	(.87)1.05 (1.22)	7.350
29.0 - 34.5	50% & as above	9123	5.5	1.58	8.690
34.5 - 69.0	gry-buff ser sch; 7' ground		26.5		29.775
	t.s. 54.0 - 57.0	9124	3.0	.02	
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	8.0 34.5 26.5 1.12				

Logged by JJBHole No. U-31001

GIANT YELLOWKNIFE GOLD MINES LIMITED CORE RECORD

HOLE No. U-B1000

SHAFT II

BEARING S60E

LAT. 12848.9

DATE COMPLETED _____

LEVEL 425

DIP AT COLLAR Hor.

DEP. 7310.2 500 ft

PURPOSE Stope Dev.

WORKING B-310 Rse.

LENGTH 37.0

ELEV. 5706.0

SECTION 950N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 9.0	gry ser sch				
9.0 - 12.5	30% qtz-carb, py, aspy	9115	3.5	4.02	14.070
12.5 - 17.0	qtz lenses in ser sch, local min	9116	<u>4.5</u>	.21	<u>.945</u>
17.0 - 23.5	buff ser sch		8.0		15.015
21.0 - 23.5	40% qtz-carb, aspy	9117	2.5	.75	1.875
23.5 - 28.5	qtz-carb inser sch; local min	9118	5.0	.06	
28.5 - 37.0	buff ser sch				
	<div> <div>From</div> <div>To</div> <div>U.L.</div> <div>Grade</div> </div>				
	<div>9.0</div> <div>17.0</div> <div>8.0</div> <div>1.88</div>				
	<div>21.0</div> <div>23.5</div> <div>2.5</div> <div>.75</div>				
	<div>9.0</div> <div>23.5</div> <div>14.5</div> <div>1.16</div>				

Logged by JDB

Hole No. U-B1000

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-8999SHAFT IIBEARING N60WLAT. 12,858.9

DATE COMPLETED _____

LEVEL 425DIP AT COLLAR Hor.DEP. 7,292.4 5200WPURPOSE Stope Dev.WORKING B-310 Bse.LENGTH 24.0ELEV. 5705.5SECTION 950N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS													
				OZ./TON	OZ./TON												
0 - 2.0	30% dk gry qutz; minor min	9113	2.0	.12													
2.0 - 9.0	gry ser sch																
9.0 - 12.5	50% dk qutz; sparing min	9114	3.5	.67													
12.5 - 24.0	buff ser sch																
	<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td></tr><tr><td>0</td><td>2.0</td><td>2.0</td><td>.12</td></tr><tr><td>9.0</td><td>12.5</td><td>3.5</td><td>.67</td></tr></table>	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	0	2.0	2.0	.12	9.0	12.5	3.5	.67				
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>														
0	2.0	2.0	.12														
9.0	12.5	3.5	.67														

Logged by JDRHole No. U-8999

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B997

SHAFT II

BEARING -

LAT. 11966.73

DATE COMPLETED _____

LEVEL 100

DIP AT COLLAR 490

DEP. 7385.57

PURPOSE Surface Pillar Def.

WORKING B-208 Stope

LENGTH 38.0

ELEV. 5919.87

SECTION 225N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 1.0	Cs.				
1.0 - 4.0	20% qutzz-carb, minor min	9098	3.0	.04	
4.0 - 9.0	As above	9099	5.0	.07	
9.0 - 16.0	50% qutzz-carb well min w. aspy	9100	7.0	.45	3.150
16.0 - 21.0	30% & as above	9101	5.0	.36	1.800
21.0 - 26.0	50% qutzz; good quality arsenical ore	9102	5.0	.58	2.900
26.0 - 31.0	30% qutzz-carb; aspy	9103	5.0	.16	.800
31.0 - 37.0	As above	9104	6.0	.26	1.560
37.0 - 38.0	boulders & gravel				10.210
	<div>From To C.L. Grade</div>				
	<div>9.0 37.0 28.0 .36</div>				

Logged by JDB

Hole No. U-B997

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B996SHAFT IIBEARING -LAT. 11944.75

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR 490DEP. 7414.50PURPOSE Surf. PillarWORKING B-208 St.LENGTH 45.0ELEV. 5919.67

Def. _____

SECTION 225N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 1.0	Cs.	9097	3.0	.14	
1.0 - 4.0	50% qtz-carb; py aspy				
4.0 - 45.0	gry ser sch, 50% barren qtz-carb 36.0 - 45.0; overburden 44.5				
	Hole Drilled Near E. Wall of Stope				

Logged by JDBHole No. U-B996

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-8995 - Not Plotted on Section

CORE RECORD

SHAFT IIBEARING N 82°-04' -50", E LAT. 13046.24

DATE COMPLETED _____

LEVEL 250DIP AT COLLAR 426°-30' DEP. 7379.41PURPOSE MiningWORKING B-208 St.LENGTH 68.0' ELEV. 5910.42SECTION 300M-Sect 4 10.5'S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 7.0	40% outz-carb; hungry min	9090	7.0	.32	2.240
7.0 - 14.0	50% & as above	9091	7.0	.09	.630
14.0 - 21.0	As above	9092	7.0	.14	.980

Logged by JDBHole No. U-8995

[illegible]

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B994SHAFT IIBEARING S71 $\frac{1}{2}$ ELAT. 11708.56

DATE COMPLETED _____

LEVEL 250DIP AT COLLAR 430DEP. 7300.52PURPOSE Dust DisposalWORKING B-210SLENGTH 180.0ELEV. 5758.5SECTION 25S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 115.5	grn grs sch w qutzz-carb strs & lenses, core broken & fractured 0 - 11.0, 19.0 - 20.5, 31.0 - 34.0, and at 37.0; local snfl after 25.0, f.g. chl sch 61.0 - 73.0; fault slip 84.0; and 85.0 w $\frac{1}{4}$ " gouge, chl sch 85.0 - 99.5 w sect chl-ser & fract core, gry-grn chl ^c grs sch after 99.5.				
115.5 - 180.0	f.g. sch grs; calc strs; ep threads, amyg, oval variol after 156.0; good ground.				
	<u>Dip Test</u>				
	<u>Depth</u> <u>Reading</u> <u>Corrected</u>				
	1.80 25 21 $\frac{1}{2}$				

Logged by JDBHole No. U-B994

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B 992

SHAFT II

BEARING N 61°30'W

LAT. 12023.57

DATE COMPLETED _____

LEVEL 250

DIP AT COLLAR Hor.

DEP. 7388.52

PURPOSE Mining

WORKING B-208 St.

LENGTH 38.0

ELEV. 5919.19

SECTION 275N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS													
				OZ./TON	OZ./TON												
0 - 4.0	20% qtz; py, aspy, Fault zone 3.0 - 4.0	9082	4.0	.49													
4.0 - 28.5	qtz-carb strs & lenses; neg min																
28.5 - 32.0	50% qtz incl high-grade ore type w fine v.g.	9083	3.5	(2.91 (2.24													
32.0 - 38.0	gry ser sch			5.15 25													
	<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td></tr><tr><td>0</td><td>4.0</td><td>4.0</td><td>.49</td></tr><tr><td>28.5</td><td>32.0</td><td>3.5</td><td>2.57</td></tr></table>	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	0	4.0	4.0	.49	28.5	32.0	3.5	2.57				
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>														
0	4.0	4.0	.49														
28.5	32.0	3.5	2.57														

Logged by JDB

Hole No. U-B992

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B991

BEARING S87°E

DIP AT COLLAR 45

LENGTH 216.0

LAT. 11647.46

DEP. 7279.55

ELEV. 5760

DATE COMPLETED _____

PURPOSE Dust Disposal

SHAFT II

LEVEL 25⁰

WORKING B-210S

SECTION 100S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 74.0	f.g. tom. g. sch grs; ep & calc strcs; becom mass after 42.5; typ ep m.g. grs	9084			
74.0 - 128.5	m.g. grn grs sch, calc, local snfl alt, t.s. sect w 50% qutrz; chl, py 124.5 - 128.5				
128.5 - 216.0	f.g. alive sch grs; bx tx; amyg, unusual lent variot tx after 192.0; strongly sch 191.0 - 195.0				
<u>Dip Tests</u>					
	<u>Depth</u> <u>Reading</u> <u>Corrected</u>				
	150 39 35				
	216 39 35				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B990

BEARING N62° 30' W

DIP AT COLLAR 41°

LENGTH 47.0

LAT. 12023.03

DEP. 7389.33

ELEV. 5922.81

DATE COMPLETED _____

PURPOSE Surf. Pillor Def.

SHAFT II

LEVEL 100

WORKING B-208 St.

SECTION 275N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 4.0	20% qutz lenses; aspy	9075	4.0	.04	
4.0 - 9.0	30% qutz & as above	9076	5.0	.26	
9.0 - 14.0	20% & as above	9077	5.0	.01	
14.0 - 21.0	grn-gry ser sch; qutz strs; neg min	9078	7.0	.04	
21.0 - 24.5	60% qutz-carb, aspy	9079	2.5/3.5	2.92	10.220
24.5 - 30.0	20% qutz in grn ser sch, aspy	9080	5.0/5.5	1.00	<u>5.500</u>
30.0 - 47.0	gry-buff ser sch, minor local min:				15.720
	t.s. 35.0 - 38.0	9081	3.0	.44	
	overburden 47.0				

Logged by JDB

Hole No. U-B990

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B 989BEARING S71¹/₂EDIP AT COLLAR Hor.LENGTH 177.0LAT. 11647.46DEP. 7279.55ELEV. 5757

DATE COMPLETED _____

PURPOSE Dust DisposalSHAFT IILEVEL 259WORKING B-210SSECTION 100S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 14.0	m.g. grn gran sch grs w wte alt Fl & few calc strs, merg into grs sch by 14.0				
14.0 - 35.5	grs sch & as above				
35.5 - 57.0	grn chl sch merg w above, 7.5 ground; short sect broken core w prob Fault zone 55.5.				
57.0 - 91.5	m.g. grn grs sch; f.g. snfl alt, few calc strs,				
91.5 - 107.0	f.g. grn sch grs; ep sect, amyg.,				
107.0 - 132.5	As above merg into grs sch; Calc strs,				
132.5 - 177.0	F.g. grn sch grs becom mass towards 177.0; hem; ep. 60' of ice formed over night				

Logged by JDBHole No. U-B989

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B988

SHAFT II

BEARING -

LAT. 12021.91

DATE COMPLETED _____

LEVEL 250

DIP AT COLLAR 490

DEP. 7391.45

PURPOSE Surface Pillar

WORKING B-208 St.

LENGTH 35.0

ELEV. 5923.48

Def.

SECTION 275N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 1.0	Cs.				
1.0 - 6.0	50% qutzz-carb, sparing min	9070	5.0	.08	.400
6.0 - 11.0	As above	9071	5.0	.13	.650
11.0 - 13.5	80% & as above, v.g.	9072	2.5	(2.02	5.000
13.5 - 20.0	30% qutzz; py, aspy	9073	6.5	(1.97	
20.0 - 35.0	gry-chl-ser sch, qutzz-carb strcs;			.55	<u>3.575</u>
	t.s.s. min sect. 26.5 - 30.0	9074	3.5	.20	9.625
	overburden 35.0				
	<u>from</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	0 20.0 20.0 .43				
	26.5 30.0 3.5 .20				

Logged by JDB

Hole No. U-B988

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B987

SHAFT II

BEARING 387 1/2 E

LAT. 11541

DATE COMPLETED _____

LEVEL 250

DIP AT COLLAR Hor.

DEP. 7454

PURPOSE Dust Disposal

WORKING B-230E

LENGTH 95.0

ELEV. 5757.5

SECTION 150N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 71.6	f.g. gry grn homog grs sch, amyg				
71.6 - 95.0	m.g. sch grs, ep threads; hem, amyg				

Logged by JDB

Hole No. U-B987

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B986

BEARING N 18½ E

DIP AT COLLAR Hor.

LENGTH 128.0

LAT. 11575.5

DEP. 7368

ELEV. 5757.5

DATE COMPLETED _____

PURPOSE Dust Disposal

SHAFT II

LEVEL 250

WORKING B-230E

SECTION 150N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 30.0	f.g. - m.g. grs sch; minor carb, merg into sch grs				
30.0 - 128.0	f.g. dk grn sch grs, rel homog; resid variol tx; amyg sect, approach grs sch after 104.0				

Logged by JDE

Hole No. U-B986

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B985BEARING S18¹/₂WDIP AT COLLAR 45LENGTH 76.0LAT. 11550.56DEP. 7413.33ELEV. 5760

DATE COMPLETED _____

PURPOSE Dust DisposalSHAFT IILEVEL 250WORKING B-230ESECTION 150S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 14.0	f.g. dense grn grs; amyg				
14.0 - 25.0	as above merg into grs sch, amyg				
25.0 - 43.5	broken & fract chl sch w outz-carb, 1" fault bx 26.5 & 40.5				
43.5 - 64.0	f.g. grs sch				
64.0 - 76.0	dense finely gran grs				

Logged by JDEHole No. U-B985

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B984

SHAFT II

BEARING S18¹/₂W

LAT. 11550.56

DATE COMPLETED _____

LEVEL 250

DIP AT COLLAR Hor.

DEP. 7413.33

PURPOSE Dust Disposal

WORKING B230E

LENGTH 47.0

ELEV. 5757.5

SECTION 150S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 10.0	f.g. dense grs; amyg				
10.0 - 36.5	As above; merg into grs sch; $\frac{1}{2}$ " gouge 36.5 (Fault)				
36.5 - 47.0	Well fract chl sch w qutzz-carb strss; 2' ground.				

Logged by JDB

Hole No. U-B984

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B983SHAFT IIBEARING S18WLAT. 11558.27

DATE COMPLETED _____

LEVEL 250DIP AT COLLAR 45DEP. 7389.50PURPOSE Dust DisposalWORKING B-230ELENGTH 76.0ELEV. 5760SECTION 1500

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
0 - 10.5	m.g.-f.g. grn. grs sch				
10.5 - 16.0	grn chl sch w qutzz-carb lenses, 12" broken cored 1" Fault bx 12.5				
16.0 - 26.5	m.g. -f.g. grn grs sch				
26.5 - 36.5	grn chl sch w qutzz-carb strcs				
36.5 - 52.0	m.g. grn chl grs sch				
52.0 - 57.0	basic por dike w F.g. edges; round phenox				
57.0 - 69.0	m.g. mass grs				
69.0 - 76.0	similar to 52.0 to 57.0; could be unusual variol devel.				

Logged by JDBHole No. U-B983

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B982

BEARING S18¹/₂W

DIP AT COLLAR Hor.

LENGTH 60.0

LAT. 11558.27

DEP. 7389.50

ELEV. 5757.5

DATE COMPLETED _____

PURPOSE Dust Disposal

SHAFT II

LEVEL 250

WORKING B-230E

SECTION 150S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 60.0	m.g. f.g. chl'e grs sch; minor qutzz-carb; $\frac{1}{4}$ " fault bx 24.5, sect. chl sch 37.5 - 60.0 w pk qutzz-carb				

Logged by JDB

Hole No. U-B982

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B981SHAFT IIBEARING S18¹/₂WLAT. 11566.55

DATE COMPLETED _____

LEVEL 250DIP AT COLLAR 45DEP. 7365.91PURPOSE Dust DisposalWORKING B-230ELENGTH 77.0ELEV. 5760SECTION 150S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 26.0	grn. grs sch; qtz-carb strs, local snfl.				
26.0 - 53.5	grn chl sch w sect 20-30% barren qtz-carb, to 37.0				
53.5 - 77.0	chl grs sch, amyg.				

Logged by JDBHole No. U-B981

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B980

SHAFT II

BEARING S18¹/₂W

LAT. 11566.55

DATE COMPLETED _____

LEVEL 250

DIP AT COLLAR Hor.

DEP. 7365.21

PURPOSE Dust Disposal

WORKING B-230E

LENGTH 58.0

ELEV. 57575

SECTION 1503

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 58.0	grn grs sch w carb strs, local soft alt, barren qtz-carb strs, strongly sch w consid qtz-carb 35.0 - 45.0 & 49.5 to 56.0; class as chl sch to 58.0				

Logged by JDE

Hole No. U-B980

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B979BEARING S60EDIP AT COLLAR 465LENGTH 138.0LAT. ?? 13468.90DEP. ?? 7437.00 ~~7500E~~ 592WELEV. 5449

DATE COMPLETED _____

PURPOSE Stope Dev.SHAFT IILEVEL 575WORKING B-409NSECTION 1550N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 1.0	Cs.				
1.0 - 32.5	Alt ehty tuff & black carbonaceous sl w local qtz & sect of m ₃ ss py & po; t.s. 11.5 - 13.5	9061	2.0	.02	
32.5 - 55.5	yellow ser sch, qtz lenses, po: (tuffac.) t.s. 47.0 - 48.5	9062	1.5	.02	
55.5 - 61.0	gry fol chl-ser sch (tuffac.?)				
61.0 - 82.0	gry ser sch				
82.0 - 85.0	40% gry qtz-carb in gry ser sch; sparing min	9063	3.0	.02	
85.0 - 89.0	qtz-carb in ser sch, neg min	9064	4.0	.03	
89.0 - 96.0	gry ser sch w qtz lenses; local min	9065	7.0	.03	
96.0 - 103.0	20% qtz; py, po	9066	7.0	.21	
103.0 - 110.0	As above w decreases qtz & min	9067	7.0	.06	
110.0 - 117.0	As above	9068	7.0	.05	
117.0 - 124.0	As above	9069	7.0	.10	
124.0 - 138.0	gry-buff ser sch; few qtz strs & lenses				
	From To C.I. Grade				
	96.0 103.0 7.0 .21				

Logged by JDEHole No. U-B979

GIANT YELLOWKNIFE GOLD MINES LIMITED CORE RECORD

HOLE No. U-B978

BEARING S60E

DIP AT COLLAR 425

LENGTH 97.0

LAT. 13403.33

DEP. 7452.73

ELEV. 5442

DATE COMPLETED _____

PURPOSE Ore Def.

SHAFT II

LEVEL 575

WORKING B-407N

SECTION 1500N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 25.0	comp grn grs sch merg, into chl-ser sch by 25.0				
25.0 - 31.0	buff ser sch (tuffac.) impreg po t.s. 29.0 - 31.0	9053	2.0	.01	
31.0 - 41.0	black carbonaceous sl.,				
41.0 - 43.0	gry tuffac sch, po	9054	2.0	.05	
43.0 - 48.0	30% qtz-carb in tuffac sch, sparing min; po.	9055	5.0	.01	
48.0 - 55.0	20% qtz soaked in gry ser sch; locally Streaked w sp	9057	7.0	.58	4.060
55.0 - 60.0	As above	9058	4/5.0	.28	<u>1.400</u>
60.0 - 67.0	buff (tuffac?) ser sch; dissem po	9059	6/7.0	.09	5.460
67.0 - 81.5	gry ser sch				
81.5 - 87.0	30% dk qtz; sparing min	9060	5/5.5	.16	
87.0 - 97.0	buff ser sch (tuffac?)				
	<div>From To C.I. Grade</div> <div>48.0 60.0 12.0 .45</div>				

Logged by JDB

Hole No. U-B978

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B977BEARING S60EDIP AT COLLAR Hor.LENGTH 188.0LAT. 12144.5DEP. 7283.17ELEV. 5901

DATE COMPLETED _____

PURPOSE B-205 Stopesclean-upSHAFT IILEVEL 100WORKING B-113NSECTION 325N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 101.0	gry & buff ser sch w numerous qutzz carb str & lenses: no sig min, t.s. 24.5 - 25.5 t.s. 72.0 - 73.5	9045 9046	1.0 1.5	.16 .02	
101.0 - 106.0	qutzz lenses in ser sch; minor min	9047	5.0	.19	
106.0 - 111.0	As above	9048	5.0	.07	
111.0 - 116.0	As above	9049	5.0	.02	
116.0 - 122.0	As above; silic,	9050	6.0	.01	
122.0 - 148.0	gry ser sch w barren - type qutzz carb lenses.				
148.0 - 153.0	40% qutzz-carb, minor aspy	9051	3.5/5.0	.08	
153.0 - 160.0	As above	9052	7.0	(.50 (.37	
160.0 - 183.6	gry ser sch; increas qutzz towards 183.				
183.6 - 188.0	40% qutzz-carb; neg min	9056	4.5	.01	
	From To C.L. Grade				
	106.0 - 111.0 5.0 .19				
	153.0 - 160.0 7.0 .43				

Logged by JDBHole No. U-B977

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B976BEARING N60WDIP AT COLLAR 45LENGTH 73.0LAT. 12148.00DEP. 7276.50ELEV. 5905

DATE COMPLETED _____

PURPOSE Stope Dev.SHAFT IILEVEL 100WORKING B-113NSECTION 325N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
0 - 13.5	gry-buff ser sch w qutz-carb lenses				
13.5 - 18.5	30% qutz carb, py, aspy; local sp; tr gry min	9029	5.0	.34	1.700
18.5 - 23.0	20% qutz & as above in silic ser sch	9030	4.5	.10	.450
23.0 - 27.0	40% qutz-carb; local gry min; sp	9031	4.0	1.04	4.160
27.0 - 34.0	20% qutz-carb; minor local min	9032	7.0	.08	6.310
34.0 - 39.0	As above w decreas qutz & min	9033	5.0	.07	
39.0 - 41.0	sil ser sch	9034	2.0	.04	
41.0 - 52.5	gry ser sch				
52.5 - 59.0	30% qutz in partly silic ser sch; local sp; gry min		6.5	.09	
59.0 - 66.0	gry ser sch; minor local min	9036	7.0	.05	
66.0 - 70.0	As above	9037	4.0	.04	
70.0 - 73.0	gry ser sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>13.5</div> <div>27.0</div> <div>13.5</div> <div>.46</div> </div>				

Logged by JDBHole No. U-B976

SECTION 15CON

Hole No. U-B975

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B974SHAFT IIBEARING S60ELAT. 12144.15

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR 45DEP. 7283.17PURPOSE Stope Dev.WORKING B-113NLENGTH 92.0ELEV. 5905SECTION 325N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 86.0	buff ser sch; fault zone 14.0 - 19.0, consid qutzz-carb after 42.0, little sig min t.s. 78.0 - 83.0	9027	4/5.0	.20	
86.0 - 92.0	20% qutzz; minor aspy, py overburden 92.0	9028	6.0	.06	
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>78.0</div> <div>83.0</div> <div>5.0</div> <div>.20</div> </div>				

Logged by JDBHole No. U-B974

SHAFT II

CORE RECORD

LEVEL 100

WORKING B-113N

SECTION 325N

[illegible]

Logged by JDB

Hole No. U-B 973

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B972

SHAFT II

BEARING N60W

LAT. 12173.29

DATE COMPLETED _____

LEVEL 100

DIP AT COLLAR 45

DEP. 7283.02

PURPOSE Stope Dev.

WORKING B-113N

LENGTH 64.0

ELEV. 5905

SECTION 350N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	ASSAYS OZ./TON
0 - 13.0	grn ser sch			649 (3.53)	
13.0 - 18.0	80% high-grade ore type; v.g.	9011	4/5.0	(2.90)	11.200
18.0 - 25.0	qut z lenses in ser sch, minor min	9012	7.0	.05	.350
25.0 - 28.5	40% qut z; aspy, sp	9013	3.5	1.20	4.200
28.5 - 35.5	20% qut z-carb, local min	9014	7.0	.26	1.320
35.5 - 41.0	As above; gry min	9015	4/5.5	.14	.770
41.0 - 47.0	gry ser sch; minor qut z & min	9016	6.0	.01	18.340
47.0 - 52.0	20% qut z-carb; minor local min	9017	5.0	.04	
52.0 - 57.0	As above w decreas qut z & min	9018	5.0	.07	
57.0 - 64.0	gry ser sch				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	13.0 41.0 28.0 .65				

Logged by JDB

Hole No. U-B972

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B971

SHAFT II

BEARING -

LAT. 12171

DATE COMPLETED _____

LEVEL 100

DIP AT COLLAR 490

DEP. 7286.3

PURPOSE Stope Dev.

WORKING B-113N

LENGTH 63.0

ELEV. 5905.5

SECTION 350N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
0 - 4.0	buff ser sch, Fault 2.0				
4.0 - 7.0	20% qtz lenses; minor min	9001	3.0	.49	
7.0 - 13.5	buff ser sch				
13.5 - 17.5	20% qtz incl 6" h.g. ore type	9002	4.0	.88	3.520
17.5 - 22.5	qtz lenses in dk ser sch, py	9003	5.0	.22	1.100
22.5 - 26.5	30% qtz; sp; py	9004	4.0	.42	1.680
26.5 - 31.5	50% qtz; sp, gry min	9005	5.0	.34	1.700
31.5 - 38.5	60% & as above	9006	7.0	.46	3.220
38.5 - 45.0	50% & as above	9007	6.5	.50	3.250
45.0 - 52.0	30% qtz; aspy	9008	7.0	.19	1.330
52.0 - 59.0	20% qtz & as above w decreas min	9009	7.0	.21	1.470
59.0 - 63.0	As above	9010	2/4.0	.01	.040
63.0	Overburden				<u>17.310</u>
	<div> <div>From</div> <div>4.0</div> <div>13.5</div> </div> <div> <div>To</div> <div>7.0</div> <div>63.0</div> </div> <div> <div>C.L.</div> <div>3.0</div> <div>49.5</div> </div> <div> <div>Grade</div> <div>.49</div> <div>.35</div> </div>				

Logged by JDB

Hole No. U-B971

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B969BEARING N60WDIP AT COLLAR 45LENGTH 70.0LAT. 12198.51DEP. 7289.34ELEV. 5905

DATE COMPLETED _____

PURPOSE Stope Dev.SHAFT IILEVEL 100WORKING B-113NSECTION 375N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 2.5	buff ser sch				
2.5 - 5.0	20% qutz; retic carb, minor min	9186	2.5	1.20	3.000
5.0 - 10.0	qutz lenses in ser sch, local min	9187	5.0	.87	4.350
10.0 - 15.0	As above w increas qutz & min; contains sect resembl grn clastic sch w po				
15.0 - 21.0	60% qutz; gry min, sp	9189	6.0	(2.50 (2.68	15.540
21.0 - 26.0	30% qutz-carb; sparing min	9190	5.0	.20	1.000
26.0 - 31.0	As above	9191	5.0	.62	3.100
31.0 - 37.5	20% qutz; py, sp	9192	6.5	.34	2.210
37.5 - 44.0	grn chl-ser sch w minor qutz & mih	9193	6.5	.25	1.625
44.0 - 51.0	30% bx qutz-carb; partly silic, minor min	9197	7.0	.11	34.175 9.770
51.0 - 58.0	20% & as above; increas silic; po	9198	7.0	.07	.490
58.0 - 63.0	silic ser sch w carb, impreg w py	9199	5.0	.13	.650
63.0 - 66.5	As above	9200	3.5	.05	.175
66.5 - 70.0	grn grs sch merg w chl-ser sch				36.260

Logged by JDB

	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>
	2.5	44.0	41.5	.82
alt.	2.5	66.5	64.0	.56

Hole No. U-B969

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B968SHAFT IIBEARING S60ELAT. 12194.71

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR 45DEP. 7295.92PURPOSE Stope Dev.WORKING B-113NLENGTH 85.0ELEV. 5705SECTION 375N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 21.5	buff ser sch				
21.5 - 24.5	40% qtz; py, aspy	9177	3.0	1.30	3.900
24.5 - 28.5	qtz lenses in ser sch, minor min	9178	4.0	.04	.160
28.5 - 31.0	40% qtz; py, aspy	9179	2.5	2.90	7.250
31.0 - 35.5	qtz lenses in ser sch; minor min	9180	4.5	.08	.360
35.5 - 40.5	40% qtz; py, aspy	9181	5.0	2.02	10.100
40.5 - 48.0	60% qtz-carb well min aspy, gry min, V.g.	9182	7.5	(2.62 (2.64	19.725
48.0 - 53.5	buff ser sch w qtz lenses; minor min	9183	5.5	.11	.605
53.5 - 60.0	as above w increas qtz & min	9184	6.5	.36	2.340
60.0 - 65.0	20% qtz; py, aspy	9185	5.0	.72	<u>3.600</u>
65.0 - 85.0	gry & buff ser sch w qtz lenses & minor neg. min				48.040
	<div> <div>From</div> <div>To</div> <div>C.I.</div> <div>Grade</div> </div> <div> 21.5 65.0 43.5 1.10 </div>				
	85.0 overburden				

Logged by JDBHole No. U-B968

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B967BEARING ~DIP AT COLLAR 490LENGTH 63.0LAT. 12196DEP. 7292.6ELEV. 5705.5

DATE COMPLETED _____

PURPOSE Stope Dev.SHAFT IILEVEL 100WORKING B-113NSECTION 375N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 4.0	buff ser sch				
4.0 - 9.0	20% qtz-carb; minor min	9165	3/5.0	.09	.450
9.0 - 12.0	30% qtz-carb; aspy, gry min	9166	3.0	1.92	5.760
12.0 - 16.0	buff ser sch	9167	4.0	.08	.320
16.0 - 23.0	20% qtz; py, aspy	9168	7.0	2.59	18.130
23.0 - 25.0	As above	9169	2.0	.30	.600
25.0 - 30.0	60% qtz; sp, gry min	9170	5.0	.46	2.300
30.0 - 35.0	As above; v.g.,	9171	5.0	1.08	5.400
35.0 - 40.0	70% & as above, tr v.g.	9172	5.0	(.19 (.14	.800
40.0 - 47.0	30% qtz; py, aspy	9173	7.0	.78	5.460
47.0 - 52.0	40% qtz; sparing min	9174	5.0	.06	.300
52.0 - 58.0	20% qtz; minor min	9175	6.0	.13	.780
58.0 - 63.0	gry ser sch				40.300
overburden at 63.0		From 4.0	to 58.0	C.L. 54.0	Grade .74

Logged by JDBHole No. U-B967

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B966SHAFT IIBEARING --LAT. 12353.38

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR 490DEP. 7188.42PURPOSE MiningWORKING B-215 St.LENGTH 24.0ELEV. 5868.16SECTION 425N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
0 - 1.0	Cs.				
1.0 - 5.0	30% qtz-carb; py, aspy	9162	4.0	.18	
5.0 - 9.0	40% & sparing min	9163	4.0	.05	
9.0 - 16.0	90% dk blue qtz; sparing min	9164	7.0	.03	.04
16.0 - 21.0	80% qtz well min w sp & gry min	9176	5.0	1.00	
22.0 - 24.0	grn chl-ser sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div>1.0</div> <div>5.0</div> <div>4.0</div> <div>.18</div>				
	<div>16.0</div> <div>21.0</div> <div>5.0</div> <div>1.00</div>				

Logged by JDBHole No. U-B966

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B965

SHAFT II

BEARING -

LAT. 12318.18

DATE COMPLETED _____

LEVEL 100

DIP AT COLLAR 490

DEP. 7124.31

PURPOSE Mining

WORKING B-215 St.

LENGTH 33.0

ELEV. 5879.58

SECTION 400N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 5.0	gry-buff ser sch				
5.0 - 10.0	40% qutzz-carb, sparing min	8896	5.0	.39	
10.0 - 17.5	qutzz lenses in ser sch, py	8897	7.5	.02	
17.5 - 20.5	70% qutzz; retic carb, sp	8898	3.0	.04	
20.5 - 25.5	60% qutzz-carb; sparing min	8899	5.0	.11	
25.5 - 29.5	parcel qutzz-carb in silic sch; neg min	9161	4.0	.04	
29.5 - 33.0	gry chl-ser sch				
	<div><div><div><div><div><u>From</u></div><div>0</div></div><div><div><u>To</u></div><div>5.0</div></div><div><div><u>C.L.</u></div><div>5.0</div></div><div><div><u>Grade</u></div><div>.39</div></div></div></div></div>				

Logged by JDB

Hole No. U-B965

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B962 - 3

SHAFT II

BEARING -

LAT. 12310.28

DATE COMPLETED _____

LEVEL 100

DIP AT COLLAR 90 -90

DEP. 7094.11

PURPOSE Mining

WORKING B-215 Stope

LENGTH 18.0

ELEV. 5886.39
5876.68

SECTION 375N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
<u>U-B 962</u> 0 - 3.5	60% qut z-carb, aspy	8894	3.5	.44	
3.5 - 10.0	grn ser sch w qut z lenses & neg min				
10.0 - 18.0	gm grs sch merg w chl-ser sch				
	<div><div><u>From</u></div><div>0</div></div> <div><div><u>To</u></div><div>3.5</div></div> <div><div><u>C.L.</u></div><div>3.5</div></div> <div><div><u>grade</u></div><div>.44</div></div>				
<u>U-B 963</u> 0 - 3.5	20% qut z in ser sch; minor min	8895	3.5	.02	
3.5 - 12.0	dk buff ser sch				

Logged by JDB

Hole No. U-B962-3

GIANT YELLOWKNIFE GOLD MINES LIMITED CORE RECORD

HOLE No. U-B961

SHAFT II

BEARING --

LAT. 12275.90

DATE COMPLETED _____

LEVEL 100

DIP AT COLLAR -90

DEP. 7103.94

PURPOSE Mining

WORKING B-215 St.

LENGTH 21.0

ELEV. 5888.10

SECTION 350N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 6.0	dk gran chl-ser sch				
6.0 - 10.0	40% qtz in partly silic ser sch; py, aspy	8888	4.0	.34	
10.0 - 14.0	qtz lenses in ser sch, neg min	8889	4.0	.11	
14.0 - 21.0	gry-buff ser sch				
	<div> <div>From</div> <div>to</div> <div>C.L.</div> <div>Grade</div> </div> <div> <div>6.0</div> <div>10.0</div> <div>4.0</div> <div>.34</div> </div>				

Logged by JDB

Hole No. U-B961