

# GIANT YELLOWKNIFE GOLD MINES LIMITED

## CORE RECORD

HOLE No. U-B867SHAFT 2BEARING N60WLEVEL 575DIP AT COLLAR -60LAT. 13400.56

DATE COMPLETED \_\_\_\_\_

DEP. 7756.91 389 W.PURPOSE B-409 ShootWORKING 403N Dr.LENGTH 268.0ELEV. 5436.5

Def. \_\_\_\_\_

SECTION 1650N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 2.0	Casing				
2.0 - 73.0	Mass to sl. sch grs. ep				
73.0 - 154.0	As above more schistose 150-155 poss contact zone at 154				
154.0 - 177.0	Buff gry ser-chl sch tuffac?				
177.0 - 181.0	2' Ground- ser-chl, minor qtz py	8403	2.0/4.0	.17	
181.0 - 185.0	As above	8404	4.0	.02	
185.0 - 188.0	Ser sch 30% qtz, py, aspy	8405	3.0	.43	1.290
188.0 - 194.0	Ser sch 20% qtz, py, aspy	8406	6.0	.17	1.020
194.0 - 197.0	As above	8407	3.0	.07	2.310
197.0 - 252.0	Ser-chl sch, f.g. clastic text 5' lost 226-233				
252.0 - 253.5	As above minor qtz & py	8408	1.5	.11	
253.5 - 255.0	As above	8409	2.5	.01	

Logged by ASDHole No. UB867

N.M.P.-FS/44-5

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS										
				OZ./TON	OZ./TON									
255.0 - 256.5	Ser-chl sch, 20% qutz, py, aspy	8410	1.5	.03										
256.5 - 268.0	Compact ser-chl sch, f.g. clastic text. Brown alt. flecks													
	<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td></tr><tr><td>185.0</td><td>194.0</td><td>9.0</td><td>.25</td></tr></table>	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	185.0	194.0	9.0	.25					
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>											
185.0	194.0	9.0	.25											
	<u>Dip Tests</u>													
	<table><tr><td><u>Depth</u></td><td><u>Read</u></td><td><u>Corrected</u></td></tr><tr><td>150'</td><td>48<math>\frac{1}{2}</math></td><td>44<math>^{\circ}</math></td></tr><tr><td>268'</td><td>42<math>\frac{1}{2}</math></td><td>38<math>\frac{1}{2}</math><math>^{\circ}</math></td></tr></table>	<u>Depth</u>	<u>Read</u>	<u>Corrected</u>	150'	48 $\frac{1}{2}$	44 $^{\circ}$	268'	42 $\frac{1}{2}$	38 $\frac{1}{2}$ $^{\circ}$				
<u>Depth</u>	<u>Read</u>	<u>Corrected</u>												
150'	48 $\frac{1}{2}$	44 $^{\circ}$												
268'	42 $\frac{1}{2}$	38 $\frac{1}{2}$ $^{\circ}$												

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
268.0 - 319.0	Gry-grn grs sch, speckled text poss weak snfl.				
319.0 - 335.0	As above 1½' ground 330-333 325.5 - 326 Ser sch, 70% qtz, py aspy sph	8573	0.5	1.70	
335.0 - 338.0	f.g. grn chl-ser sch, minor qtz, calc				
338.0 - 341.0	f.g. ser-chl sch grading to ser, minor py	8574	3.0	.05	
341.0 - 345.0	Lt. gry ser sch, 30% qtz, py	8575	4.0	.87	3.48
345.0 - 346.5	f.g. gry-grn ser chl sch, minor qtz, py	8576	1.5	.04	.06
346.5 - 350.5	Lt. Gry ser sch, 30% qtz, py, aspy, pyrth	8577	4.0	.83)	4.04
350.5 - 355.0	As above	8578	4.5	1.19) .64)	2.79
355.0 - 356.0	Lt. grn ser-chl sch, minor qtz, py, pyrth	8579	1.0	.60) .04	.04
356.0 - 362.0	Lt. buff gry ser sch 30% qtz, aspy py, pyrth bands	8580	6.0	.41)	3.12
362.0 - 370.5	Buff gry ser sch, 20% qtz, py, pyrth	8589	8.5	.63) .33	2.80
370.5 - 374.5	Gry grn f.g. ser-chl sch, local qtz, py, pyrth	8590	4.0	.95	3.80
374.5 - 381.0	f.g. gry grn ser-chl sch, waxy lustre locally				20.13
381.0 - 385.0	3' ground, ser-chl sch, minor qtz, calc				
385.0 - 388.0	Chl-ser sch, brown alt. flecks				
388.0 - 389.5	As above, minor py	8607	1.5	.07	
389.5 - 393.5	3' ground, 50% qtz-slatey sch bx, py, sph	8608	1.0/4.0	.03	
393.5 - 398.0	1' ground, chl-ser sch, locally slatey, py, minor qtz	8609	3.5/4.5	.01	

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS													
				oz./TON	oz./TON												
398.0 - 401.0	1' ground, slatey chl-ser sch																
401.0 - 407.0	3' ground, gry-grn chl-ser sch																
407.0 - 412.0	1' ground, compact grn chl-ser sch or grs. sch																
	<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>CL</u></td><td><u>Grade</u></td></tr><tr><td>325.5</td><td>326.0</td><td>0.5</td><td>1.70</td></tr><tr><td>341.0</td><td>374.5</td><td>33.5</td><td>.60</td></tr></table>	<u>From</u>	<u>To</u>	<u>CL</u>	<u>Grade</u>	325.5	326.0	0.5	1.70	341.0	374.5	33.5	.60				
<u>From</u>	<u>To</u>	<u>CL</u>	<u>Grade</u>														
325.5	326.0	0.5	1.70														
341.0	374.5	33.5	.60														
	<table><tr><td colspan="3"><u>Dip Tests</u></td></tr><tr><td><u>Depth</u></td><td><u>Read</u></td><td><u>Corrected</u></td></tr><tr><td>300'</td><td>37</td><td>33</td></tr><tr><td>400'</td><td>28½</td><td>25°</td></tr></table>	<u>Dip Tests</u>			<u>Depth</u>	<u>Read</u>	<u>Corrected</u>	300'	37	33	400'	28½	25°				
<u>Dip Tests</u>																	
<u>Depth</u>	<u>Read</u>	<u>Corrected</u>															
300'	37	33															
400'	28½	25°															