

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. VB-564BEARING --DIP AT COLLAR -90LENGTH 343.0LAT. 13,053DEP. 7,665ELEV. 5,434DATE COMPLETED August 16/49PURPOSE Expl. below 403-W dr.SHAFT 2LEVEL 575WORKING 403-N dr.SECTION 13CON

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 2.0	casing				
2.0 - 16.0	ser-chl sch, minor qutz calc				
16.0 - 19.0	ser sch, minor qutz, calc, minor py	6202	3.0	.01	
19.0 - 24.0	ser, 40% qutz, py, minor aspy	6203	5.0	.35	
24.0 - 28.0	ser, 25% qutz, py	6204	4.0	.90	
28.0 - 33.0	ser, 70% qutz, py, sph. aspy	6205	5.0	.59	
33.0 - 39.0	ser, 75% qutz, py, aspy, sph, grey min	6206	6.0	1.05	
39.0 - 44.0	ser, 60% qutz, py, aspy	6207	5.0	.77	
44.0 - 49.0	ser, 50% qutz, py aspy	6208	5.0	.21	
49.0 - 55.0	40% dark qutz, 40% grey qutz, py, grey min	6209	6.0	.98	
55.0 - 60.0	ser, 40% qutz, py aspy	6210	5.0	.35	
60.0 - 68.0	ditto	6211	8.0	.16	
68.0 - 75.0	90% blue qutz, V.F. sulphides	6212	7.0	.91	
75.0 - 80.0	60% dark grey qutz, py, aspy	6213	5.0	1.60	
80.0 - 88.0	ser, 20% qutz, py	6214	8.0	.05	

Logged by A.S.D.Hole No. VB-564

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
88.0 - 97.0	ditto	6215	9.0	.30	
97.0 - 102.0	ser, 30% qutz, py	6216	5.0	.21	
102.0 - 108.0	ser, 15% qutz, py	6217	6.0	.37	
108.0 - 114.0	ser, 25% qutz, py	6218	6.0	.30	.47
114.0 - 120.0	ser, 20% qutz, py	6219	6.0	.20	121.0
120.0 - 125.0	ser, 10% qutz,	6220	5.0	.07	
125.0 - 130.0	ditto	6221	5.0	.24	
130.0 - 135.0	ser, 20% qutz, py	6222	5.0	.55	
135.0 - 140.0	ditto	6223	5.0	.11	
140.0 - 159.5	compact ser schist, very minor qutz, sulphides T. S. 158.5 - 159.5	6224	1.0	.04	
159.5 - 164.5	ser schist, 20% qutz, py	6225	5.0	.08)	.18
164.5 - 171.5	ser, 15% local qutz, py, aspy	6226	7.0	.25)	12.0
171.5 - 177.5	ditto	6227	6.0	.01	
177.5 - 183.5	ser, 50% qutz, py, aspy sph?	6228	6.0	.01	
183.5 - 190.5	ser to compact ser chl at 189, about 40% qutz	6229	7.0	.02	
190.5 - 199.0	compact ser-chl sch, minor local qutz, local abundant py	6230	8.5	.01	
199.0 - 208.0	ser sch, 25% qutz, py	6231	9.0	.15	
208.0 - 213.0	ser, 80% dark qutz, abund. py	6237	5.0	.38	.25
213.0 - 218.0	ditto, black carb at 218	6238	5.0	.24	26.0

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
218.0 - 225.0	ser, compact grey, 40% dark qtz, aspy. abund py	6239	7.0	.29	
225.0 - 231.0	porcel. grey ser, 15% local qtz py, aspy	6240	6.0	.04	
231.0 - 239.5	very compact, hard sericite sch, minor qtz, blobs abund. py	6241	8.5	.03	
239.5 - 312.0	compact light tan colored ser schist, almost cherty, local minor qtz				
	T. S. 252.0 - 259.0	6242	7.0	.01	
	292.0 - 296.0	6243	4.0	.03	
312.0 - 343.0	ditto				
	END				
	From To C.I. Grade				
	19.0 140.0 121.0 0.47				
	159.5 171.5 12.0 0.18				
	199.0 225.0 26.0 0.25				