

MISSING LOGS

601

602

WORKING PLACE

[illegible]

GIANT YELLOWKNIFE MINES LIMITED
CORE RECORD

HOLE No. U-C 1200BEARING S60EDIP AT COLLAR 47LENGTH 269.0LAT. 10069.28DEP. 6431.63ELEV. 5256.7

DATE COMPLETED _____

PURPOSE Dev.SHAFT 0LEVEL 750WORKING C-705 SSECTION 1900 S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-18.0	lt green grs-sch; snfl alt				
18.0-80.0	dk grn grs-sch				
80.0-85.0	com grn-gry chl-ser sch				
85.0-109.0	com grn-gry chl-ser sch				
109.0-117.0	ser-sch; minor qtz-carblens; py, minor aspy	12394	8.0	.22	
117.0-128.0	gry ser-sch				
128.0-130.0	20% qtz-carb; py, aspy	12395	2.0	.20	
130.0-135.5	gry ser-sch; minor py	12396	5.5	.02	
135.5-137.0	50% qtz-carb; py aspy	12397	1.5	.23	
137.0-146.0	lt gry ser-sch				
146.0-148.5	ser sch; loc qtz-carb lens; py aspy	12398	2.5	.29	
148.5-158.0	lt gry ser sch				
158.0-161.5	ser sch; loc qtz-carb lens; spar min.	12399	3.5	.07	

Logged by D.M.Hole No. U-C 1200

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS																																	
				OZ./TON	OZ./TON																																
161.5-168.0	ser sch w qtz-carb lens; apar min	12400	6.5	.07																																	
168.0-175.0	as above w decreas qtz-carb	12401	7.0	.01																																	
175.0-182.0	ser sch; loc qtz-carb lens; spar min	12402	7.0	.07																																	
182.0-185.0	25% qtz-carb; py, aspy	12403	3.0	.21																																	
185.0-192.0	ser sch; loc minor qtz carb lens; spar min	12404	7.0	.05																																	
192.0-199.0	as above	12405	7.0	.01																																	
199.0- 200.0	30% qtz carb; py, aspy	12406	1.0	.07																																	
200.0-206.0	ser sch; qtz carb lens; v spar min	12407	6.0	.03																																	
206.0-227.0	ser sch; v minor qtz carb lens; v spar min t.s. 214.0-221.0	12408	7.0	.01																																	
227.0-260.0	gry grn chl ser sch; fault at 237.0; 1/4" gouge																																				
260.0-269.0	med grn grs sch																																				
<div>DIP TEST</div> <table><tr><th>Depth</th><th>Read</th><th>Corr.</th><td></td></tr><tr><td>245</td><td>55</td><td>47</td><td></td></tr></table> <div><table><tr><th>From</th><th>To</th><th>C.L.</th><th>Grade</th></tr><tr><td>109.0</td><td>117.0</td><td>8.0</td><td>.22</td></tr><tr><td>128.0</td><td>130.0</td><td>2.0</td><td>.20</td></tr><tr><td>135.5</td><td>137.0</td><td>1.5</td><td>.23</td></tr><tr><td>146.0</td><td>148.5</td><td>2.5</td><td>.29</td></tr><tr><td>182.0</td><td>185.0</td><td>3.0</td><td>.21</td></tr></table></div>						Depth	Read	Corr.		245	55	47		From	To	C.L.	Grade	109.0	117.0	8.0	.22	128.0	130.0	2.0	.20	135.5	137.0	1.5	.23	146.0	148.5	2.5	.29	182.0	185.0	3.0	.21
Depth	Read	Corr.																																			
245	55	47																																			
From	To	C.L.	Grade																																		
109.0	117.0	8.0	.22																																		
128.0	130.0	2.0	.20																																		
135.5	137.0	1.5	.23																																		
146.0	148.5	2.5	.29																																		
182.0	185.0	3.0	.21																																		

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1199BEARING N60WDIP AT COLLAR 79LENGTH 43.0LAT. 12566.36DEP. 7350.20ELEV. 5757.0

DATE COMPLETED _____

PURPOSE 207 St. Dev.SHAFT 2LEVEL 250WORKING 202N Dr.SECTION 725N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	csg				
1.5-8.0	grs sch				
8.0-10.0	gry-grn chl-ser sch				
10.0-17.0	gry grn chl-ser sch w qtz-carb lenses	9863	7.0	.01	
17.0-26.5	gry grn ser sch w minor qtz-carb lenses; minor min				
26.5-28.5	banded py	9864	2.0	.08	
28.5-36.0	buff gry ser sch				
36.0-37.0	buff gry ser sch minor min & qtz-carb ls.	9865	1.0	.01	
37.0-43.0	gry grn ser sch				

Logged by MPHole No. U-B1199

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1198SHAFT 2BEARING N60WLAT. 12548.28

DATE COMPLETED _____

LEVEL 250DIP AT COLLAR 464DEP. 7331.82PURPOSE 207 St. Dev.WORKING 202NLENGTH 90.0ELEV. 5756.6SECTION 700N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.-1.5	csg				
1.5-4.5	gry-grn chl-ser sch				
4.5-9.0	buff ser sch				
9.0-16.0	gry-grn chl-ser sch				
16.0-21.0	gry-grn chl-ser sch w add qtz lens				
21.0-28.0	25% qtz carb, py, minor aspy	9852	7.0	.03	
28.0-30.0	as above	9853	2.0	.01	
30.0-37.0	gry-grn chl-ser sch w add qtz-carb lenses & py	9854	7.0	.01	
37.0-44.0	as above but no py	9855	7.0	.01	
44.0-48.0	as above w py	9856	4.0	.01	
48.0-50.0	buff gry ser sch; 3" qtz str at 49.0 w py & aspy	9857	2.0	.09	
50.0-54.5	25% blue qtz; py, aspy	9858	4.5	.66	
54.5-62.0	20% blue qtz; py, aspy patchy app.	9859	7.5	.05	
62.0-69.0	gry-grn ser sch w qtz-carb lenses (15%)	9860	7.0	.04	

Logged by MPHole No. U-B1198

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	
69.0-75.0	chl-ser sch w qtz-carb lenses py, aspy	9861	6.0	.09	
75.0-77.5	buff ser-sch				
77.5-83.0	buff ser sch w patches of bl qtz (15)	9862	5.5	.01	
83.0-90.0	gry grn chl-ser sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div> <div> <div>50.0</div> <div>54.5</div> <div>4.5</div> <div>0.66</div> </div>				

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-C1197SHAFT 3BEARING S60ELAT. 10069.28

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR 40DEP. 6431.63PURPOSE Dev.WORKING C-705SLENGTH 196.0ELEV. 5257.0SECTION 1900S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-78.0	dk: grn grs-sch				
78.0-89.5	grn-gry chl-ser sch				
89.5-99.5	ser-sch; qtz-carb lens, spar min	12379	10.5	.02	
99.5-103.0	30% qtz-carb; py, aspy	12380	3.5	1.37	4.795
103.0-107.5	ser-sch; minor qtz-carb lens; py, aspy	12381	4.5	.02	$\frac{30}{100} .070$
107.5-109.5	80% qtz-carb; py, aspy	12382	2.0	.30	$\frac{.60}{5.485}$
109.5-116.0	ser-sch; minor qtz-carb lens, py, minor aspy	12383	6.5	.02	
116.0-123.0	as above				
123.0-126.5	30% qtz -carb; py, aspy	12384	7.0	.01	
126.5-140.0	lt to dk: gry ser-sch				
140.0-147.5	ser-sch; minor qtz-carb lens; py, minor aspy	12386	7.5	.03	
147.5-155.0	ser-sch, loc qtz-carb lens; py, minor aspy	12387	7.5	.01	

Logged by DMHole No. U-C1197

FOOTAGE	DESCRIPTION	* SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
155.0-170.0	lt gry ser-sch	12388	5.5	.01	
170.0-175.5	ser-sch w qtz-carb lens; spar min				
175.5-179.0	lt gry ser-sch				
179.0-183.0	grn-gry chl-ser sch				
183.0-196.0	dk grn gbs-sch				
<u>DIP TEST</u>					
	<u>Depth</u>	<u>Read.</u>	<u>Corr.</u>		
	195	35.0	27.5		
	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	
	99.5	103.0	3.5	1.37	
	107.5	109.5	2.0	.30	
	99.5	109.5	10.0	.55	

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-E1196SHAFT 2BEARING N60WLAT. 12321.0

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR Hor.DEP. 7225.0PURPOSE 205 St. Dev.WORKING 205 St.LENGTH 57.0ELEV. 5875.0SECTION 450 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	20% qtz-carb, py, aspy	9842	2.0	0.36	
2.0-9.0	ser sch w qtz carb lenses, py	9843	7.0	0.01	
9.0-18.0	ser sch w minor qtz-carb lenses				
18.0-19.0	20% qtz-carb, py, aspy	9844	1.0	3.56	
19.0-23.0	grn gry ser-sch				
23.0-25.0	ser sch w qtz-carb lenses, py	9845	2.0	0.35	.70
25.0-27.0	50% qtz-carb, py, aspy	9846	2.0	0.16	.32
27.0-34.0	ser-sch w minor qtz-carb lenses, py	9847	7.0	0.13	1.02
34.0-38.5	as above	9848	3.5	0.04	
38.5-40.5	ser-sch w qtz-carb lenses; py, aspy	9849	2.0	0.47	
40.5-47.5	ser-sch w qtz-carb lenses, py	9850	7.0	0.02	
47.5-57.0	as above	9851	7.5/9.5	0.83	
	From To C.L. Grade				
	0.0 2.0 2.0 0.36				
	18.0 19.0 1.0 3.56				
	23.0 27.0 4.0 0.25				
	38.5 40.5 2.0 0.47				

Logged by MPHole No. U-E1196

GIANT YELLOWKNIFE GOLD MINES LIMITED CORE RECORD

HOLE No. U-B1195

BEARING S60E

DIP AT COLLAR Hor

LENGTH 40.0

LAT. 12309.5

DEP. 7245.5

ELEV. 5875.0

DATE COMPLETED _____

PURPOSE 205 St. Dev

SHAFT 2

LEVEL 100

WORKING 205 St.

SECTION 450N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-17.5	gry ser sch				
17.5-18.5	50% qtz; minor min	9839	1.0	0.02	
18.5-24.5	gry ser sch, minor min				
24.5-28.5	20% qtz carb, py, aspy	9840	4.0	0.38	1.52
28.5-31.5	20% qtz carb; py, (aspy 30.0-30.5)	9841	3.0	6.39 (5.00)	<u>15.00</u> 16.52
31.5-40.0	com ser sch				1131 76
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	24.5 31.5 7.0 2.36				

Logged by MP

Hole No. U-B1195

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1194SHAFT 3BEARING S60ELAT. 10069.28

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR Hor.DEP. 6431.63PURPOSE Dev.WORKING C-7058LENGTH 206.0ELEV. 5254.7SECTION 1900S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-10.0	dk gry-grn chl-ser				
10.0-73.0	lt to dk grn grs-sch				
73.0-85.0	grn-gry chl-ser sch				
85.0-88.0	ser-sch w qtz-carb lens; spar min	12370	3.0	.17	
88.0-90.0	60% qtz-carb, py, aspy	12371	2.0	.15	
90.0-95.5	ser-sch, loc qtz-carb lenses; spar min	12372	5.5	.01	
95.5-99.0	30% qtz-carb; py, aspy, minor sp & gry min	12373	3.5	.25	.875
99.0-102.0	70% qtz-carb; py, aspy minor sp & gry min	12374	3.0	.29	.870
102.0-106.0	ser-sch w qtz-carb lens; py, aspy	12375	4.0	.10	1.745
106.0-109.0	Missing core				
109.0-116.0	ser-sch, minor qtz-carb lens, py, aspy	12376	7.0	.02	
116.0-122.5	ser-sch; loc qtz-carb lens; spar min	12377	6.5	.14	
122.5-175.5	gry ser-sch				
175.5-182.0	35% qtz-carb; spar min	12378	6.5	.21	

Logged by DWHole No. U-C1194

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1193SHAFT 2

BEARING _____

LAT. 12172.5

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR 490DEP. 7187.5PURPOSE 205 St. Dev.WORKING 205 St.LENGTH 76.0ELEV. 5884.0SECTION 300 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-5.5	40% qtz-carb, aspy, sp in chl-ser	9822	4.0	.83	3.32
5.5-10.0	30% qtz-carb, aspy, py, sp streaky w ser sch	9823	4.5	.43	1.935
10.0-15.0	30% qtz-carb (largely carb) py, aspy, minor sp	9824	5.0	1.66	<u>8.30</u> 13.55
15.0-17.0	dk grn gry chl-ser sch w qtz-carb lenses	9825	2.0	.01	
17.0-20.0	25% qtz-carb dk gry w consid py	9826	3.0	.06	
20.0-23.0	dk gry ser sch minor qtz-carb; py	9827	3.0	.05	
23.0-29.0	30% qtz-carb py, aspy, sp	9828	6.0	.30	1.80
29.0-34.0	ser-sch w minor qtz-carb; py	9829	5.0	.04	
34.0-36.5	70% qtz-carb py, minor aspy	9830	2.5	.17	
36.5-41.0	ser-sch w qtz-carb; lenses	9831	4.5	.14	
41.0-46.0	90% qtz; minor min	9832	5.0	.02	
46.0-53.0	60% qtz-carb; py, aspy	9833	7.0	.10	

Logged by MPHole No. U-B1193

HOLE NO. U-81102

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1192SHAFT 2BEARING S60ELAT. 12190.0

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR -15DEP. 7196.0PURPOSE 205 St. Dev.WORKING 205 St.LENGTH 35.0ELEV. 5877.5SECTION 325 N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
0-6.0	gry grn chl-ser sch w qtz-carb lenses, minor min	9817	6.0	.02	
6.0-7.0	grn chl-ser sch; gry min 6.5-6.55	9818	1.0	.01	
7.0-10.5	grn chl-ser sch w qtz-carb lenses stained w hem; minor min	9819	3.5	.01	
10.5-16.5	as above	9820	6.0	.04	
16.5-20.0	ser sch w qtz-carb lenses (15% $\frac{t}{l}$) py	9821	3.5	.10	
20.0-28.5	com ser sch				
28.5-29.0	ser sch w minor min				
29.0-35.0	chl-ser sch (minor chl)				

Logged by MPHole No. U-B1192

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1191BEARING S60EDIP AT COLLAR Hor

LENGTH _____

LAT. 12190.0DEP. 7196.0ELEV. 5878.0

DATE COMPLETED _____

PURPOSE 205 St. Dev.SHAFT BLEVEL 100WORKING 205 St.SECTION 325 N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-6.0	chl-ser sch w qtz-carb lenses py, aspy	9813	5.5/6.0	1.11	6.66
6.0-14.0	25% qtz-carb py, aspy	9814	8.0	0.51	<u>4.08</u> 10.74
14.0-22.0	gry grn chl-ser sch w minor qtz-carb lenses, minor min	9815	8.0	0.04	
22.0-26.5	20% qtz-carb, py, aspy	9816	2.5/4.5	0.54	
26.5-33.0	gry-grn ser sch w add qtz-carb lens				
33.0-45.0	gry ser sch				
45.0-50.0	gry grn com ser sch				
	<div> <div>from</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>0</div> <div>14.0</div> <div>14.0</div> <div>0.77</div> </div>				
	<div> <div>22.0</div> <div>26.5</div> <div>4.5</div> <div>0.54</div> </div>				

Logged by MPHole No. U-B1191

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1190BEARING S60EDIP AT COLLAR Hor.LENGTH 43.0LAT. 12149.19DEP. 7169.61ELEV. 5876.0

DATE COMPLETED _____

PURPOSE 205 St. Dev.SHAFT 2LEVEL 100WORKING B-205 St.SECTION 275N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	85% qtz, minor min, py, aspy	9806	1.0	.11	
1.0-6.0	ser-sch w qtz-carb lenses, py, aspy	9807	5.0	.03	
6.0-8.0	75% qtz-carb, py, aspy, sp	9808	2.0	.79	1.48
8.0-10.0	ser-sch w qtz-carb lenses, py, aspy	9809	2.0	.26	<u>.52</u> 2.00
10.0-11.0	ser-sch				
11.0-19.5	chl-ser sch				
19.5-24.0	ser sch w qtz-carb lenses, py, aspy, sp (15)	9810	3.0/4.5	.43	
24.0-28.0	chl-ser sch w qtz-carb lenses; minor min	9811	4.0	.01	
28.0-35.0	as above; fault at 31.0	9812	7.0	.01	
35.0-43.0	com gry grn ser sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div>6.0</div> <div>19.5</div> <div>10.0</div> <div>24.0</div> <div>4.0</div> <div>4.5</div> <div>0.50</div> <div>0.43</div>				

Logged by MPHole No. U-B1190

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1189 SHAFT B
BEARING 360E LAT. 12170.71 DATE COMPLETED _____ LEVEL 100
DIP AT COLLAR -20 DEP. 7191.15 PURPOSE 205 St. Dev. WORKING B-205 St.
LENGTH 25.0 ELEV. 5875.8 SECTION 304 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	chl-ser sch w qtz-carb stgs-gry min	9802	2.0	.64	1.28
2.0-7.0	chl-ser sch wpy, qtz-carb lenses	9803	5.0	.18	.90
7.0-11.0	20% qtz-carb, py	9804	4.0	.60	<u>2.40</u>
					4.58
11.0-18.0	ser sch (fault (?) at 16') w qtz-carb lenses	9805	7.0	.03	
18.0-25.0	chl-ser sch				
	<div><div><div><div><u>From</u></div><div>0.0</div></div><div><div><u>To</u></div><div>11.0</div></div><div><div><u>C.L.</u></div><div>11.0</div></div><div><div><u>Grade</u></div><div>0.41</div></div></div></div>				

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1188SHAFT 2BEARING S60°ELAT. 12170.71

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR HorDEP. 7191.5PURPOSE 205 St. Dev.WORKING B-205 St.LENGTH 57.0ELEV. 5276.2SECTION 304 N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	ASSAYS OZ./TON
0-5.0	ser-sch w minor qtz-carb, py	9797	5.0	.19	0.95
5.0-7.0	20% qtz-carb, py, minor aspy	9798	2.0	.29	0.58
7.0-14.0	30% qtz-carb, py, aspy, sp	9799	7.0	.92	6.44
14.0-17.0	ser-sch w qtz-carb lenses, py, (15%)	9800	2.5/3.0	3.04	9.12
17.0-23.0	ser -sch w qtz-carb lenses, py, aspy	9801	5.5/6.0	0.63	<u>3.78</u> 20.87
23.0-26.0	dk grn chl-ser sch				
26.0-50.0	chl-ser sch				
50.0-57.0	grs-sch merg w above				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	0.0 23.0 23.0 0.91				

Logged by HPHole No. U-B1188

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1187SHAFT 2BEARING N60WLAT. 12600.39

DATE COMPLETED _____

LEVEL 250DIP AT COLLAR 43DEP. 7392.01PURPOSE 204 St. Dev.WORKING B-202N.LENGTH 63ELEV. 5757.0SECTION 775N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	lt gry com ser sch				
2.0-7.0	gry grn chl-ser sch				
7.0-12.0	grn gry ser-sch w minor py				
12.0-19.0-	ser-sch w minor qtz-carb lenses	9792	7.0	.02	
19.0-24.5	80% qtz-carb; py, aspy, sp	9793	5.5	.09	
24.5-31.5	lt gry ser-sch py, minor qtz-carb	9794	7.0	.03	
31.5-39.0	gry ser-sch massive po 35.0-36.0 (ts)	9795	1.0	.01	
39.0-40.0	chl-ser sch w po	9796	1.0	.06	
40.0-44.0	gry ser sch				
44.0-46.0	chl-ser sch w minor qtz-carb				
46.0-48.0	gry ser-sch				
48.0-49.0	grn gry chl-ser				
49.0-63.0	grn gry ser-sch				

Logged by MPHole No. U-B1187

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1186BEARING N60WDIP AT COLLAR 15LENGTH 63LAT. 12619.51DEP. 7408.65ELEV. 5755.0

DATE COMPLETED _____

PURPOSE 204 St. Dev.SHAFT 2LEVEL 250WORKING B-202MSECTION 800N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-4.0	40% qtz-carb; py, minor aspy	9786	4.0	.05	
4.0-11.0	80% qtz-carb; py, aspy	9787	7.0	.07	
11.0-14.5	70% qtz-carb; py, aspy, green mica	9788	3.5	.07	
14.5-17.0	ser-sch, qtz-carb lenses	9789	2.5	.06	
17.0-46.0	ser-sch, gry grn				
46.0-49.0	gry grn ser sch w minor qtz carb lenses				
49.0-56.0	gry ser sch w qtz-carb lenses, py	9790	7.0	.10	
56.0-63.0	as above	9791	7.0	.11	

Logged by MPHole No. U-B1186

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-91185SHAFT BBEARING N60WLAT. 12619.51

DATE COMPLETED _____

LEVEL 250DIP AT COLLAR 435DEP. 7408.65PURPOSE 204 St. Dev.WORKING B-202NLENGTH 71.0ELEV. 5756.0SECTION 200N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-7.0	65% qtz-carb; py, aspy	9769	7.0	4.86	34.02
7.0-12.0	as above	9770	5.0	3.44	17.20
12.0-16.0	20% qtz-carb: py, aspy	9771	4.0	0.18	.72
16.0-21.5	50% qtz-carb; py, aspy	9772	5.5	0.70	3.85
21.5-27.5	70% qtz-carb; py, aspy, gry min	9773	6.0	1.39	8.34
27.5-33.5	90% blue qtz; sp aspy	9774	6.0	0.22	1.32
33.5-39.5	70% qtz-carb; py, aspy	9775	6.0	0.64	3.84
39.5-41.5	30% qtz-carb, py (in chl-ser sch)	9776	2.0	0.04	.08
41.5-45.5	chl-ser sch; py, minor qtz-carb	9777	2.0	0.02	.04
45.5-50.0	90% qtz-carb; py, aspy	9781	6.5	1.21	7.86
50.0-52.0	as above	9782	2.0	0.57	1.14
52.0-53.0	20% qtz-carb py, aspy	9783	1.0	0.36	5.36
53.0-57.0	ser sch, minor qtz-carb, min mineralization	9784	4.0	0.01	78.77
57.0-63.0	ser sch, qtz-carb lenses, py, minor aspy	9785	6.0	0.01	
63.0-71.0	ser sch				

Logged by HP 0.0 53.0 53.0 1.49

Hole No. U-91185

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-C1184BEARING S60EDIP AT COLLAR 70LENGTH 230.0LAT. 10159.73DEP. 6479.24ELEV. 5256.24

DATE COMPLETED _____

PURPOSE Dev.SHAFT 3LEVEL 750WORKING C-705SSECTION 1800S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-81.0	dk grn grs-sch				
81.0-90.0	grn-gry chl-ser sch				
90.0-95.0	ser-sch; minor qtz-carb lens; spar min	12349	5.0	.01	
95.0-121.0	com grn-gry chl-ser sch				
121.0-133.0	com gry ser-sch				
133.0-142.0	ser-sch; loc qtz-carb lens; v. spar min	12350	9.0	.03	
142.0-143.5	70% qtz-carb; py, aspy	12351	1.5	.31	
143.5-153.0	ser-sch; loc qtz-carb lens; spar min	12353	9.5	.02	
153.0-156.0	ser-sch w qtz-carb lens; py, aspy	12353	3.0	.13	
156.0-159.5	65% qtz-carb; py, aspy, minor sp & gry-min	12354	3.5	.97	
159.5-166.0	ser-sch w qtz-carb lens; py, aspy	12355	5.0/6.5	.07	
166.0-173.0	20% qtz-carb; py, aspy	12356	7.0	.17	
173.0-176.5	45% qtz-carb; py, aspy (1" fault; bx at 173.5)	12357	3.5	.11	

Logged by DMHole No. U-C1184

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
176.5-181.0	sersch, minor qtz-carb lens; spar min	12358	4.5	.01	
181.0-186.5	as above; decreas min	12359	5.5	.01	
186.5-193.0	50% qtz-carb; py, aspy	12360	6.5	.10	
193.0-195.5	ser-sch; minor qtz-carb lens; spar min	12361	2.5	.02	
195.5-223.0	grn-gry chl-ser sch				
223.0-230.0	gry-grn chl-ser sch				
<u>DIP TEST</u>					
	<u>Depth</u>	<u>Reading</u>	<u>Corr.</u>		
	225	57	49		
	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	
	142.0	143.5	1.5	.31	
	156.0	159.5	3.5	.97	

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1183SHAFT BBEARING S60ELAT. 12614.5

DATE COMPLETED _____

LEVEL 250DIP AT COLLAR HorDEP. 7417.3PURPOSE 306 St. Dev.WORKING B-202NLENGTH 126.0ELEV. 5753.0SECTION 800N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-25.0	lt gry com chl-ser sch				
25.0-38.0	gry grn sch grs-hem				
38.0-60.0	grs w hem-ep				
60.0-73.0	grs sch				
73.0-75.0	com chl-ser sch w minor qtz carb lenses				
75.0-81.0	chl-ser sch w minor qtz carb lenses, py	9778	6.0	.03	
81.0-87.0	chl-ser w 3 4" qtz str & qtz carb lenses, py	9779	6.0	.01	
87.0-113.5	chl-ser sch w qtz carb lenses; very minor min t.s. 94.5-102.0	9780	6.0/7.5	.02	
113.5-126.0	grs sch				

Logged by MPHole No. U-B1183

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1182BEARING S60EDIP AT COLLAR HorLENGTH 16LAT. 12561.4DEP. 7356.9ELEV. 5753.0

DATE COMPLETED _____

PURPOSE 306 St. Dev.SHAFT 2LEVEL 250WORKING B-202NSECTION 725N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-4.0	gry gr chl-ser sch				
4.0-16.0	gr grs sch				

Logged by MPHole No. U-B1182

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1181SHAFT 3BEARING S60ELAT. 11391.27

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR 70DEP. 7138.29PURPOSE Dev.WORKING C-704NLENGTH 328.0ELEV. 5259.2SECTION 4003

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-15.5	lt grn f.g. grs; retic ep strs				
15.5-23.0	grn grs-sch				
23.0-38.0	lt grn sch-grs; ep				
38.0-68.0	med-grn, com grs-sch				
68.074.0	med-grn sch-grs; ep				
74.0-144.0	f.g. mass grs retic ep strs minor hem loc.				
144.0-193.0	f.g. mass grs retic ep strs hem				
193.0-212.0	dk grn sch-grs; ep				
212.0-235.5	dk grn grs-sch				
235.5-265.0	grn-gry chl-ser sch				
265.0-270.0	chl-ser sch; minor qtz-carb lens, py	12362	5.0	.06	.30
270.0-271.0	35% qtz-carb; py, aspy	12363	1.0	.10	.10
271.0-297.0	grn-gry chl-ser sch; loc barren qtz-carb lens				.40

Logged by DRHole No. U-C1181

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS																					
				OZ./TON	OZ./TON																				
297.0-311.0	grn-gry chl-ser sch																								
310.0-328.0	gry-grn chl-ser sch																								
	<div>DIP TEST</div> <table><tr><td>Depth</td><td>Read</td><td>Corr.</td><td></td></tr><tr><td>150</td><td>66</td><td>59.5</td><td></td></tr><tr><td>325</td><td>60</td><td>52.5</td><td></td></tr></table> <table><tr><td>From</td><td>To</td><td>C.L.</td><td>Grade</td></tr><tr><td>265</td><td>271</td><td>6.0</td><td>.07</td></tr></table>	Depth	Read	Corr.		150	66	59.5		325	60	52.5		From	To	C.L.	Grade	265	271	6.0	.07				
Depth	Read	Corr.																							
150	66	59.5																							
325	60	52.5																							
From	To	C.L.	Grade																						
265	271	6.0	.07																						

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1180SHAFT 2BEARING S60ELAT. 12549.02

DATE COMPLETED _____

LEVEL 250DIP AT COLLAR HorDEP. 7347.03PURPOSE 306 St. Dev.WORKING 202NLENGTH 232.0ELEV. 5754.0SECTION 700N /

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-11.5	sch grs				
11.5-42.5	sch grs w white fls				
42.5-106.0	grs ret w strs of ep; fg 42.5-52.0 eg 52.0-106.0				
106.0-130.0	sch grs				
130.0-165.0	grs sch				
165.0-186.0	chl-ser sch				
186.0-190.0	ser sch				
190.0-195.0	20% qtz carb; py, aspy	9762	4.0/5.0	.06	
195.0-197.0	ser-sch				
197.0-198.0	20% qtz, carb, py, aspy	9763	1.0	.21	
198.0-202.0	ser-sch; minor qtz-carb; minor min	9764	4.0	.01	
202.0-207.5	20% qtz, carb, py, aspy	9765	5.5	.07	
207.5-211.5	ser-sch, w minor qtz-carb; minor min	9766	4.0	.02	
211.5-217.5	ser-sch, qtz-carb lenses, py, aspy	9767	6.0	.02	

Logged by MPHole No. U-B1180

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
217.5-222.0	ser sch; minor qtz-carb, minor min	9768	4.5	.19	
222.0-226.0	chl-ser sch				
226.0-232.0	grs-sch				

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-C1179BEARING S60EDIP AT COLLAR 40LENGTH 193.0LAT. 10159.73DEP. 6479.24ELEV. 5256.24

DATE COMPLETED _____

PURPOSE Dev.SHAFT 3LEVEL 750WORKING C-705SSECTION 1800S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-19.0	med grn grs-sch				
19.0-50.0	dk grn grs-sch				
50.0-66.5	grn-gry chl-ser sch				
66.5-69.5	20% qtz-carb; py, aspy	12327	3.0	.06	
69.5-73.5	65% qtz-carb; py, aspy	12328	4.0	.01	
73.5-78.5	ser-sch w loc qtz-carb lens; py, minor aspy	12329	5.0	.01	
78.5-93.5	lt gry com ser-sch t.s. 85.0-88.0	12330	3.0	.01	
93.5-99.0	60% qtz-carb; py, aspy	12331	5.5	.26	1.430
99.0-103.5	80% qtz-carb; decreas py, aspy	12332	4.5	.10	.450
103.5-110.0	60% qtz-carb; py, aspy	12333	6.5	.01	.065
					1.945
110.0-114.0	ser-sch w qtz-carb lens; py, aspy	12334	4.0	.02	
114.0-119.0	chl-ser sch; minor qtz-carb lens; spar min	12335	5.0	.01	

Logged by DMHole No. U-C1179

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS																																																		
				OZ./TON	OZ./TON																																																	
119.0-121.5	40% qtz-carb; py, aspy	12336	2.5	.31	.775																																																	
121.5-128.5	ser-sch; minor qtz-carb lens; py, aspy	12337	7.0	.07	.490																																																	
128.5-132.0	35% qtz-carb; py, aspy	12338	3.5	.12	.420																																																	
132.0-136.0	55% qtz-carb; py, aspy	12339	4.0	.21	.810																																																	
136.0-139.5	ser-sch; minor qtz-carb lens; py, aspy	12340	3.5	.01	2.525																																																	
139.5-142.0	40% qtz-carb; py, aspy	12341	2.5	.04																																																		
142.0-149.0	ser-sch; loc qtz-carb lens; py, aspy	12342	7.0	.01																																																		
149.0-157.0	ser-sch; minor qtz-carb lens; py, aspy	12343	8.0	.03																																																		
157.0-161.0	60% qtz-carb; py, aspy	12344	4.0	.22																																																		
161.0-168.0	ser-sch w qtz-carb lens; py, minor aspy; (poss. fault at 64.0-65.0 vuggy)	12345	7.0	.06																																																		
168.0-173.0	20% qtz-carb; py, a spy	12346	4.0/5.0	.04																																																		
173.0-179.0	ser-sch; minor qtz-carb lens; spar min	12347	6.0	.02																																																		
179.0-182.0	20% qtz-carb; spar min	12348	3.0	.02																																																		
182.0-187.0	gry-grn chl-ser sch																																																					
187.0-193.0	dk grn grs-sch																																																					
	<table><tr><td>From</td><td>To</td><td>C.L.</td><td>Grade</td><td colspan="3">DIP TEST</td></tr><tr><td>93.5</td><td>99.0</td><td>5.5</td><td>.26</td><td>Depth</td><td>Read</td><td>Corr.</td></tr><tr><td>alt. 93.5</td><td>110.0</td><td>16.5</td><td>.12</td><td></td><td></td><td></td></tr><tr><td>119.0</td><td>121.5</td><td>2.5</td><td>.31</td><td>190</td><td>33</td><td>29</td></tr><tr><td>132.0</td><td>136.0</td><td>4.0</td><td>.21</td><td></td><td></td><td></td></tr><tr><td>alt. 119.0</td><td>136.0</td><td>17.0</td><td>.15</td><td></td><td></td><td></td></tr><tr><td>157.0</td><td>161.0</td><td>4.0</td><td>.22</td><td></td><td></td><td></td></tr></table>	From	To	C.L.	Grade	DIP TEST			93.5	99.0	5.5	.26	Depth	Read	Corr.	alt. 93.5	110.0	16.5	.12				119.0	121.5	2.5	.31	190	33	29	132.0	136.0	4.0	.21				alt. 119.0	136.0	17.0	.15				157.0	161.0	4.0	.22							
From	To	C.L.	Grade	DIP TEST																																																		
93.5	99.0	5.5	.26	Depth	Read	Corr.																																																
alt. 93.5	110.0	16.5	.12																																																			
119.0	121.5	2.5	.31	190	33	29																																																
132.0	136.0	4.0	.21																																																			
alt. 119.0	136.0	17.0	.15																																																			
157.0	161.0	4.0	.22																																																			

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1178SHAFT 3BEARING S60ELAT. 11391.27

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR 40DEP. 7138.29 ^{79E.}PURPOSE DevWORKING C-704NLENGTH 195.0ELEV. 5259.2SECTION 400S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-24.0	f.g. ^{lt} grn sch-grs; retic ep strs & hem				
24.0-37.0	dk grn grs-sch				
37.0-44.0	f.g. lt grn sch-grs; retic ep strs				
44.0-73.5	dk grn grs-sch				
73.5-80.0	dk grn sch-grs; ep				
80.0-88.5	dk grn sch-grs; retic ep strs				
88.5-91.5	dk grn porph. dike; chilled contacts; apole grn phenoc (ep)				
91.5-119.0	dk grn sch-grs; minor loc masses of ep retic ep strs				
119.0-151.0	dk grn grs-sch				
151.0-159.5	gry-grn chl-ser sch				
159.5-164.0	lt gry ser-sch				
164.0-167.0	ser-sch w qtz-carb lens; py, aspy; mass gry min 165.9- to 165.5	12324	3.0	.12	
167.0-174.0	chl-ser sch; minor qtz-carb lens; spar min	12325	7.0	.01	

Logged by DMHole No. U-C1178

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
174.0-180.0	chl-ser sch; qtz-carb lens; spar min	12326	6.0	.02	
180.0-189.0	grn-gry chl-ser sch				
189.0-195.0	gry-grn chl-ser sch; approaching chl-sch				
DIP TEST					
	<u>Depth</u> <u>Read</u> <u>Corr.</u>				
	190 36 32				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	164.0 167.0 3.0 .12				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1177SHAFT 3BEARING S60ELAT. 11391.27

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR Hor.DEP. 7138.29 80EPURPOSE Dev.WORKING C-704NLENGTH 182.0ELEV. 5256.2SECTION 400S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-18.5	lt. grn sch-grs; ep				
18.5-19.5	lt grn grn-sch				
19.5-20.5	gry-grn chl-ser sch				
20.5-21.0	60% qtz-carb; py	12300	0.5	.06	
21.0-23.0	grn-gry chl-ser sch				
23.0-33.0	lt grn sch-grn hem ret ep sts				
33.0-39.5	grn-gry chl-ser sch				
39.5-40.5	ser-sch w loc qtz-carb lens; py minor aspy	12301	1.0	.06	
40.5-50.0	gry-grn grs-sch; com near dike				
50.0-52.0	dk grn-gry dike w apple grn pheno; chilled contacts				
52.0-60.5	dk gry-grn grs-sch				
60.5-66.5	dk grn-gry chl-ser sch				
66.5-95.0	lt gry ser-sch w loc barren qtz-carb lens. contorted, purple mn stain?				

Logged by DMHole No. U-C1177

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-1176SHAFT 3BEARING S60°ELAT. 10159.73

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR HorDEP. 6479.24PURPOSE DevWORKING C-705 SLENGTH 226.0ELEV. 5253.24SECTION 1800S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-9.0	grs-sch				
9.0-22.0	chl-sch				
22.0-56.0	lt grn grs-sch w blobs of ep at 37.0				
56.0-60.0	gry grn chl-ser sch				
60.0-76.5	gry ser-sch				
76.5-78.0	30% qtz-carb py, aspy	12288	1.5	.01	
78.0-84.0	ser sch w minor qtz-carb lenses	12289	6.0	.02	
84.0-88.0	as above but more qtz-carb lenses	12290	4.0	.02	
88.0-92.0	40% qtz-carb py, aspy	12291	4.0	.11	
92.0-97.0	ser sch w minor qtz-carb lenses	12292	5.0	.01	
97.0-107.0	ser-sch w minor qtz-carb lens; spar min	12293	10.0	.12	
107.-109.5	ser-sch w qtz-carb lens; py, aspy	12294	2.5	.08	
109.5-111.0	30% qtz-carb; py, aspy	12295	1.5	1.12	
111.0-113.5	ser-sch w minor qtz-carb lens, minor min	12296	2.0	..03	

Logged by MP & DMHole No. U/C1176

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
113.5-115.0	25% qtz-carb; py, aspy	12297	1.5	.10	
115.0-117.5	ser sch w minor qtz-carb lens; spar min	12298	2.5	.01	
117.5-118.5	90% qtz-carb; spar min	12299	1.0	.01	
118.5-126.0	ser-sch; minor qtz-carb lens; spar min	12310	7.5	.02	
126.0-133.0	as above	12311	7.0	.02	
133.0-140.0	as above	12312	7.0	.02	
140.0-147.0	as above w decreas qtz-carb	12313	7.0	.02	
147.0-154.0	ser sch w qtz-carb lens; py, aspy	12314	7.0	.19	
154.0-161.0	as above w decreas qtz-carb	12315	7.0	.16	
161.0-163.0	25% qtz-carb; py, aspy	12316	2.0	.26	.52
163.0-165.5	chl-ser sch; loc qtz-carb lens; spar min	12317	2.5	.01	.025
165.5-171.5	25% qtz-carb; py, aspy	12318	6.0	.30	<u>1.800</u> 2.345
171.5-178.0	gry chl-ser -sch w minor qtz-carb lens; spar min	12319	6.5	.02	
178.0-185.0	chl-ser sch w qtz-carb lens; spar min	12320	7.0	.01	
185.0-187.0	as above	12321	2.0	.03	
187.0-189.0	20% qtz-carb; py, aspy	12322	2.0	.11	
189.0-193.0	chl-ser sch w qtz-carb lens, spar min	1233	4.0	.01	
193.0-196.0	gry-grn chl-ser sch				
196.0-226.0	dk grn grs-sch				
		From	To	C.L.	Grade
		109.5	111.0	1.5	1.12
		161.0	171.5	10.5	.22
Sheet No. 2		Hole No. U-C1176			

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1175BEARING S60ELAT. 12521.2

DATE COMPLETED _____

DIP AT COLLAR HorDEP. 7328.0PURPOSE 306 Dev.LENGTH 264.0ELEV. 5754.0SHAFT 2LEVEL 250WORKING 202ndSECTION 675N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-22.5	grs-sch				
22.5-42.0	grs w white fl				
42.0-123.0	grs w wp strs e.g. dk grn				
123.0-156.5	lt grn v.f.g. grs				
156.5-170.0	grs sch large brown fl				
170.0-182.0	v.f.g. gr-grn, grs				
182.0-188.5-	grs sch w large brown fl				
188.5-198.0	chl-ser sch				
198.0-206.5	ser-sch				
206.5-210.0	25% qtz-carb, py, aspy	9752	3.5	.16	
210.0-217.0	ser-sch w minor qtz-carb lenses	9753	7.0	.01	
217.0-224.0	ser sch w qtz-carb lenses, py	9754	7.0	.01	
224.0-233.0	as above but more qtz-carb	9755	7.0	.01	
233.0-238.0	as above but more qtz-carb	9755	7.0	.01	

Logged by MPHole No. U-B1175

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
238.0-243.0	chl-ser sch				
243.0-259.0	chl-ser sch				
259.0-264.0	sch-grs				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1174

BEARING S60E

DIP AT COLLAR 70

LENGTH 186 35 ft

LAT. 11303.0

DEP. 7087

ELEV. 5258

DATE COMPLETED _____

PURPOSE Dev

SHAFT C

LEVEL 575

WORKING C-704N

SECTION 500S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS							
				OZ./TON	OZ./TON						
0-1.0	cs										
1.0-12.5	lt grn sch-grs										
12.5-45.0	gry grn chl-ser w odd qtz lens										
45.0-186	lt grn grs-sch										
<div>DIP TEST</div> <table><tr><th><u>Depth</u></th><th><u>Read</u></th><th><u>Corr.</u></th></tr><tr><td>160'</td><td>71</td><td>67</td></tr></table>						<u>Depth</u>	<u>Read</u>	<u>Corr.</u>	160'	71	67
<u>Depth</u>	<u>Read</u>	<u>Corr.</u>									
160'	71	67									

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
186.0-195.0	dk grn sch-grs; ep				
195.0-243.0	dk grn grs-sch				
243.0-259.0	grn-gry chl-ser sch				
259.0-260.5	chl-ser sch; qtz-carb lens; py, aspy	12389	1.5	.49	.735
260.5-265.0	70% qtz-carb; py, aspy	12390	4.5	.54	2.430
265.0-272.0	25% qtz-carb; py, aspy	12391	7.0	.95	6.650
272.0-279.0	ser-sch w qtz-carb lens, py, aspy	12392	7.0	.14	9.815
279.0-284.0	ser-sch; qtz-carb lens; spar min	12393	5.0	.03	
284.0-307.0	grn-gry chl-ser sch				
307.0-324.0	gry-grn chl-ser sch approaching grn-sch				
d <u>DIP TEST</u>					
	<u>Depth</u> <u>Read</u> <u>Corr.</u>				
	320 67 61				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	259.0 272.0 13.0 .75				

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-C 1173BEARING S 60 EDIP AT COLLAR 40LENGTH 171.0LAT. 11300.97DEP. 7090.34ELEV. 5258.00

DATE COMPLETED _____

PURPOSE Dev.SHAFT 3LEVEL 750WORKING C-704 NSECTION 500 S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 1.0	cs				
1.0 - 34.0	v.f.g. lt grn, grs				
34.0 - 44.0	lt grn sch grs				
44.0 - 80.0	gry grn chl-ser				
80.0 - 100.5	gry ser sch				
100.5 - 108.5	buff gry ser sch				
108.5 - 110.5	buff gry ser sch w minor qtz-carb lenses	12282	2.0	.03	
110.5 - 128.5	buff gry ser sch				
128.5 - 130.5	ser sch qtz-carb lenses py, aspy	12283	2.0	.24	
130.5 - 136.5	ser sch				
136.5 - 141.5	ser sch w minor qtz-carb lenses py	12284	5.0	.02	
141.5 - 148.5	ser sch w qtz-carb lenses, py aspy	12285	7.0	.03	
148.5 - 155.5	as above	12286	7.0	.01	
155.5 - 162.5	as above no aspy	12287	7.0	.01	

Logged by MPHole No. U-C 1173

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS									
				OZ./TON	OZ./TON								
162.5 - 163.8	chl-ser sch												
163.8 - 171.0	chilled contact - phy? (see example)												
	<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>CL</u></td><td><u>Gr</u></td></tr><tr><td>128.5</td><td>130.5</td><td>2.0</td><td>0.24</td></tr></table>	<u>From</u>	<u>To</u>	<u>CL</u>	<u>Gr</u>	128.5	130.5	2.0	0.24				
<u>From</u>	<u>To</u>	<u>CL</u>	<u>Gr</u>										
128.5	130.5	2.0	0.24										

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	
171.0-171.5	porph. dike				
171.5-201.0	grn-gry chl-ser sch; barren carb strs				
201.0-211.0	dk grn grs-sch; (206.0-209.0 gry-grn porph dike chilled contacts)				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1172BEARING S60EDIP AT COLLAR HorLENGTH 313.0LAT. 12463.94DEP. 7283.71ELEV. 5754.0

DATE COMPLETED _____

PURPOSE 306 St. Dev.SHAFT 2LEVEL 250WORKING 202NSECTION 600N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-18.0	grs w white fl				
18.0-31.0	grs				
31.0-49.0	grs w white fl				
49.0-129.0	grs ret w fine sts ep; very hard				
129.0-131.0	dk grn grs				
131.0-181.0	grs w white fl				
181.0-188.0	grs sch				
188.0-205.0	chl-ser merg w grs sch above				
205.0-212.0	ser-sch w qtz-carb lenses, py	9749	7.0	0.10	
212.0-216.0	ser-sch w minor qtz-carb, py	9750	4.0	0.01	
216.0-223.0	ser-sch w qtz-carb lenses, py	9751	7.0	0.01	
223.0-226.0	as above	9756	3.0	0.01	
226.0-235.0	gry grn chl-ser sch				

Logged by MPHole No. U-B1172

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
235.0-242.0	gry ser sch				
242.0-249.0	gry ser sch w minor qtz-carb; minor min	9757	7.0	0.02	
249.0-256.0	as above	9758	7.0	0.01	
256.0-263.0	as above	9759	7.0	.01	
263.0-270.0	as above but more qtz-carb	9760	7.0	.01	
270.0-277.0	as above but less qtz-carb	9761	7.0	.01	
277.0-287.0	chl-ser sch				
287.0-295.0	grs-sch				
295.0-299.0	sch-grs				
299.0-313.0	grs				

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1171BEARING N60WDIP AT COLLAR 45LENGTH 44.0LAT. 12840DEP. 7678ELEV. 5442

DATE COMPLETED _____

PURPOSE 404 St. DevSHAFT 2LEVEL 575WORKING 404N Dr.SECTION 1125

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-5.0	20% qtz-carb, py	9739	3.5	.18	
5.0-9.0-	ser-sch w qtz-carb lenses, py	9740	4.0	.09	<u>.25</u> <u>15.5</u>
9.0-14.0	ser-sch w qtz-carb lenses, py	9741	5.0	.04	
14.0-17.0	60% qtz-carb; py, aspy, minor asp	9742	3.0	.87	
17.0-23.0	dk gry ser-sch w qtz-carb lenses; py, aspy	9743	5.0	.03	
23.0-28.0	gry ser sch w minor qtz-carb lenses	9744	5.0	.01	
28.0-31.0	gry chl-ser sch	9745	3.0	.01	
31.0-35.0	ser-sch w qtz carb lenses	9746	4.0	.07	
35.0-37.0	50% qtz-carb; py, aspy	9747	2.0	.22	
37.0-42.0	ser-sch, minor qtz-carb	9748	5.0	.02	
42.0-44.0	ser-sch				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	14.0 17.0 3.0 0.87				
	35.0 37.0 2.0 0.22				

Logged by MPHole No. U-B1171

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C 1170SHAFT 3BEARING S 60 ELAT. 10335.7

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR 470DEP. 6564PURPOSE Dev.WORKING C-705 S Dr.LENGTH 166.0ELEV. 5255SECTION 1700 S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
0.0 - 1.0	cs				
1.0 - 25.0	gry gran grs sch				
25.0 - 49.0	gry grn chl-ser sch - minor chl				
49.0 - 63.0	chl-ser sch				
63.0 - 75.0	buff gry ser-sch				
75.0 - 80.0	ser sch w minor qtz-carb lenses; py	12273	5.0	.03	
80.0 - 83.0	50% qtz-carb; py aspy	12274	3.0	.23	
83.0 - 89.0	ser sch w qtz-carb lenses (15%-20%) py, aspy	12275	6.0	.11	
89.0 - 96.0	gry ser sch w odd qtz-carb str, py	12276	7.0	.03	
96.0 - 102.0	gry ser sch	12277	6.0	.01	
102.0 - 111.0	buff gry ser sch				
111.0 - 115.0	30% qtz-carb, py aspy	12278	4.0	.09	
115.0 - 119.0	as above	12279	4.0	.02	
119.0 - 121.0	ser-sch w minor qtz-carb	12280	2.0	.02	

Logged by MPHole No. U-C 1170

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
121.0 - 124.5	30% qtz-carb, py minor aspy	12281	3.5	.04	
124.5 - 131.0	ser sch				
131.0 - 145.0	chl-ser sch				
145.0 - 162.0	gry grn chl-ser sch				
162.0 - 166.0	gry grn chl-ser silic				
Dip Test					
DepthReadCorr.					
1656460					
FromToCLGrade					
80.083.03.00.23					

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
166.0-185.5	gry ser-sch				
185.5-189.5	35% qtz-carb, py, aspy	12364	4.0	.24	960
189.5-196.0	70% qtz-carb; py, aspy	12365	6.5	.38	2.470
196.0-203.0	ser-sch w loc qtz-carb lens; py, minor aspy	12366	7.0	.03	3.430
203.0-207.0	ser-sch; minor qtz-carb lens; py, aspy	12367	4.0	.05	
207.0-216.5	ser-sch; minor qtz-carb lens; spar min	12368	9.5	.02	
216.5-221.0	25% qtz-carb; spar min (possible fault at 217.0 bx)	12369	4.5	.06	
221.0-223.0	grn-gry chl-ser sch				
223.0-224.0	gry-grn chl-ser sch, approach chl-ser				
<u>DIP TEST</u>					
<u>Depth</u> <u>Heard</u> <u>Corr.</u>					
221 51 42.5					
 <u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>					
185.5 196.0 10.5 .33					

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-C1169SHAFT 3BEARING S60ELAT. 11300.97

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR HorDEP. 7090.34PURPOSE DevWORKING C-704NLENGTH 160ELEV. 5256SECTION 500S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-50.0	v.f.g. lt grn grs; retic				
50.0-65.0	grs-sch merg w above				
65.0-66.0	qtz w epidote strs & blobs (flow contact?)				
66.0-79.0	dk gry silic ser-sch; py xls at 72.0				
79.0-86.0	as above but grn-gry				
86.0-97.0	ser-sch lt gry				
97.0-105.0	dk gry ser sch w minor qtz-carb, py Water 97.0-107.0	12266	8.0	.04	
105.0-107.5	phry dike (?) chilled contacts (see sample)				
107.5-112.5	gry ser sch w minor qtz-carb, py	12267	5.0	.01	
112.5-118.0	gry ser sch w qtz-carb lenses; py, minor aspy	12268	5.5	.18	
118.0-129.0	gry ser sch w minor qtz-carb, py	12269	6.0	.09	
124.0-127.0	40% qtz-carb; py, minor aspy	12270	3.0	1.50	4.50
127.0-133.0	20% qtz-carb; (40% 131.0-132.0); py, aspy	12271	6.0	.67	<u>4.02</u>
					<u>8.52</u>

Logged by MPHole No. U-C1169

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
133.0-137.0	gry ser sch, minor qtz-carb, minor py	12272	4.0	.02	
137.0-150.0	chl-ser sch				
150.0-160.0	grs-sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>124.0</div> <div>133.0</div> <div>9.0</div> <div>0.94</div> </div>				

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1168BEARING N60WDIP AT COLLAR 45LENGTH 36LAT. 12806.20DEP. 7682.80ELEV. 5480

CORE RECORD

DATE COMPLETED _____

PURPOSE St. DevSHAFT 2LEVEL 575WORKING 404N StSECTION 1100N

FOOTAGE

DESCRIPTION

SAMPLE
NUMBERSAMPLE
LENGTHGOLD ASSAYS
OZ./TON OZ./TON

0-1.0

cs

1.0-7.0

ser sch w qtz-carb lenses; py

9737

6.0

.08

7.0-15.0

ser sch w minor qtz carb lenses; py

9738

8.0

.02

15.0-36.0

chl-ser sch

Logged by MPHole No. U-B1168

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1167SHAFT 2

BEARING _____

LAT. 12806.16

DATE COMPLETED _____

LEVEL 575DIP AT COLLAR 490DEP. 7683.27PURPOSE 404N St. DevWORKING 404N St.LENGTH 38ELEV. 5481SECTION 1100N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs	9736	3.5	.08	
1.5-5.0	20% qtz-carb; py, aspy 1.5-2.5				
5.0-10.0	com chl-ser sch				
1.0-25.0	ser sch				
25.0-38.0	chl-ser sch				

Logged by MPHole No. U-B1167

HOLE No. 17

SHAFT _____

BEARING

LAT. _____

DATE COMPLETED 4-25-75

LEVEL 25

DIP AT COLLAR _____

DEP. _____

PURPOSE

WORKING 1964-1965

LENGTH

ELEV. _____

SECTION _____

Logged by _____

Hole No. _____



GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B 1166BEARING N 60 WDIP AT COLLAR 65LENGTH 70.0LAT. 12838.5DEP. 7680ELEV. 5442

DATE COMPLETED _____

PURPOSE 404 N St. Dev.SHAFT 2LEVEL 575WORKING B-404 NSECTION 1125 N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0 - 1.5	cs				
1.5 - 7.5	30% qtz-carb; py, aspy	9725	6.0	.26	
7.5 - 14.5	ser-sch w qtz-carb lenses, py, minor aspy	9726	7.0	.07	
14.5 - 17.0	as above	9727	2.5	.14	
17.0 - 22.0	ser sch; minor py	9728	5.0	.11	
22.0 - 24.5	60% qtz-carb; py, aspy	9729	2.5	1.05	
24.5 - 30.5	ser-sch; qtz-carb lenses; py	9730	6.0	.03	
30.5 - 36.5	as above	9731	6.0	.01	
36.5 - 43.5	as above	9732	7.0	.09	
43.5 - 50.5	as above	9733	7.0	.05	
50.5 - 56.0	as above	9734	5.5	.12	
56.0 - 60.0	as above	9735	4.0	.07	
60.0 - 70.0	chl-ser sch				
	<div>From</div> <div>1.5</div> <div>22.0</div>	<div>To</div> <div>7.5</div> <div>24.5</div>	<div>C.L.</div> <div>6.0</div> <div>2.5</div>	<div>Grade</div> <div>0.26</div> <div>1.05</div>	

Logged by MPHole No. U-B1166

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B 1165SHAFT 2BEARING S 60 ELAT. 12835

DATE COMPLETED _____

LEVEL 575DIP AT COLLAR 75DEP. 7684PURPOSE St. Dev.WORKING B-404 NLENGTH 67.0ELEV. 5442SECTION 1125 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 1.5	cs				
1.5 - 8.0	35% qtz-carb; py, aspy	9712	6.5	.08	.520
8.0 - 15.0	60% qtz-carb; py, aspy, sp., minor gry min	9713	7.0	.81	5.670
15.0 - 20.0	55% qtz-carb; py, aspy, sp	9714	5.0	.67	3.350
20.0 - 24.0	40% qtz-carb; py, aspy	9715	4.0	.20	.800
24.0 - 26.0	90% qtz-carb; spar min	9716	2.0	.45	.900
26.0 - 29.0	ser-sch w minor qtz-carb lens; spar. min	9717	3.0	.08	11.240
29.0 - 34.5	gry ser-sch	9718	5.5	.05	
34.5 - 41.0	gry ser-sch; loc qtz-carb lens; spar min	9719	6.5	.05	
41.0 - 44.0	20% qtz-carb; spar min	9720	3.0	.42	1.26
44.0 - 48.0	gry ser sch; loc qtz-carb lens; spar min	9721	4.0	.02	
48.0 - 55.0	75% qtz-carb; py, aspy	9722	7.0	.37	2.570
55.0 - 60.0	60% qtz-carb; py, aspy	9723	5.0	.39	1.950
60.0 - 62.5	30% qtz-carb; py, aspy	9724	2.5	.07	.175
	Fault (?) 61.5				4.695

Logged by DM & MPHole No. U-B1165

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
62.5 - 67.0	grn gry ser sch				
	<u>From</u> <u>To.</u> <u>C.L.</u> <u>Grade</u> 1.5 26.0 24.5 .43 41.0 44.0 3.0 .42 48.0 62.5 14.5 .32				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1164

BEARING S60E

DIP AT COLLAR 70

LENGTH 185

LAT. 10335.5

DEP. 6564.5

ELEV. 5254.8

DATE COMPLETED _____

PURPOSE Dev.

SHAFT 3

LEVEL 750

WORKING C-705S

SECTION 1600S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS							
				OZ./TON	OZ./TON						
0-1.0	cs										
1.0-25.0	gry & buff comp ser sch merg w chl-ser sch										
25.0-85.0	gry chl-ser sch										
85.0-118.0	buff-gry ser sch; mottled w qutz										
118.0-125.0	as above										
125.0-134.0	as above but no qutz										
134.0-144.0	buff-gry ser-sch minor qutz, carb lenses, minor py, t.s. 134.-141.0	12261	7.0	.01							
144.0-185.0	chl ser sch merg w grnstone sch; qtz carb lens at 160.0										
<div>DIP TEST</div> <table><tr><th>Depth</th><th>Read.</th><th>Corr.</th></tr><tr><td>181'</td><td>67.5</td><td>63.5</td></tr></table>						Depth	Read.	Corr.	181'	67.5	63.5
Depth	Read.	Corr.									
181'	67.5	63.5									

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
185.0-217.0	dk grn chl-ser sch; approach chl-sch				
	98.0-99.0 porph-dike? small white phenol chl-sch				
	<u>DIP TEST</u>				
	<u>Depth</u> <u>Read</u> <u>Corr.</u>				
	210 65 52.5				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1163
BEARING S60E
DIP AT COLLAR 64
LENGTH 182

LAT. 11216
DEP. 7042.5
ELEV. 5258
DATE COMPLETED _____
PURPOSE Dev

SHAFT 3
LEVEL 750
WORKING C-704N
SECTION 600S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-69.0	v.f.g. lt grn grs w retic ep threads; suggest of variol after 42.0				
69.0-88.0	f.g. lt grn grs sch				
88.0-95.5	f.g. gry chl-ser sch merg w above				
95.5-132.0	gry-buff ser sch; 1/4" gouge 110.0				
132.0-138.0	40% qtz in yellow silic ser sch; py, local heavy gry min & sp	12260	6.0	1.20	
138.0-143.0	buff ser sch				
143.0-150.0	buff ser sch; qtz carb lenses, minor py	12262	7.0	.05	
150.0-155.0	25% qtz-carb; py, minor aspy	12263	5.0	.27	1.35
155.0-162.0	20% qtz-carb; py, minor aspy	12264	7.0	.26	1.82
					3.17
162.0-168.0	buff-gry ser-sch; qtz-carb lenses; py	12265	6.0	.13	
168.0-174.0	gry ser-sch; minor qtz-carb lenses, no py				
174.0-182.0	grn-gry ser-sch w add streak chl				

		DIP TEST		
From	To	C.L.	Grade	
132.0	138.0	6.0	1.20	Depth Read Correct
150.0	162.0	12.0	0.26	150' 64° 60°

Logged by MR. JDB

Hole No. U-C1163

veler

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1162SHAFT 2BEARING --LAT. 12837

DATE COMPLETED _____

LEVEL 575DIP AT COLLAR 790DEP. 7682PURPOSE St. DevWORKING B-404NLENGTH 52.0ELEV. 5442SECTION 1125N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-7.0	ser-sch w qtz-carb lens; py, aspy	9704	5.5	.03	
7.0-12.0	as above	9705	5.0	.06	
12.0-18.0	as above	9706	6.0	.07	
18.0-24.5	75% qtz-carb; py, aspy	9707	6.5	.19	
24.5-28.0	ser-sch w qtz-carb lens; py, aspy	9708	3.5	.12	
28.0-32.0	buff-gry ser-sch; loc qtz-carb lens; spar min	9709	4.0	.02	
32.0-36.0	20% qtz-carb; spar min	9710	4.0	.06	
36.0-41.0	ser-sch w qtz-carb lens; spar min	9711	5.0	.04	
41.0-49.5	grn-gry ser-sch				
49.5-52.0	grn-gry chl-ser sch				
	<div>From To C.L. Grade</div> <div>18.0 24.5 6.5 .19</div>				

Logged by DMHole No. U-B1162

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1161SHAFT 2BEARING N60WLAT. 12866.49189 W.

DATE COMPLETED _____

LEVEL 575DIP AT COLLAR 465DEP. 7680.26PURPOSE St. Dev.WORKING R-404NLENGTH 55.0ELEV. 5442SECTION 1150N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-5.0	ser-sch w qtz-carb lens; py, aspy	9699	3.5	.10	
5.0-11.0	as above w increas qtz-carb	9700	6.0	.21	
11.0-25.5	ser-sch w minor qtz-carb lens; spar min t.s. 18.0-23.0	9701	5.0	.02	
25.5-32.0	ser-sch w minor qtz-carb lens; py, aspy	9702	6.5	.04	
32.0-39.5	ser-sch w loc qtz-carb lens; py, aspy	9703	7.5	.03	
39.5-55.0	lt gry ser-sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>5.0</div> <div>11.0</div> <div>6.0</div> <div>.21</div> </div>				

Logged by DMHole No. U-B1161

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-CL160

SHAFT 3

BEARING S60E

LAT. 11214.85

DATE COMPLETED _____

LEVEL 750

DIP AT COLLAR 40DEP. 7044.08

PURPOSE Der.

WORKING C-704N

LENGTH 149.0

ELEV. 5258

SECTION 6000

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-35.0	v.f.g. lt grn ep gns w retic ep threads; sch after 19.0				
35.0-59.0	f.g. lt grn gns sch mer w above; gry after 47.0				
59.0-99.0	comp gry-buff ser sch; in part silic local dissem no: t.s. 96.0-99.0	12254	3.0	.01	
99.0-103.0	qutlz lenses in buff silic ser sch; local min	12255	4.0	.42	1.680
103.0-109.0	80% dk qutz well min w gry min; bronze min dissem sp	12256	6.0	1.26	7.560
109.0-113.0	20% mottled qutz; py	12257	4.0	.90	3.600
113.0-149.0	gry & buff ser sch; t.s. 125.5-129.0	12259	3.5	.12	12.940
	From To C.L. Grade				
	<u>99.0</u> <u>113.0</u> <u>14.0</u> <u>.91</u>				

Logged by JDB

Hole No. 11-03160

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1159

SHAFT 3

BEARING S60E

LAT. 9980.20

DATE COMPLETED _____

LEVEL 750

DIP AT COLLAR 460

DEP. 6379.58

PURPOSE Dev.

WORKING C-7053

LENGTH 217.0

ELEV. 5257

SECTION 20003

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS										
				OZ./TON	OZ./TON									
0-1.0	cs													
1.0-9.0	v.f.g. lt grn grs													
9.0-28.5	f.g.-m.g. grn grs													
28.5-102.0	grn grs sch; grn-buff chl sch 59.5-80.5													
102.0-113.0	gry chl-ser sch													
113.0-120.0	buff waxy tx ser sch (tuffac.)													
120.0-143.5	buff & gry ser sch t.s. 137.5-138.5	12250	1.0	.03										
143.5-148.0	20% qtz; minor local min	12251	4.5	.22										
148.0-153.0	qtz lenses in ser sch; minor min	12252	5.0	.04										
153.0-217.0	gry ser sch w sect chl-ser t.s. 171.5-174.0 t.s. 181.5-193.0	12253 12258	3.5 4.5	.03 .03										
<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td></tr><tr><td>143.5</td><td>148.0</td><td>4.5</td><td>.20</td></tr></table>						<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	143.5	148.0	4.5	.20	
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>											
143.5	148.0	4.5	.20											
<table><tr><td colspan="3"><u>DIP TEST</u></td></tr><tr><td><u>Depth</u></td><td><u>Read</u></td><td><u>Correct</u></td></tr><tr><td>180</td><td>47 1/2</td><td>43</td></tr></table>						<u>DIP TEST</u>			<u>Depth</u>	<u>Read</u>	<u>Correct</u>	180	47 1/2	43
<u>DIP TEST</u>														
<u>Depth</u>	<u>Read</u>	<u>Correct</u>												
180	47 1/2	43												

Logged by JDR

Hole No. U-C1159

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-81158SHAFT 2BEARING S60ELAT. 12276.5

DATE COMPLETED _____

LEVEL 250DIP AT COLLAR 460DEP. 6952.0PURPOSE 215 St. Dev.WORKING 215 St. Dev.LENGTH 154.0ELEV. 5756.3SECTION 275 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-19.0	dk grn grs-sch				
19.0-30.0	com. gry-grn chl-ser sch				
30.0-60.5	com grn-gry chl-ser sch				
60.5-67.5	chl-ser sch w loc. qtz-carb lens; py, minor aspy	9688	7.0	.05	
67.5-73.5	sil ser sch; py, minor aspy	9689	6.0	.01	
73.5-88.0	grn-gry chl-ser sch				
88.0-100.0	gry ser sch				
100.0-107.5	20% qtz-carb; py, aspy, tr. gry-min	9690	7.5	.04	
107.5-114.5	90% qtz; spar min w py, aspy, sp, v.g.	9691	7.0	.15	1.050
114.5-117.0	ser-sch w qtz-carb lens; py	9692	2.5	.02	.050
117.0-123.0	95% qtz; spar min w py, aspy	9693	6.0	.45	2.700
123.0-128.0	80% qtz; py, aspy, tr. gry-min	9694	5.0	.34	1.700
128.0-133.5	30% qtz-carb; py, aspy	9695	5.5	.29	<u>1.595</u>
					<u>7.095</u>

Logged by DMHole No. U-81158

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS													
				OZ./TON	OZ./TON												
133.5-140.0	ser sch w qtz-carb lens; spar min	9696	6.5	.08													
140.0-145.0	as above	9697	5.0	.05													
145.9-150.0	20% qtz-carb; spar min	9698	5.0	.08													
150.0-152.0	ery-grn chl-ser sch																
152.0-154.0	dk grn grs-sch																
<div><table><tr><th><u>From</u></th><th><u>To</u></th><th><u>C.L.</u></th><th><u>Grade</u></th></tr><tr><td>107.5</td><td>133.5</td><td>26.0</td><td>.27</td></tr></table></div>						<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	107.5	133.5	26.0	.27				
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>														
107.5	133.5	26.0	.27														
<div><p><u>DIP TEST</u></p><table><tr><th><u>Depth.</u></th><th><u>Read.</u></th><th><u>Correct</u></th></tr><tr><td>154</td><td>63$\frac{1}{2}$</td><td>59$\frac{1}{2}$</td></tr><tr><td></td><td><u>-7</u></td><td></td></tr><tr><td></td><td>55 $\frac{1}{2}$</td><td></td></tr></table></div>						<u>Depth.</u>	<u>Read.</u>	<u>Correct</u>	154	63 $\frac{1}{2}$	59 $\frac{1}{2}$		<u>-7</u>			55 $\frac{1}{2}$	
<u>Depth.</u>	<u>Read.</u>	<u>Correct</u>															
154	63 $\frac{1}{2}$	59 $\frac{1}{2}$															
	<u>-7</u>																
	55 $\frac{1}{2}$																

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1157BEARING S60ELAT. 12277.0

DATE COMPLETED _____

DIP AT COLLAR 75DEP. 6951.0PURPOSE 215 Steps DevLENGTH 126.0ELEV. 5756.3SHAFT 2LEVEL 250WORKING 215 N.Dev.SECTION 275N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-19	grs sch w lt tan flecks & minor qtz-carb lenses				
19-27	chl-ser sch				
27-69	ser sch 2 grn chrome micas to 33.0-silic from 48.0-67.0				
69.0-71.5	gry ser sch				
71.5-77.5	ser-sch w minor qtz-carb lens; minor min	9680	6.0	.06	
77.5-83.0	ser-sch w qtz-carb lens; py, aspy	9681	5.5	.18	
83.0-91.0	ser-sch w loc. qtz-carb lens; minor min	9682	8.0	.01	
91.0-98.0	ser-sch 2 qtz-carb lens; py, aspy	9683	7.0	.02	
98.0-103.5	as above	9684	5.5	.01	
103.5-110.0	35% qtz-carb; py, aspy	9685	6.5	.19	1.235
110.0-115.0	30% qtz-carb; py, aspy	9686	5.0	.11	.550
115.0-120.0	60% qtz-carb; py, aspy	9687	5.0	.07	.350
					2.135

Logged by DM & MFHole No. U-B1157

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-C1156SHAFT 3BEARING S60ELAT. 99°50.20

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR Hor.DEP. 6379.58
129 EPURPOSE Dev.WORKING C-7055LENGTH 156.0ELEV. 5753SECTION 20003

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-9.0	v.f.g. lt grn grs				
9.0-73.0	f.g.-m.g. grn grs sch; local snfl; possible flow bx after 69.0				
73.0-76.5	qtz-carb lenses; local min	12241	3.5	.04	
76.5-80.5	qtz lenses in silic ser sch; py	12242	4.0	.06	
80.5-85.0	30% qtz-carb; local min	12243	4.5	1.44	6.480
85.0-92.0	dk buff ser sch; neg min	12244	7.0	.01	.070
92.0-99.5	30% qtz-carb; local min	12245	7.5	.56	4.200
99.5-105.5	60% qtz-carb; py, aspy, tr gry min & ss	12246	6.0	1.17	7.020
105.5-110.0	50% & as above	12247	4.5	.18	.810
110.0-118.0	dk ser sch w qtz lenses; neg min	12248	8.0	.01	18.580
118.0-145.5	as above, t.s. 20% qtz sect 138.0-145.5	12249	7.5	.22	
145.5-156.0	buff-gry ser sch				
		From	To	C.L.	Grade
		80.5	110.0	29.5	.63
		138.0	145.5	7.5	.22

Logged by JDEHole No. U-C1156

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-81155SHAFT 2BEARING --LAT. 12234

DATE COMPLETED _____

LEVEL 250DIP AT COLLAR 790DEP. 6926PURPOSE B-215 St. Dev.WORKING B-215NLENGTH 100.0ELEV. 5756SECTION 225W

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-37.0	gran chl-ser sch w dk grn & tan flecks to 14.0, w tan flecks to 37.0				
37.0-49.5	banded chl-ser sch w lt tan flecks				
49.5-52.5	ser sch silic w py & grn chrome micas				
52.5-59.5	75% qtz-carb py, aspy, sph	9674	6.5/7.0	.11	
59.5-63.0	60% qtz-carb py, aspy, sph	9675	3.0/3.5	.05	
63.0-70.0	lt tan silic ser sch w py & qtz lenses w py & aspy	9676	7.0	.05	
70.0-77.0	as above	9677	7.0	.07	
77.0-84.0	20% qtz -carb py, aspy	9678	7.0	.32	
84.0-91.0	chl-ser sch w qtz lenses py	9679	7.0	.27	
91.0-110.0	chl-ser sch w lt tan flecks and gry-blue streaks				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	77.0 91.0 14.0 .24				

Logged by MPHole No. U-81152

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1154SHAFT 3BEARING N60WLAT. 9984.30

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR Hor.DEP. 6372.48
121EPURPOSE Dev.WORKING C-7055LENGTH 207.0ELEV. 5253SECTION 2000S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-9.0	f.g.-m.g. mass lt. grn grs				
9.0-20.0	as above merg w lt gry-grn grs sch; resid variol (?)				
20.0-78.0	f.g. - m.g. sch grs; calc; qtz-ep sect lighter w retic ep threads after 57.0-				
78.0-84.0	banded flow bx;				
84.0-107.0	f.g. - m.g. gry-grn grs; retic ep threads; gry basic dike 94.5-100.0				
107.0-123.0	dk gry-grn comp grs sch				
123.0-133.0	m.g. lt grn dense grs				
133.0-136.5	dense gran dk grs sch				
136.5-207.0	f.g. - m.g. dk sch grs; variol (?) 138.0-140.0 ep sect grs sch 190.5- 201.0				

Logged by IDBHole No. U-C1154

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1153
BEARING S60E
DIP AT COLLAR Hor.
LENGTH 159.0

LAT. 11214.85
DEP. 7044.08
ELEV. 5255.5

DATE COMPLETED _____
PURPOSE Dev.

SHAFT 3
LEVEL 750
WORKING C-704N
SECTION 6003

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS													
				OZ./TON	OZ./TON												
0-1.5	cs																
1.5-47.5	v.f.g. lt grn grs; retic ep threads resid variol (?)																
47.5-61.5	f.g. lt grn grs sch merg w above																
61.5-88.0	f.g. gry-grn chl-ser sch; comp; merg w above																
88.0-99.5	buff ser sch merg w above; t.s. 95.0-99.5	12238	4.5	.10													
99.5-107.5	dk ser sch w short sect ore type	12239	7/8.0	.49													
107.5-112.5	buff ser sch; minor qtz & neg min	12240	5.0	.03													
112.5-123.0	gry-buff ser sch																
123.0-137.0	grn-gry comp chl-ser sch																
137.0-157.0	as above merg w grs sch																
157.0-159.0	grn ep grs																
<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td><td colspan="2"></td></tr><tr><td>99.5</td><td>107.5</td><td>8.0</td><td>.49</td><td colspan="2"></td></tr></table>						<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>			99.5	107.5	8.0	.49		
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>														
99.5	107.5	8.0	.49														

Logged by JDE

Hole No. U-C1153

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1152SHAFT 2BEARING S60ELAT. 12231.92

DATE COMPLETED _____

LEVEL 250DIP AT COLLAR 460DEP. 6929.61PURPOSE R-215 Stope Dev.WORKING B-215 NLENGTH 138.0ELEV. 5756.13SECTION 225 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-40.5	grn sch-ser sch fl w tan; dk grn lenses				
40.5-66.0	gry gran ser sch silic imp w py and grn chrome micas after 53.0 t.s. 59.0-66.0	9661	7.0	.09	
66.0-70.0	as above but more silic	9662	4.0	.24	.960
70.0-74.0	as above	9663	4.0	.11	.440
74.0-75.0	70% qtz carb py, aspy, v.g.	9664	1.0	1.97	1.970
75.0-82.0	90% qtz carb py, aspy, sph	9665	7.0	.06	.420
82.0-87.0	90% qtz carb py, aspy, sph	9666	5.0	.10	.500
87.0-93.0	70% qtz carb py, aspy, sph	9667	6.0	.40	2.400
93.0-100.0	90% qtz carb spar min w py, aspy, sph	9668	7.0	.12	.940
100.0-107.0	85% carb py, aspy, sph, gry min	9669	7.0	.22	1.540
107.0-110.0	as above	9670	3.0	.47	1.410
110.0-114.0	60% qtz carb py, aspy	9671	4.0	.19	.760
					11.240

Logged by MPHole No. U-B1152

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
114.0--121.0	gry ser sch silic py & grn chrome micas	9672	7.0	.03	
121.0-125.0	as above	9673	4.0	.04	
125.0-138.0	grn chl-ser sch fl w lt, tan, lenses				
	<div> <div>From</div> <div>TO</div> <div>C.L.</div> <div>Grade</div> </div> <div> <div>66.0</div> <div>114.0</div> <div>48.0</div> <div>.23</div> </div>				

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-C1151BEARING S60EDIP AT COLLAR 466LENGTH 163.0LAT. 11124.16DEP. 6995.71ELEV. 5758.5

DATE COMPLETED _____

PURPOSE Dev.Water flow 160.0SHAFT 3LEVEL 750WORKING C-704NSECTION 700S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
0-1.5	cs				
1.5-52.0	v.f.g. lt grn grs; amyg; retic ep threads; hem fract; variol after 20.0				
52.0-68.0	gry grs sch merg w above; chl selvag				
68.0-113.0	dense dk gry chl-ser sch merg w above				
113.0-133.5	dense buff-gry ser sch merg w above; t.s. 129.0-133.5	12233	4.5	.01	
133.5-139.0	40% dk qtz-carb; py	12234	5.5	1.43	7.865
139.0-144.0	as above	12235	5.0	1.24	6.200
144.0-149.0	20% & as above	12236	5.0	1.22	6.100
149.0-150.5	dk gry ser sch; minor min	12237	1.5	.28	.420
150.5-163.0	dk gry-buff ser sch				20.585
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	133.5 150.5 17.0 1.21				
	<u>DIP TEST</u>				
	<u>Depth</u> <u>Read.</u> <u>Correct</u>				
	160 70 66				

Logged by JDBHole No. U-C1151

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1150SHAFT Dev.BEARING S60ELAT. 10245.60

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR 44DEP. 6523.05PURPOSE Dev.WORKING C-705SLENGTH 171.0ELEV. 5255SECTION 17C0S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-22.0	grn-buff chl-ser sch				
22.0-51.0	f.g. grn chl'c grs sch; merg w chl sch after 39.0				
51.0-92.0	gry, finely gran chl-ser sch				
92.0-102.5	as above merg w ser sch; t.s. 97.0-102.5	12226	5.5	.05	
102.5-110.0	30% qutzz-carb; py, minor aspy	12227	7.5	.38	2.850
110.0-113.0	20% & as above; sparing min	12228	3.0	.02	.060 2.910
113.0-130.5	qutzz-carb lenses in chl-ser sch; nosig min				
130.5-135.5	30% qutzz-carb; py, local aspy & gry min	12229	5.0	.20	
135.5-140.5	qutzz lenses in ser sch; local min	12230	5.0	.01	
140.5-156.0	qutzz-carb lenses in chl-ser sch; nosig min				
156.0-161.0	20% qutzz-carb; py, minor aspy	12231	5.0	.10	
161.0-166.0	as above w decreas qutzz & min	12232	5.0	.03	

Logged by JDBHole No. U-C1150

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	OZ./TON												
166.0-171.0	quartz carb lenses in chl-ser sch; nosig min																
	<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td></tr><tr><td>102.5</td><td>113.0</td><td>10.5</td><td>.27</td></tr><tr><td>130.5</td><td>135.5</td><td>5.0</td><td>.20</td></tr></table>	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	102.5	113.0	10.5	.27	130.5	135.5	5.0	.20				
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>														
102.5	113.0	10.5	.27														
130.5	135.5	5.0	.20														

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-C1149BEARING S60EDIP AT COLLAR 70LENGTH 173.0LAT. 11036.00DEP. 6948.60 90 E.ELEV. 5258

DATE COMPLETED _____

PURPOSE Dev.Water flow 139.0SHAFT 3LEVEL 750WORKING C-704 NSECTION 800 S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 1.0	cs				
1.0 - 9.5	f.g. lt grn sch grs				
9.5 - 15.0	f.g. lt grn grs sch				
15.0 - 36.5	f.g. lt gry-buff ser'd grs sch				
36.5 - 80.5	as above merg w chl-ser sch				
80.5 - 100.5	as above merg w ser sch				
100.5 - 109.0	qutlz lenses in ser sch., minor py	12214	8.5	.02	
109.0 - 116.0	as above	12215	7.0	.02	
116.0 - 118.5	as above	12216	2.0	.08	
118.5 - 123.5	30% gry qutlz-carb; py	12217	5.0	.05	.250
123.5 - 130.5	20% qutlz-carb; py; fault bx 126.5	12218	7.0	.31	2.170
130.5 - 136.0	40% qutlz; dissemin py, minor gry min	12219	5.5	1.32	7.260
136.0 - 141.5	20% qutlz-carb lenses; minor py	12220	5.5	.02	.110
141.5 - 147.0	30% qutlz-carb; py, minor aspy	12221	5.5	.04	.220

Logged by JDBHole No. U-C1149

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
147.0 - 152.0	60% qutz-carb; sparing min	12222	5.0	.19	.950
152.0 - 159.0	40% qutz-carb; py, aspy, sp, local gry min	12223	7.0	.37	2.590
159.0 - 161.0	20% qutz-carb; sparing min	12224	2.0	.12	.240
161.0 - 166.0	gry-buff ser sch				13,790
166.0 - 173.0	gry chl-ser sch				
	<div> <div>From</div> <div>To</div> <div>G.L.</div> <div>Grade</div> </div> <div>118.5 161.0 42.5 .32</div>				
	<div>Dip Test</div> <div> <div>Depth</div> <div>Read.</div> <div>Correct</div> </div> <div>170 70 $\frac{1}{2}$ 67</div>				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1148
BEARING S60E
DIP AT COLLAR 45
LENGTH 141.0

LAT. 11124.16
DEP. 6995.71
ELEV. 5258
DATE COMPLETED _____
PURPOSE Dev.

SHAFT 3
LEVEL 75°
WORKING C-704 N
SECTION 700 S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 1.0	cs				
1.0 - 40.0	v.f.g. lt grn grs; ep threads; hem fract				
40.0 - 52.0	f.g. lt grn grs sch merg w above				
52.0 - 73.0	f.g. gry comp chl-ser sch merg w above				
73.0 - 95.0	f.g. buff comp ser sch				
95.0 - 101.5	20% qutz, py aspy	12225	6.5	.45	2.925
101.5 - 106.0	30% qutz-carb, dissem py, po	12210	4.5	.45	2.025
106.0 - 111.5	70% qutz-carb heavily min w po & gry min	12211	5.5	.56	3.080
111.5 - 116.5	30% qutz; py, minor po	12212	5.0	1.24	6.200
116.5 - 121.5	qutz lenses in ser sch; minor min	12213	5.0	.08	14.230
121.5 - 127.0	gry-buff ser sch				
127.0 - 141.0	grn ch'c grs sch				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	95.0 116.5 21.5 .66				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1147

SHAFT 3

BEARING S60E

LAT. 11124.16

DATE COMPLETED _____

LEVEL 750

DIP AT COLLAR Hor.

DEP. 6995.71

PURPOSE Dev.

WORKING C-7041

LENGTH 154.0 (700)

ELEV. 5255

SECTION 700S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-13.5	f.g. mass grs; retic ep; hem fract				
13.5-43.5	m.g. grn gran grs (intr.); homog				
43.5-59.0	f.g. dk grn buff chl'e sch; tuffac; banded 43.5-49.0				
59.0-76.5	dk gry-buff dense chl-ser sch				
76.5-93.0	buff ser sch				
93.0-98.0	40% outz-carb; bronze-gry min; sp	12200	5.0	.30	
98.0-105.5	dk comp chl-ser sch				
105.5-107.5	30% outz; minor min	12201	2.0	.05	
107.5-124.5	buff ser-sch; t.s. silic sect 121.5-124.5	12202	3.0	.37	
124.5-135.0	gry chl-ser sch				
135.0-142.0	f.g. grn chl'e grs sch				
142.0-154.0	f.g. grn sch grs (amyg)				
	<div>FromToC.I.L. Grade</div> <div>93.098.05.0.30</div> <div>121.5124.53.0.37</div>				

Logged by JDB

Hole No. U-C1147

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
154.0 - 220.0	f.g. grn chl grs sch, chl sch 161.5 - 169.0 and intervals merg w grs sch thereafter				
220.0 - 232.5	f.g. sch grs merg w above, cherty-ep bands				
232.5 - 235.0	dk gry grn dike w apple-grn phenos; chilled contacts				
235.0 - 257.6	f.g. sch grs w cherty ep bands				
257.0 - 270.0	lt grn grs sch; more sch than above				
270.0 - 281.0	grn f.g. sch grs w minor ep				
281.0 - 305.0	grn sch: no ep and more sch than above				
305.0 - 342.0	dk grn f.g. sch grs: ep, minor hem				
342.0 - 370.0	dk gry grn f.g. sch grs: cherty ep bands: 355.0 - 357.0 a few brown alt flecks				
370.0 - 377.0	dk grn sch grs w cherty ep bands				
377.0 - 400.0	dk grn grs sch w mines snflk alt: patchy qtz at 380.0				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1146SHAFT 2BEARING S60ELAT. 12231.92

DATE COMPLETED _____

LEVEL 250DIP AT COLLAR 475DEP. 6929.61PURPOSE B-215 St. Dev.WORKING B-215 NLENGTH 148.0ELEV. 5756SECTION 225 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0 - 1.5	c.s.				
1.5 - 2.5	grn grs-sch				
2.5 - 6.0	sil ser-sch w loc qtz-carb lens; py, aspy	9647	3.5	.08	
6.0 - 10.0	gry-grn chl-ser sch	9648	4.0	.01	
10.0 - 17.0	20% qtz-carb; py, aspy	9649	7.0	.03	
17.0 - 24.0	sil ser-sch; py, aspy	9650	7.0	.10	
24.0 - 29.0	20% qtz-carb; py, aspy	9651	5.0	.04	
29.0 - 40.0	grn-gry chl-ser sch w loc. qtz-carb lens, spar min	9652	11.0	.02	
40.0 - 46.0	ser-sch w qtz-carb lens; py, aspy	9653	6.0	.15	
46.0 - 50.0	20% qtz-carb; spar min	9654	4.0	.03	
50.0 - 73.5	grn-gry ser sch				
73.5 - 75.0	sil. ser-sch; py, aspy	9655	1.5	.06	
75.0 - 79.5	75% qtz-carb; py, aspy, gry, min	9656	4.5	.18	.810
79.5 - 86.5	30% qtz-carb; py, aspy	9657	7.0	.06	.420

Logged by D.M.Hole No. U-B1146

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
86.5 - 93.5	ser sch w qtz-carb lens; py, aspy	9658	7.0	.12	.840
93.5 - 100.5	70% qtz-carb; py, aspy	9659	7.0	.29	2.030
100.5 - 107.0	50% qtz-carb; py, aspy	9660	6.5	.22	<u>1.430</u>
107.0 - 117.0	gry-grn chl-ser sch				5.530
117.0 - 134.0	dk grn grs sch				
134.0 - 141.0	dk grn grs sch				
141.0 - 148	sch grs.				
<div> <div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div> <div> <div>75.0</div> <div>107.0</div> <div>32.0</div> <div>.17</div> </div> </div>					
<div> <div>Dip Test</div> <div> <div>Depth</div> <div>Read.</div> <div>Correct</div> </div> <div> <div>140</div> <div>80</div> <div>77</div> </div> </div>					

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1145SHAFT 3BEARING S60ELAT. 10245.60

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR Hor.DEP. 6523.05PURPOSE Dev.WORKING C-705 SLENGTH 184.0ELEV. 5252.5SECTION 1700 S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
0 - 1.0	cs.				
1.0 - 9.0	f.g. chl'e grs sch				
9.0 - 37.0	f.g. mott'd grn chl sch; amy g				
37.0 - 62.0	as above merg into chl-ser sch				
62.0 - 93.5	gry-buff ser sch; t.s. 74.0-78.0	12203	4.0	.05	
93.5 - 99.5	30% qutzz-carb., py, aspy	12204	6.0	.23	1.380
99.5 - 106.5	60% qutzz-carb.; py, aspy; tr gry min & sp	12205	7.0	.35	2.450
106.5 - 113.0	20% qutzz streaked w ser., minor min	12206	6.5	.06	.390
113.0 - 118.5	as above	12207	5.5	.26	1.430
118.5 - 125.5	40% qutzz-carb., py, aspy	12208	7.0	⁶⁹ .86	^{6.020} 11.670 10.480
	Fault zone 125.5				
125.5 - 153.0	grn-gry ser sch; qutzz lenses; neg min; tuffac (?) 135.0-149.0				
153.0 - 158.0	30% qutzz-carb., silic; py, aspy	12209	5.0	³⁹ .96	
158.0 - 173.0	grn-gry chl-ser sch; minor qutzz; neg min				

Logged by JDBHole No. U-C1145

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	
173.0 - 184.0	f.g. grn grs sch				
	<div> <div><u>From</u></div> <div><u>To</u></div> <div><u>C.L.</u></div> <div><u>Grade</u></div> </div>				
	<div> <div>93.5</div> <div>125.5</div> <div>32.0</div> <div>.36 32</div> </div>				
	<div> <div>153.0</div> <div>158.0</div> <div>5.0</div> <div>.96 39</div> </div>				

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1144BEARING S60EDIP AT COLLAR Hor.LENGTH 77.0LAT. 11944.50DEP. 6927.30ELEV. 5904.0

DATE COMPLETED _____

PURPOSE Dev.SHAFT 2LEVEL 100WORKING B-118 S.Dr.

SECTION _____

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-8.0	dk grn grs-sch				
8.0-21.0	gry-grn chl-ser sch				
21.0-29.0	20% qtz-carb; py, aspy	9639	8.0	.13	1.040
29.0-34.0	60% qtz-carb; py, aspy	9640	5.0	.34	1.700
34.0-37.0	20% qtz-carb; py, aspy	9641	3.0	.37	<u>1.100</u>
37.0-46.0	ser-sch w qtz-carb lens; py, minor aspy	9642	9.0	.09	3.840
46.0-54.0	ser-sch w minor qtz-carb lens spar min	9643	8.0	.03	
54.0-58.0	80% qtz-carb; spar min	9644	4.0	.09	
58.0-65.0	ser-sch w qtz-carb lens; py, aspy	9645	7.0	.62	
65.0-72.0	ser-sch w qtz-carb lens; spar min	9646	7.0	.01	
72.0-75.0	gry-grn chl-ser sch				
75.0-77.0	com gry-grn chl-ser sch; approach grs sch				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	21.0 37.0 16.0 .24				

Logged by DMHole No. U-B1144

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1143SHAFT 3BEARING S60ELAT. 11036.00

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR 45DEP. 6948.60PURPOSE Dev.WORKING C-704NLENGTH 124.0ELEV. 5258SECTION 800S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-12.0	f.g. sch grs pea grn				
12.0-32.0	buff-grn banded ser sch; local streaks po (tuffac)				
32.0-49.0	gry comp chl-ser sch				
49.0-58.5	buff ser sch				
58.5-64.0	buff ser sch; dissem py, po	12182	5.5	.06	
64.0-69.5	as above	12183	5.5	.04	
69.5-74.0	30% qtz incl 18" dk solid qtz; py, aspy	12184	4.5	.31	1.395
74.0-78.5	20% qtz-carb streaked w ser sch; py, minor aspy	12185	4.5	.95	4.275
78.5-83.5	as above	12186	5.0	.05	.250
83.5-88.5	30% & as above w 18" solid qtz-carb	12187	5.0	.51	2.550
88.5-93.5	20% qtz; py, aspy	12188	5.0	.35	1.750
93.5-98.0	as above	12189	4.5	1.00	4.500
98.0-102.0	gry-buff ser sch; py	12190	4.0	.19	.760
					15.480

Logged by JDBHole No. U-C1143

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON . OZ./TON									
102.0-117.0	buff ser sch												
117.0-120.0	grn grs sch												
12.0-124.0	grn sch grs												
	<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td></tr><tr><td>69.5</td><td>102.0</td><td>32.5</td><td>.47</td></tr></table>	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	69.5	102.0	32.5	.47				
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>										
69.5	102.0	32.5	.47										

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1142BEARING ---DIP AT COLLAR 790LENGTH 41.0LAT. 11955.5DEP. 6907.7ELEV. 5908DATE COMPLETED -----PURPOSE Dev.SHAFT 2LEVEL 100WORKING B-118 S. Dr.SECTION 25 S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-16.5	gry-grn chl-ser sch				
16.5-23.5	chl-ser sch; loc. qtz-carb lens; spar min	9632	7.0	.01	
23.5-31.0	chl-ser sch; minor qtz-carb lens; spar min (fault zone w hem from 24.0-28.0)	9633	7.5	.01	
31.0-34.0	35% qtz-carb; py, aspy	9634	3.0	.12	
34.0-37.0	qtz-carb lens in ser sch; py aspy	9635	3.0	.04	
37.0-41.0	gry-grn chl-ser sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>31.0</div> <div>34.0</div> <div>3.0</div> <div>.12</div> </div>				

Logged by DMHole No. U-B1142

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1141SHAFT 2BEARING ---LAT. 11965.5DATE COMPLETED LEVEL 100DIP AT COLLAR 490DEP. 6891PURPOSE Dev.WORKING B-118 S. Dr.LENGTH 24.0ELEV. 5908SECTION 25 S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
0-1.0	cs				
1.0-9.0	com gry-grn chl-ser sch				
9.0-11.5	ser-sch; loc qtz-carb lens, spar min	9629	2.5	.02	
11.5-15.0	30% qtz-carb; py, aspy	9630	3.5	.15	
15.0-21.5	chl-ser sch w loc. qtz-carb lens; spar min (fault zone w hem & bx from 15.0-21.5)	9631	6.5	.09	
21.5-24.0	dk grn grs sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>11.5</div> <div>15.0</div> <div>3.5</div> <div>.15</div> </div>				

Logged by DMHole No. U-B1141

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1140SHAFT 2BEARING ---LAT. 11946.0DATE COMPLETED LEVEL 100DIP AT COLLAR 490DEP. 6925.5PURPOSE Dev.WORKING B-113 S. Dr.LENGTH 52.0ELEV. 5908.0SECTION 25 S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-16.0	grn grs-sch				
16.0-32.0	gry-grn chl-ser sch				
32.0-37.5	55% qtz-carb; py, aspy, vuggy fault zone w hem from 36.0-38.0	9636	5.5	.17	
37.5-42.5	grn-gry chl-ser sch	9637	5.0	.01	
42.5-49.0	55% qtz-carb; py, aspy	9638	6.5	.08	
49.0-52.0	gry-grn chl-ser sch				
	<div> <div>From</div> <div>TO</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>32.0</div> <div>37.5</div> <div>5.5</div> <div>.17</div> </div>				

Logged by DMHole No. U-B1140

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1139SHAFT 2BEARING ---LAT. 11975.0DATE COMPLETED LEVEL 100DIP AT COLLAR 490DEP. 6873.0PURPOSE Dev.WORKING B-118SLENGTH 28.0ELEV. 5908SECTION 25S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	casing				
1.5-8.5	75% qtz-carb; v.g. at 6.0 , fault 3.0-4.0 - here, vuggy	9625	7.0	.36	2.520
8.5-10.0	60% qtz-carb; py, minor aspy	9626	1.5	.27	.405
10.0-16.0	20% qtz-carb; py, minor aspy	9627	6.0	.12	.720
16.0-19.0	15% qtz-carb; minor py & aspy	9628	3.0	.05	
19.0-28.0	chl-ser sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>1.5</div> <div>16.0</div> <div>14.5</div> <div>.25</div> </div>				

Logged by HPHole No. U-B1139

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1138SHAFT 3BEARING S60ELAT. 10946.43

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR 430DEP. 6900.75^{96 E.}PURPOSE Dev.WORKING C-704NLENGTH 189.0ELEV. 5258SECTION 900S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-39.0	comp gry & buff chl-ser sch				
39.0-68.0	waxy mottled buff ser sch (tuffac?)				
68.0-107.0	buff comp ser sch				
107.0-111.0	buff comp silic ser sch; po	12179	4.0	.45	
111.0-116.0	as above	12180	5.0	.01	
116.0-121.0	as above	12181	5.0	.05	
121.0-126.0	30% qtz-carb w yellow ser'c resid; py	12191	5.0	.15	.750
126.0-133.0	20% qtz w ser resid; minor min	12192	7.0	.32	2.240
133.0-139.0	60% qtz-carb; py, aspy, minor sp	12193	6.0	1.22	7.320
139.0-146.0	30% qtz-carb w ser resid; py, minor aspy, po	12194	7.0	.73	5.110
146.0-153.0	50% qtz-carb; sparing min; sp	12195	7.0	.57	3.990
153.0-160.0	30% qtz-carb streaked w ser; py, minor aspy & sp	12196	7.0	.86	1.020
160.0-167.0	20% qtz-carb streaked w ser; py	12197	7.0	.17	1.190

Logged by JDBHole No. U-C1138

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	
167.0-172.5	minor qtz in dk sch; py	12198	5.5	.09	.495
172.5-176.5	70% qtz-carb; sp & gry min	12199	4.0	.44	<u>1.760</u>
176.5-189.0	buff ser sch				28.875
	<div> <div>From</div> <div>To</div> <div>C.I.</div> <div>Grade</div> </div>				
	<div> <div>121.0</div> <div>176.5</div> <div>55.5</div> <div>.52</div> </div>				
	<div>DIP TEST</div>				
	<div> <div>Depth</div> <div>Read.</div> <div>Correct</div> </div>				
	<div> <div>180</div> <div>82$\frac{1}{2}$</div> <div>80</div> </div>				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1137SHAFT 2BEARING N60WLAT. 11979.20

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR Hor.DEP. 6369.00PURPOSE Dev.WORKING 255LENGTH 96.0ELEV. 5904

SECTION _____

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-5.5	20% qutzz-carb py, po, aspy	9614	4.5/5.5	.11	
5.5-7.5	Fault zone - vuggy - hem - 25%	9615	4.0	.10	
9.5-16.0	qutzz-carb in ser sch - py	9616	5.5/6.5	.02	
16.0-18.0	15% qutzz-carb, py, aspy	9617	2.0	.09	
18.0-25.0	80% qutzz-carb, py, aspy	9618	5.5/7.0	.98	
25.0-32.0	25% qutzz-carb, py, aspy	9619	7.0	.40	
32.0-39.0	30% qutzz-carb, py, aspy	9620	7.0	.10	
39.0-46.0	40% qutzz-carb, py, aspy	9621	6.0/7.0	3.13	
46.0-54.0	chl-ser sch w py & minor aspy - 2' section of bull qutzz	9622	6.5/8.0	.06	
54.0-67.0	chl-ser sch				
67.0-69.5	chl-ser sch w py & minor aspy	9623	2.5	.06	
69.5-86.0	chl-ser sch minor py				
86.0-89.0	chl-ser sch qutzz-carb lenses; py, & minor aspy	9624	2.5/3.0	.03	
89.0-96.0	chl-ser sch				
	From To C.I. Grade				
	18.0 46.0 28.0 1.53				

1.45 (62)
28

Logged by MPHole No. U-B1137

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1136

CORE RECORD

SHAFT 2BEARING ---LAT. 11960NDATE COMPLETED LEVEL 100DIP AT COLLAR -90DEP. 6852EPURPOSE Dev.WORKING B-1183LENGTH 40.0ELEV. 5900SECTION 503

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	cs				
2.0-15.0	buff-grn chl-ser sch				
15.0-18.5	ser sch - 10% qtz-carb, minor, py, min	9613	2.5/3.5	.50	
18.5-34.0	ser sch				
34.0-40.0	chl-ser sch				

Logged by DMHole No. U-B1136

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1135SHAFT 2BEARING ---LAT. 11960.0DATE COMPLETED -----LEVEL 100DIP AT COLLAR 490DEP. 6852.0PURPOSE Dev.WORKING B-118 S. Dr.LENGTH 24.0ELEV. 5902.3SECTION 505

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-6.5	80% qtz-carb; py, aspy	9610	5.0	.12	.600
6.5-10.5	75% qtz-carb; py, aspy	9611	4.0	.19	.760
10.5-17.5	50% qtz-carb; py, aspy, 1" of hem at 17.5 (fault?)	9612	7.0	.81	<u>5.670</u> 7.030
17.5-24.0	gry-grn chl-ser sch				
	<div> <div>From</div> <div>To</div> <div>C.I.</div> <div>Grade</div> </div>				
	<div> <div>1.5</div> <div>17.5</div> <div>16.0</div> <div>.44</div> </div>				

Logged by DMHole No. U-B1135

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1134SHAFT 3BEARING S60ELAT. 10946.43

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR 44.5DEP. 6900.75PURPOSE Dev.WORKING C-704NLENGTH 106.0ELEV. 5254Waterflow 21.0 feetSECTION 900S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-9.5	f.g. grn buff chl-ser sch				
9.5-23.5	m.g. grn grs sch				
23.5-26.0	f.g. chl-ser sch				
26.0-36.5	buff waxy ser sch (tuffac?)				
36.5-40.0	20% qtz lenses; py, minor po	12170	3.5	.06	
40.0-45.0	buff ser sch w small streaks sp	12171	5.0	.01	
45.0-50.0	qtz-carb lenses in ser sch; py, aspy	12172	5.0	.06	
50.0-56.5	as above	12173	6.5	.26	1.690
56.5-60.0	70% qtz-carb; sp, gry min	12174	3.5	.40	1.400
60.0-66.5	qtz lenses in ser sch; minor min	12175	6.5	.01	.065
66.5-73.5	30% qtz-carb; py, minor aspy	12176	7.0	.67	4.690
73.5-78.5	as above; increas min	12177	5.0	1.86	9.300
78.5-82.0	40% dk qtz; streaks gry min	12178	3.5	.31	<u>1.085</u>
					<u>18.230</u>

Logged by JDBHole No. U-C1134

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
82.0-98.0	buff ser sch				
98.0-106.0	gry chl-ser sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>50.0</div> <div>82.0</div> <div>32.0</div> <div>.57</div> </div>				
	<div> <div>alt. 66.5</div> <div>82.0</div> <div>15.5</div> <div>.97</div> </div>				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1133SHAFT 2BEARING S60ELAT. 1195.04

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR HorDEP. 6855.62PURPOSE Dev.WORKING B-1185. Dr.LENGTH 28.0ELEV. 5903.8SECTION 50S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-3.0	gry-grn chl-ser sch hem 0-1.5				
3.0-8.0	chl-ser sch w minor qtz-carb lens & min	9608	5.0	.04	
8.0-12.5	as above w decreas min	9609	4.5	.02	
12.5-28.0	a com grn-gry chl-ser sch				

Logged by DMHole No. U-B1133

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1132SHAFT 2BEARING ---LAT. 11967.5DATE COMPLETED LEVEL 100DIP AT COLLAR -90DEP. 6339.5PURPOSE Dev.WORKING B-118S Dr.LENGTH 37.0ELEV. 5900.3SECTION 50S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	cs				
2.0-10.0	35% qtz-carb; py, aspy	9604	8.0	.07	
10.0-15.0	chl-ser sch w loc qtz-carb lens; py, aspy, vuggy fault zone w hem. 3.0-13.0	9605	5.0	.03	
15.0-20.0	as above	9606	5.0	.04	
20.0-25.0	60% qtz-carb; py, aspy	9607	5.0	.60	
25.0-37.0	gry-grn chl-ser sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div> <div> <div>20.0</div> <div>25.0</div> <div>5.0</div> <div>.60</div> </div>				

Logged by DMHole No. U-B1132

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-81131SHAFT 2BEARING ---LAT. 11967.5DATE COMPLETED LEVEL 100DIP AT COLLAR 490DEP. 6839.5PURPOSE Dev.WORKING B-118 S. Dr.LENGTH 28.0ELEV. 5908.3SECTION 20 50S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.5	cs				
1.5-7.0	40% qtz-carb; py, aspy	9600	5.5	.05	.275
7.0-14.0	65% qtz-carb; py, aspy	9601	7.0	.10	.700
14.0-17.5	75% qtz-carb; py, aspy, v.g.	9602	3.5	(1.32 .85	3.780
17.5-19.5	chl-ser sch w loc. qtz-carb lens; py, aspy	9603	2.0	.22	.880 5.635
19.5-28.0	com chl-ser sch; approaching grs-sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>1.5</div> <div>19.5</div> <div>18.0</div> <div>.31</div> </div>				

Logged by DMHole No. U-81131

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1130SHAFT 2BEARING N60WLAT. 11969.09

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR Hor.DEP. 6836.48PURPOSE Dev.WORKING B-118 S. Dr.LENGTH 27.0ELEV. 5903.8SECTION 50 S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-7.0	35% qtz-carb; py, aspy	9596	7.0	.16	1.120
7.0-14.0	40% qtz-carb; py, aspy, v.g.	9597	7.0	1.43	10.010
14.0-16.0	50% qtz-carb; py, aspy	9598	2.0	.13	.360
16.0-21.0	25% qtz-carb; py, aspy, v.g.	9599	5.0	.81	4.050
21.0-27.0	gry-gra chl-ser sch; com & approaching grs sch 25.0 to 27.0				15.540
	<div> <div>From</div> <div>TO</div> <div>G.L.</div> <div>Grade</div> </div> <div> <div>0</div> <div>21.0</div> <div>21.0</div> <div>.74</div> </div>				

Logged by DMHole No. U-B1130

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1129
BEARING S60E
DIP AT COLLAR Hor.
LENGTH 102.0

LAT. 10946.43
DEP. 6900.75
ELEV. 5255

DATE COMPLETED _____
PURPOSE Dev.
Waterflow 21.0 feet

SHAFT 3
LEVEL 750
WORKING C-704N
SECTION 9005

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-4.5	f.g. gry-grn sch grs				
4.5-19.0	f.g. gry grs sch				
19.0-56.0	f.g. buff ser sch; waxy tx (tuffac?) 19.0-29.5 t.s. min sect qutzz-carb & po 31.0-32.0 t.s. 50.5-56.0	12162 12163	1.0 3.5/5.5	.09 .77	4.235
56.0-63.0	70% porcel qutzz sparing min w py, aspy, sp	12164	7.0	1.18	8.260
63.0-68.0	20% qutzz soaked in ser; sparing min	12165	5.0	1.15	5.750
68.0-73.5	qutzz lenses in dk ser sch; minor min	12166	5.5	.08	18.245
73.5-79.0	as above	12167	5.5	.01	
79.0-84.0	as above	12168	5.0	.11	
84.0-90.0	40% qutzz; sparing sp	12169	3.0/6.0	.40	
90.0-102.0	dk chl-ser sch				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	50.5 68.0 17.5 1.04				
	84.0 90.0 6.0 .40				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1128
BEARING S60E
DIP AT COLLAR Hor.
LENGTH 142.0

LAT. 11036.00
DEP. 6948.60
ELEV. 5254
DATE COMPLETED _____
PURPOSE Dev.

SHAFT 3
LEVEL 750
WORKING C-704H
SECTION 800S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-11.0	v.f.g. lt grn amyg grs				
11.0-46.0	v.f.g. pea grn grs sch merg w chl-ser sch				
46.0-55.5	v.f.g. gry-buff chl-ser sch				
55.5-62.0	buff ser sch				
62.0-68.5	40% qutzz-carb w ser resid; well min aspy streaks gry min	12158	6.5	1.09	
68.5-75.0	30% qutzz-carb; py, po	12159	6.5	.48	
75.0-104.0	gry, mottled ser sch; t.s. min sect. 85.0-87.5 t.s. 99.0-104.0	12160	2.5	.59	
		12161	5.0	.05	
104.0-131.5	gry chl-ser sch				
131.5-136.5	chl'c grs sch				
136.5-142.0	grn m.g. sch grs				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	62.0 75.0 13.0 .78				
	85.0 87.5 2.5 .59				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1127SHAFT 2BEARING ---LAT. 11951.8DATE COMPLETED LEVEL 100DIP AT COLLAR -90DEP. 6816.2PURPOSE Dev.WORKING B-118 S. Dr.LENGTH 39.0ELEV. 5900.4SECTION 75S.

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	cs				
2.0-4.0	60% qtz-carb; spar min	9590	2.0	.15	
4.0-11.0	sil-sch; py, aspy	9591	7.0	.11	
11.0-18.0	as above with increas sil	9592	7.0	.02	
18.0-21.5	25% qtz-carb; py, aspy; chrome-mica alt; vuggy fault zone with hem from 19.5-21.5	9593	3.5	.04	
21.5-28.5	25% qtz-carb; py, aspy, chrome-mica alt.	9594	7.0	.01	
28.5-30.0	ser-sch; qtz-carb lens; spar min, chr-mica alb.	9595	1.5	.02	
30.0-37.0	lt. grn-gry ser-sch				
	<u>From</u> <u>To</u> <u>C.I.</u> , <u>Grade</u>				
	2.0 11.0 9.0 .10				

Logged by DMHole No U-B1127

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1126

SHAFT 2

BEARING ---

LAT. 11951.8

DATE COMPLETED

LEVEL 100

DIP AT COLLAR 790

DEP. 6816.2

PURPOSE Dev.

WORKING B-118 S. Dr.

LENGTH 33.0

ELEV. 6908.9

SECTION 75 S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-2.5	ser-sch; qtz-caeb lens; py, minor aspy	9586	1.5	.11	
2.5-11.5	gry-grn chl-ser sch; minor qtz-carb lens, spar min	9587	9.0	.01	
11.5-15.0	chl-ser sch; loc qtz-carb lens; py, minor aspy	9588	3.5	.01	
15.0-20.5	25% qtz-carb; py, aspy	9589	5.5	.04	
20.5-30.0	gry-grn chl-ser sch				
30.0-33.0	dk grn grs-sch				
	<div><div>From</div><div>To</div><div>C.L.</div><div>Grade</div></div>				
	<div>1.0</div> <div>2.5</div> <div>1.5</div> <div>.11</div>				

Logged by DM

Hole No. U-B1126

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1125BEARING N60WDIP AT COLLAR HorLENGTH 133.0LAT. 11953.59DEP. 6812.38 ⁴ 3ELEV. 5903.9

DATE COMPLETED _____

PURPOSE Dev.SHAFT 2LEVEL 100WORKING B-118 S. Dr.SECTION 75S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	70% qtz-carb; py, aspy	9564	2.0	.05	
2.0-12.0	grn-gry, chl-ser sch, t.s. 8.0-12.0	9565	3.0	.01	
12.0-15.0	ser-sch; qtz-carb lens; py, aspy	9566	3.0	.06	
15.0-16.5	80% qtz-carb; spar min w py, aspy	9567	1.5	.12	
16.5-22.5	chl-ser sch qtz-carb lens; py, minor aspy	9568	6.0	.06	
22.5-32.0	chl-ser sch; minor qtz-carb lens; spar min	9569	9.5	.02	
32.0-34.5	ser-sch; qtz-carb lens; py, aspy	9570	2.5	.06	
34.5-37.5	ser-sch, minor qtz-carb lens; spar min	9571	3.0	.02	
37.5-39.5	25% qtz -carb; py, aspy	9572	2.0	.06	
39.5-56.0	grn-gry sch-ser sch. t.s. 39.5-46.5	9573	7.0	.01	
56.0-59.0	chl-ser sch; qtz-carb lens. py, aspy	9574	3.0	.04	
59.0-64.0	grn-gry sch-ser sch	9575	5.0	.04	
64.0-70.5	chl-ser sch; loc. qtz-carb lens py, aspy	9576	6.5	.05	
70.5-75.0	70% qtz-carb; py, aspy	9577	4.5	.13	

Logged by DMHole No. U-B1125

N.M.P.-F3744-5

FOOTAGE	DESCRIPTION	SAMPLE NO.	SAMPLE LENGTH	GOLD ASSAYS																					
				oz./TON	oz./TON																				
75.0-82.0	sil sch, py, aspy	9578	7.0	.04																					
82.0-89.0	as above	9579	7.0	.06																					
89.0-96.0	50% qtz-carb; py, aspy	9580	7.0	.14																					
96.0-101.0	60% qtz-carb; py, aspy	9581	5.0	.06																					
101.0-108.0	80% qtz-carb; spar min	9582	7.0	.05																					
108.0-115.0	70% qtz-carb; py, aspy	9583	7.0	.06																					
115.0-118.0	50% qtz-carb; py, aspy	9584	3.0	.03																					
118.0-120.0	20% qtz-carb; py, aspy	9585	2.0	.18																					
120.0-123.0	gry ser-sch																								
123.0-132.0	grn-gry chl-ser sch																								
132.0-133.0	grn grs-sch																								
	<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td></tr><tr><td>15.0</td><td>16.5</td><td>1.5</td><td>.12</td></tr><tr><td>70.5</td><td>75.0</td><td>4.5</td><td>.13</td></tr><tr><td>89.0</td><td>96.0</td><td>7.0</td><td>.14</td></tr><tr><td>118.0</td><td>120.0</td><td>2.0</td><td>.18</td></tr></table>	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	15.0	16.5	1.5	.12	70.5	75.0	4.5	.13	89.0	96.0	7.0	.14	118.0	120.0	2.0	.18				
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>																						
15.0	16.5	1.5	.12																						
70.5	75.0	4.5	.13																						
89.0	96.0	7.0	.14																						
118.0	120.0	2.0	.18																						

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-C1124BEARING S60EDIP AT COLLAR 780LENGTH 166.0LAT. 10772.20DEP. 6808.24ELEV. 5256.5

DATE COMPLETED _____

PURPOSE Dev.Sectional Core BarrelSHAFT 3LEVEL 750WORKING C-704NSECTION 1100S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
0-1.0	cs				
1.0-15.0	m.g. gry diorite				
15.0-32.5	gry chl-ser sch				
32.5-95.0	buff-gry ser sch; dk & merg w chl-ser after 38.0, t.s. qtz sect 70.0-72.0	12145	2.0	.08	
	t.s. min sect 79.0-83.0	12146	3.0	.03	
	t.s. 90.0-95.0	12147	5.0	.02	
95.0-100.0	20% qtz; py, sparing aspy	12148	5.0	.19)	
100.0-105.0	dk qtz in ser sch; sparing min	12149	5.0	.17)	
105.0-110.0	as above	12150	5.0	.34)	
110.0-115.0	as above	12151	5.0	.01	
115.0-120.0	as above	12152	5.0	.02	
120.0-127	as above w decreas qtz & min	12153	7.0	.03	
127.0-134.0	20% qtz-carb; sparing min, tr gry min	12154	7.0	.11	
134.0-139.0	as above	12155	5.0	.02	

Logged by JDBHole No. U-C1124

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
139.0-145.0	70% qut-z-carb; sp, gry min	12156	6.0	.40)	
145.0-150.0	70% qut-z-carb; py, sparing sp	12157	5.0	.41)	
150.0-166.0	buff ser sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div> <div> <div>95.0</div> <div>110.0</div> <div>15.0</div> <div>.23</div> </div> <div> <div>139.0</div> <div>150.0</div> <div>11.0</div> <div>.40</div> </div>				
	<div>DIP TEST</div> <div> <div>Depth</div> <div>Read.</div> <div>Correct.</div> </div> <div> <div>160</div> <div>82½</div> <div>80½</div> </div>				

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B1123SHAFT 2BEARING S60ELAT. 11948.89

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR HorDEP. 6829.524PURPOSE Dev.WORKING B-113 S. Dr.LENGTH 41.0ELEV. 5903.9SECTION 75S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS													
				OZ./TON	OZ./TON												
0-7.0	70% qtz-carb; py, aspy, minor sp, v.g.	9558	7.0	.33 .80	5.705												
7.0-9.5	ser-sch w qtz carb lens; py minor aspy	9559	2.5	.04													
9.5-16.5	ser-sch w loc. qtz-carb lens; spar min	9560	7.0	.02													
16.5-23.5	as above	9561	7.0	.01													
23.5-27.0	45% qtz-carb; py, aspy	9562	3.5	.42	1.470												
27.0-35.0	ser-sch; qtz-carb lens; py, aspy	9563	8.0	.10	.80												
35.0-41.0	chl-ser sch; 36.5 to 39.5 fault zone w hem																
	<table><tr><td><u>FROM</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td></tr><tr><td>0</td><td>7.0</td><td>7.0</td><td>.81</td></tr><tr><td>23.5</td><td>35.0</td><td>11.5</td><td>.20</td></tr></table>	<u>FROM</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	0	7.0	7.0	.81	23.5	35.0	11.5	.20				
<u>FROM</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>														
0	7.0	7.0	.81														
23.5	35.0	11.5	.20														

Logged by DMHole No. U-B1123

SECTION From 586N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-7.0	ser sch qtz-carb lens; py, aspy	9541	7.0	.08	
7.0-13.0	as above	9542	6.0	.01	
13.0-18.0	60% qtz-carb; py, aspy	9543	5.0	.02	
18.0-25.0	ser-sch; qtz-carb lens; py, aspy	9544	7.0	.04	
25.0-27.0	as above	9545	2.0	.01	
27.0-32.5	50% qtz-carb; py, aspy, minor sp, v.g.	9546	5.5	(.61 (.43	2.860
32.5-39.0	20% qtz-carb, spar min	9547	6.5	.02	.130
39.0-45.0	ser-sch; qtz-carb lens, py, aspy	9548	6.0	.44	<u>2.640</u>
45.0-46.0	gry ser-sch				5.630
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>27.0</div> <div>45.0</div> <div>18.0</div> <div>.32</div> </div>				

Hole No. U-B1121

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1120

CORE RECORD

SHAFT 2BEARING N 20.25 WLAT. 12433.99

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR Hor.DEP. 7312.89PURPOSE Stone, Dev.WORKING B-214LENGTH 61.0ELEV. 5859.57SECTION From 586N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-.0-8.0	ser sch minor qtz-carb lens; py, aspy	9537	8.0	.02	
8.0-15.0	as above (fault zone from 5.0-11.0; bx; faulr at 10.0, asbestos-like gouge)	9538	7.0	.01	
15.0-22.0	gry ser-sch qtz-carb lens; py, aspy	9539	7.0	.08	
22.0-28.5	as above with 70% qtz-carb; py, aspy, 27.5-28.1	9540	6.5	.12	
28.5-61.0	gry ser-sch				

Logged by DMHole No. U-B1120

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1118SHAFT 3BEARING S60ELAT. 10334.92

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR 45DEP. 6565.91PURPOSE Dev.WORKING C-7055LENGTH 140.0ELEV. 5255SECTION 1600S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-71.5	gry-buff ser sch; local qtz-carb t.s. 48.0-50.0	12136	2.0	.01	
71.5-77.5	qtz-carb lenses; minor min	12137	6.0	.56	3.360
77.5-84.0	60% qtz, part heavily min w gry min	12138	6.5	.62	4.030
84.0-90.0	20% qtz; local sp	12139	6.0	.14	.840
90.0-96.0	20% qtz; minor local min	12140	6.0	.20	<u>1.200</u> 9.430
96.0-103.0	gry ser sch; no min	12141	7.0	.01	
103.0-110.0	qtz lenses in ser sch; minor min	12142	7.0	.09	
110.0-115.0	as above w decreas qtz & min	12143	5.0	.07	
115.0-121.0	as above	12144	6.0	.18	
121.0-140.0	gry-buff ser sch approach chl-ser by 140.0				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	71.5 96.0 24.5 .38				

Logged by JDEHole No. U-C1118

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1117SHAFT 2BEARING ---LAT. 12288.5NDATE COMPLETED LEVEL 100DIP AT COLLAR -90DEP. 7033.5EPURPOSE Stope Dev.WORKING B-215 St.LENGTH 25.0ELEV. 5855.25SECTION 325 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.5	cs				
2.5-6.0	90% qtz-carb; spar, min py, aspy	9532	3.5	.07	
6.0-8.0	ser sch; qtz-carb lens; py	9533	2.0	.02	
8.0-12.0	gry ser sch				
12.0-25.0	grn-gry; chl-ser sch				

Logged by DMHole No. U-B117

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B116SHAFT 2BEARING N60WLAT. 12291.0N

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR -45DEP. 1029.75EPURPOSE Stope Dev.WORKING R-215 St.LENGTH 50.0ELEV. 5856.75SECTION 325N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-7.0	85% qtz-carb; py, aspy	9525	7.0	.16	1.120
7.0-9.5	90% qtz-carb; py, aspy, v.g.	9526	2.5	(.38 (.45	<u>1.037</u> 2.157
9.5-16.0	sil ser sch; grn chrome mica alt. py, minor aspy	9527	6.5	.02	
16.0-23.0	as above	9528	7.0	.01	
23.0-30.0	as above	9529	7.0	.01	
30.0-37.0	as above	9530	7.0	.01	
37.0-43.5	as above	9531	7.0	.01	
43.5-50.0	gry ser-sch		6.5	.04	
	<div> <div>From</div> <div>To</div> <div>Grade</div> <div>C.L.</div> </div>				
	<div> <div>0</div> <div>9.5</div> <div>.23</div> <div>9.5</div> </div>				

Logged by DEHole No. U-B116

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-C1115SHAFT 3BEARING S60ELAT. 10772.20

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR 45DEP. 6808.24PURPOSE Dev.WORKING C-704 NLENGTH 88.0ELEV. 5256.5SECTION 1100S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
0-5.0	m.g. gran gry dior				
5.0-10.0	grn buff chl-ser sch				
10.0-37.0	gry-buff ser sch				
37.0-42.5	qutlz lenses in ser sch well min w py, local aspy	12128	5.5	.62	3.449
42.5-48.5	as above w minor min	12129	6.0	.33	1.980
48.5-53.0	as above w neg min	12130	4.5	.21	.945
53.0-58.0	20% dk qutlz; local min	12131	5.0	.32	1.600
58.0-62.5	dk ser sch w minor qutlz & min	12132	4.5	.17	.765
62.5-67.0	20% qutlz-carb; py, minor aspy	12133	4.5	1.00	4.500
67.0-71.5	qutlz lenses in ser sch; local min	12134	4.5	.41	1.845
71.5-76.0	20% qutlz-carb; py, aspy, tr gry min & sp	12135	4.5	.45	<u>2.025</u>
76.0-82.0	buff ser sch				17.109
82.0-88.0	gry-buff chl-ser sch				
	<div>From</div> <div>37.0</div> <div>To</div> <div>76.0</div> <div>C.L.</div> <div>39.0</div> <div>Grade</div> <div>.43</div>				

Logged by JDBHole No. U-C1115

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1114SHAFT 3BEARING S60ELAT. 10334.92

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR Hor.DEP. 6565.91PURPOSE Dev.WORKING C-705SLENGTH 160.0ELEV. 5252SECTION 1600S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	cs				
2.0-58.5	gry & buff mottl'd ser sch				
58.5-63.9	20% qutzz-carb; py, aspy	12114	4.5	.20	.900
63.0-69.0	as above	12115	6.0	.18	1.080
69.0-75.0	as above w decreas min; fault bx 74.0	12116	6.0	.10	.600
75.0-82.0	as above w increas min	12117	7.0	.43	3.010
82.0-88.0	buff ser sch w local qutzz & min	12118	6.0	.07	.420
88.0-93.0	40% qutzz; py, sparing aspy	12119	5.0	.67	3.350
93.0-98.0	20% & as above	12120	5.0	.47	2.350
98.0-102.0	qutzz lenses in ser sch; minor min	12121	4.0	.15	.600
102.0-107.0	dk ser sch, minor qutzz & min	12122	5.0	.05	.250
107.0-111.0	as above	12123	4.0	.02	.080
111.0-118.0	20% qutzz in silic sch; sparing min	12124	7.0	.49	3.340
					16.070

Logged by JDBHole No U-C1114

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON													
118.0-122.0	minor qutz & min in ser sch	12125	3/4.0	.13													
122.0-135.0	dk ser sch minor qutz & min																
135.0-140.0	qutz lenses in ser sch; minor min	12126	5.0	.01													
140.0-146.0	20% qutz; py, aspy	12127	4/6.0	.11													
146.0-151.0	dk buff ser sch																
151.0-160.0	grn-gry chl-ser sch																
	<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td></tr><tr><td>58.5</td><td>118.0</td><td>59.5</td><td>.27</td></tr><tr><td>incl.88.0</td><td>98.0</td><td>10.0</td><td>.57</td></tr></table>	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	58.5	118.0	59.5	.27	incl.88.0	98.0	10.0	.57				
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>														
58.5	118.0	59.5	.27														
incl.88.0	98.0	10.0	.57														

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B113SHAFT 2BEARING N60WLAT. 12291.ON

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR 45DEP. 7029.5EPURPOSE Stope Dev.WORKING B-215 St.LENGTH 21.0ELEV. 5863.75SECTION 325 N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0-5.0	chl-ser sch; qtz-carb strs; py, aspy	9522	5.0	.19	.950
5.0-11.5	70% qtz-carb; py, aspy	9523	6.5	.33	2.145
11.5-14.0	chl-ser sch; qtz-carb lens; py, minor aspy	9524	2.5	.12	.300
14.0-21.0	gry-grn chl-ser sch				3.395
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>0</div> <div>14</div> <div>14.0</div> <div>.24</div> </div>				

Logged by DMHole No. U-B113

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1112SHAFT 2BEARING N60WLAT. 12291.0N

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR Hor.DEP 7029.5EPURPOSE Stope Dev.WORKING B215 St.LENGTH 64.0ELEV. 5859.75SECTION 325N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0-7.0	70% qtz-carb; py, aspy	9511	7.0	.14	.980
7.0-9.5	90% qtz-carb; py, aspy	9512	2.5	.24	.600
9.5-12.5	chl-ser sch; qtz-carb lens; py	9513	3.0	.10	.300
12.5-14.5	90% qtz-carb; py, aspy; v.g.	9514	2.0	(7.94 (8.73)	16.660
14.5-21.5	80% qtz-carb; py, aspy	9515	7.0	.17	1.190
21.5-23.0	50% qtz-carb; py, aspy	9516	1.5	.48	.720
23.0-29.0	chl-ser sch; spar min	9517	6.0	.50	3.000
29.0-36.0	25% qtz-carb; spar min py, aspy	9518	7.0	.11	.770
36.0-43.0	70% qtz-carb; spar min	9519	7.0	.06	.420
43.0-46.0	65% qtz-carb; spar min	9520	3.0	.08	.240
46.0-52.0	chl-ser sch; qtz-carb lens; py, minor aspy	9521	6.0	.13	24.880
52.0-64.0	gry-grn sch-ser sch; fault from 53.0-54.0 with bx & gouge; approaching grs-sch at end of hole				
	From To C.L. Grade				
	0 46.0 46.0 .54				

Logged by DMHole No. U-B1112

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B111

BEARING S60E

DIP AT COLLAR -40

LENGTH 26.0

LAT. 12285.0

DEP. 7039.0

ELEV. 5857.29

DATE COMPLETED _____

PURPOSE Stope Dev.

SHAFT 2

LEVEL 100

WORKING B 215

SECTION 325N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0-7.0	grn-gry sch-ser sch	9510	6.0	.33	
9.0-15.0	chl-ser sch; qtz-carb lens; py, minor aspy				
15.0-26.0	grn-gry chl-ser sch				
	<div><div>From</div><div>To</div><div>C.L.</div><div>Grade</div></div> <div><div>9.0</div><div>15.0</div><div>6.0</div><div>.33</div></div>				

Logged by DM

Hole No. U-B1111

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1110

SHAFT 2

BEARING S60E

LAT. 12286.0N

DATE COMPLETED _____

LEVEL 100

DIP AT COLLAR 455

DEP. 7037.5E

PURPOSE Stope Dev.

WORKING B-215

LENGTH 44.0

ELEV. 5865.0

SECTION 325N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-7.0	50% qtz-carb; py, aspy, minor sp	9504	7.0	.16	1.120
7.0-14.0	45% qtz-carb; py, aspy	9505	7.0	.14	.980
14.0-21.0	60% qtz-carb; py, aspy	9506	7.0	1.15	8.050
21.0-26.0	40% qtz-carb; py, aspy	9507	5.0	.48	2.400
26.0-32.0	20% qtz-carb; py, aspy	9508	6.0	.17	1.020
32.0-36.0	chl-ser sch; qtz-carb lens; py, minor aspy	9509	4.0	.12	.480
36.0-44.0	grn-gry chl-ser sch				14.050
		<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>
		0	36.0	36.0	.39

Logged by DM

Hole No. U-B1110

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1109SHAFT 3BEARING S60ELAT. 10860.64

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR 75DEP. 6853.97PURPOSE Dev.WORKING C-704NLENGTH 153.0ELEV. 5257SECTION 1000S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-25.0	f.g. grn ch'c grs sch merg w chl-ser sch after 17.0				
25.0-40.5	m.g. gry gran chl-ser sch merg w ser sch				
40.5-49.0	gry ser sch; t.s. 46.5-49	12103	2.5	.02	
49.0-67.0	dk gry-buff chl-ser sch w qutz lenses; waxy tx (tuffac?) 62.0-67.0				
67.0-95.0	gry-buff ser sch				
95.0-100.0	20% qutz; sparing py, aspy	12104	5.0	.51	2.550
100.0-105.0	quartz lenses in dk ser sch; neg min	12105	5.0	.03	.150
105.0-108.0	50% qutz-carb; py, aspy	12106	3.0	.63	1.890
108.0-115.0	quartz lenses in ser sch; minor min	12107	7.0	.14	.980
115.0-120.0	as above	12108	5.0	.08	.400
120.0-124.0	as above w increas qutz & min	12109	4.0	.03	.120
124.0-130.0	20% qutz-carb; py, aspy, tr sp	12110	6.0	.33	1.980

Logged by JDBHole No. U-C1109

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
130.0-135.0	20% qtz in silic ser sch; py, aspy	12111	5.0	.26	1.300
135.0-141.0	40% qtz-carb; py, aspy, tr sp	12112	6.0	.48	2.330
141.0-146.0	30% & as above	12113	5.0	.15	<u>.750</u>
					13.000
146.0-151.0	buff ser sch				
151.0-153.0	dk gran chl-ser sch				
<u>DIP TEST</u>					
		<u>Depth</u>	<u>Read.</u>	<u>Correct</u>	
		145	79	76	
		<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>
		95.0	146.0	51.0	.25

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1108

SHAFT 2

BEARING --

LAT. 12287.5N

DATE COMPLETED _____

LEVEL 100

DIP AT COLLAR 490

DEP. 2035.5E

PURPOSE Stope Dev.

WORKING B-215 St.

LENGTH 35.0

ELEV. 5865.25

SECTION 325N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0-1.5	cs				
1.5-8.5	60% qtz-carb; py, aspy, sp	9500	7.0	.08	.560
8.5-13.5	30% qtz-carb; py, aspy	9501	5.0	.29	1.450
13.5-16.5	60% qtz-carb; spar min py, aspy	9502	3.0	.59	<u>1.770</u> 3.780
16.5-20.5	chl-ser sch; qtz-carb lens; py min	9503	4.0	.05	
33.0-35.0	dk grn grs-sch				
	<div><div><div><u>From</u></div><div>1.5</div></div><div><div><u>To</u></div><div>16.5</div></div><div><div><u>C.L.</u></div><div>15.0</div></div><div><div><u>Grade</u></div><div>.25</div></div></div>				

Logged by DM

Hole No. U-B1108

GIANT YELLOWKNIFE GOLD MINES LIMITED

CORE RECORD

HOLE No. U-B1107SHAFT 2BEARING N60ELAT. 12285.5N

DATE COMPLETED _____

LEVEL 100DIP AT COLLAR 45DEP. 7038.5EPURPOSE Stope Dev.WORKING B-215 St. (lower)LENGTH 65.0ELEV. 5864.29SECTION 325N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-7.0	35% qtz-carb; py, aspy	9492	7.0	.13	.910
7.0-14.0	75% qtz-carb; py, aspy	9493	7.0	.06	.420
14.0-20.0	90% qtz-carb; py, aspy, sp	9494	6.0	.08	.480
20.0-25.0	20% qtz-carb; py, aspy	9495	5.0	.71	3.550
25.0-32.0	20% qtz-carb, py, aspy	9496	7.0	33.	2.310
32.0-39.0	chl-ser sch; qtz-carb lens; py, aspy	9497	7.0	.29	2.030
39.0-44.0	40% qtz-carb; py, aspy	9498	5.0	.46	2.300
44.0-51.5	30% qtz-carb; py, aspy	9499	6.5	.13	.845
51.5-65.0	com; grn-gry chl-ser sch; approaching grs-sch				12.845
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>0</div> <div>51.5</div> <div>51.5,</div> <div>.25</div> </div>				

Logged by DMHole No. U-B1107

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-C1106BEARING S60EDIP AT COLLAR 45LENGTH 119.0LAT. 10860.64DEP. 6853.97ELEV. 5257

DATE COMPLETED _____

PURPOSE Dev.SHAFT 3LEVEL 750WORKING C-704NSECTION 1000S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON	ASSAYS OZ./TON
0-2.0	cs				
2.0-12.0	grn grs sch				
12.0-55.0	gry-buff ser sch; waxy tx & banded 34.0-40.0 (tuffac?)				
55.0-60.0	qutz-carb lenses; py	12075	5.0	.32	1.600
60.0-65.0	as above	12076	5.0	.12	.600
65.0-69.0	as above	12077	4.0	.45	1.800
69.0-74.0	70% qutz-carb; py, sparing sp	12078	5.0	.77	1.350
74.0-78.0	ser sch w minor qutz & min	12101	4.0	.02	5.100
78.0-83.0	20% qutz-carb; minor py, aspy	12102	5.0	.14	
83.0-99.5	gry buff ser sch				
99.5-104.0	gry-grn chl-ser sch				
104.0-114.0	grn chl'e grs sch				
114.0-119.0	grn sch grs				
	From To C.L. Grade				
	55.0 74.0 19.0 .27				

Logged by JDBHole No. U/C1106

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1105BEARING S60EDIP AT COLLAR Hor.LENGTH 68.0LAT. 12284.5NDEP. 7039.5EELEV. 5860.29

DATE COMPLETED _____

PURPOSE Stope Dev.SHAFT 2LEVEL 100WORKING B-215 st. (lower)SECTION 325N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0.0-0.5	40% qtz-carb; py, aspy	9482	0.5	.03	
0.5-1.0	chl-ser sch				
7.0-13.0	30% qtz-carb; py, aspy, spl	9483	6.0	.26	1.560
13.0-19.5	40% qtz-carb; py, aspy, sp; v.g.	9484	6.5	.68	4.420
19.5-22.0	chl-ser sch-minor qtz-carb lens & py min	9485	2.5	.01	.025
22.0-24.0	20% qtz-carb; py, aspy	9486	2.0	.13	.260
24.0-29.0	grn-gry chl-ser; minor py min	9487	5.0	.01	.050
29.0-34.0	35% qtz-carb; py, aspy, sp., gry min	9488	5.0	.63	3.150
34.0-41.0	chl-ser sch; qtz-carb lens; py, aspy	9489	7.0	.12	.840
41.0-47.0	20% qtz-carb; py, aspy	9490	6.0	.26	<u>1.560</u>
47.0-51.0	chl-ser sch; qtz-carb lens; minor min	9491	4.0	.13	<u>11.865</u>
51.0-68.0	com grn gry chl-ser sch				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	7.0 47.0 40.0 .29				

Logged by DMHole No. U-B1105

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1104

BEARING S60E

DIP AT COLLAR Hor.

LENGTH 100.0

LAT. 10860.64

DEP. 6853.97

ELEV. 5254

DATE COMPLETED _____

PURPOSE Dev.

SHAFT 3

LEVEL 750

WORKING C-704N

SECTION 1000S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS													
				OZ./TON	OZ./TON												
0-2.0	cs																
2.0-8.0	f.g. chl'c grs sch																
8.0-61.0	f.g. buff comp ser sch; t.s. qtz sect 17.5-18.5	12070	1.0	.18													
61.0-66.0	as above w minor local dissem min	12071	5.0	.08													
66.0-71.0	as above	12072	5.0	.05													
71.0-76.0	as above (decreas min)	12073	5.0	.04													
76.0-79.5	10% qtz-carb, minor aspy, local gry min	12074	3.5	.06													
79.5-98.0	buff-grn ser sch																
98.0-100.0	grn chl-ser sch merg w grs sch																
<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td><td colspan="2"></td></tr><tr><td>17.5</td><td>18.5</td><td>1.0</td><td>.18</td><td colspan="2"></td></tr></table>						<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>			17.5	18.5	1.0	.18		
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>														
17.5	18.5	1.0	.18														

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-C1103SHAFT 3BEARING S60ELAT. 10772.20

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR Hor.DEP. 6808.24PURPOSE Dev.WORKING C-704NLENGTH 112.0ELEV. 5252.5SECTION 1100S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-3.0	c.g. gry diorite				
3.0-12.0	grn-gry sch-ser sch				
12.0-28.0	gry-buff ser sch				
28.0-32.0	gry ser sch w qut z lenses & scat py	12063	3/4.0	.01	
32.0-37.0	as above	12064	5.0	.01	
37.0-43.0	as above	12065	6.0	.18	1.080
43.0-50.0	gry-buff ser sch	12066	7.0	.08	.560
50.0-55.5	qut z lenses in ser sch; minor min	12067	5.5	.18	.990
55.5-62.0	as above w increas min	12068	6.5	.04	.260
62.0-68.5	as above	12069	6.5	.17	<u>1.105</u>
68.5-103.0	grn-buff ser sch				<u>3.995</u>
103.0-112.0	grn-buff chl-ser sch merg w grs sch by 112.0				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	37.0 68.5 31.5 .12				

Logged by JDBHole No. U/C1103

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-C1102SHAFT 3BEARING S60ELAT. 10596.08

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR -30DEP. 6713.50PURPOSE Dev.WORKING C-704 NLENGTH 132.0ELEV. 5249SECTION 1300S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	cs				
2.0-13.0	f.g. grn ch'c grs sch				
13.0-19.0	f.g. grn chl sch				
19.0-32.5	f.g. mottl'd chl-ser sch				
32.5-75.0	gry-buff ser sch w qutzz-carb lenses t.s. 55.0-58.5	12056	3.5	.07	
75.0-78.0	30% qutzz-carb bands min w py, aspy	12057	3.0	.23	.690
78.0-85.0	60% qutzz-carb in part well min w sp & gry min	12058	7.0	.62	4.340
85.0-90.0	70% & as above	12059	5.0	.64	3.200
90.0-96.5	30% qutzz-carb; local coarse sp & gry min	12060	6.5	.51	3.315
96.5-101.5	qutzz lenses in ser sch; local min	12061	5.0	.23	1.150
101.5-117.0	dk buff ser sch; t.s. 105.0-110.5	12062	5.5	.16	12.695
117.0-121.0	gry-grn chl-ser sch				
121.0-132.0	f.g. grn chl'c grs sch				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	75.0 101.5 26.5 .48				

Logged by JDBHole No. U-C1102

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1101SHAFT 2BEARING N60WLAT. 13971.60

DATE COMPLETED _____

LEVEL 575DIP AT COLLAR -50DEP. 7857.75PURPOSE Dev.WORKING B-409NLENGTH 157.0ELEV. 5441.5SECTION 2200N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-24.0	f.g. sch grn grs				
24.0-40.0	f.g. chl grs sch				
40.0-61.0	gry chl-ser sch				
62.5-73.5	70% qtz-carb; minor aspy min	9480	1.0	.01	
93.5-107.0	gry chl-ser sch				
107.0-108.5	20% qtz-carb; po & minor aspy min	9481	1.5	.14	
108.5-146.0	buff-gry chl-ser sch				
146.0-157.0	com gry chl-ser sch; prprobably approaching grs sch				
DIP TEST					
	<u>Depth</u>	<u>Read.</u>	<u>Correct</u>		
	150	49	45 $40\frac{1}{2}$		

Logged by JDBHole No. U-B1101

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1100

BEARING S60E

DIP AT COLLAR 475

LENGTH 171.0

LAT. 10596.08

DEP. 6713.50

ELEV. 5254.5

DATE COMPLETED _____

PURPOSE Dev.

SHAFT 3

LEVEL 750

WORKING C-704N

SECTION 1300S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
1.0-6.0	f.g. sch grs; gran				
6.0-46.0	f.g. grs sch				
46.0-73.0	f.g. grn chl sch merg w above				
73.0-102.0	f.g. comp grs sch				
102.0-123.0	gry chl-ser sch; t.s. qut z -carb 116.0-118.0	12096	2.0	.02	
123.0-136.0	gry ser sch w qut z lenses; t.s. 133.5-136.0	12097	2.5	.04	
136.0-143.0	30% qut z -carb in partly silic ser sch py, local aspy	12098	7.0	.41	
143.0-150.0	qut z lenses in ser sch; minor min	12099	7.0	.07	
150.0-154.0	dk chl-ser sch	12100	4.0	.05	
154.0-158.0	20% qut z -carb; py, aspy	12053	4.0	.32	1.280
158.0-163.0	as above	12054	5.0	.17	.850
163.0-171.0	grn waxy chl-ser sch				2.130

From	To	C.L.	Grade
136.0	143.0	7.0	.41
154.0	163.0	9.0	.23

DIP TEST

Logged by JDB

Depth	Read.	Correct
165	74	71

Hole No. U-C1100

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-B1099SHAFT 2BEARING -LAT. 13969.63

DATE COMPLETED _____

LEVEL 575DIP AT COLLAR -90DEP. 7861.15PURPOSE Dev.WORKING B-409LENGTH 174.0ELEV. 5441.5SECTION 2200N

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-2.0	cs				
2.0-49.0	f.g. lt. grn sch grs; retic ep. strs				
49.0-52.0	gry-grn grs sch				
52.0-174.0	gry chl-ser sch; mat with qtz-carb, t.s. barren qtz-carb lenses 124.0-131.0	9479	7.0	.03	

Logged by DMHole No. U-B1099

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-01098SHAFT 2BEARING S40ELAT. 70°51' 00"

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR 45DEP. 6713.50PURPOSE Dev.WORKING C-701 WLENGTH 115.0ELEV. 5055.5SECTION 12008

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0-	cs				
1.0-21.5	f.g. grn chl'c grs sch				
21.5-43.0	f.g. grn-gry chl-ser sch				
43.0-58.5	ser sch w qutz-carb lenses; no sig min				
58.5-62.5	20% qutz-carb; minor min	12091	4.0	.20	.300
62.5-66.5	qutz lenses in ser sch; minor min	12092	4.0	.15	.600
66.5-69.0	70% qutz w retic carb; sparing min	12093	2.5	.12	.300
					1.700
69.0-79.0	buff ser sch w qutz-carb & neg min				
79.0-84.0	20% qutz; minor min	12094	5.0	.15	
84.0-89.5	20% qutz in silic ser sch; py, aspy	12095	5.5	.06	
89.5-95.0	gry-buff ser sch				
95.0-102.0	grn-gry chl-ser sch				
102.0-115.0	f.g. grn grs sch				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	58.5 69.0 10.5 .16				
	79.0 89.5 10.5 .10				

Logged by JDBHole No. U-01098

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-C1097SHAFT 3BEARING S60ELAT. 10596.02

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR Hor.DEP. 6713.50PURPOSE Dev.WORKING C-704 NLENGTH 121.0ELEV. 5252SECTION 1300S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-15.5	f.g. chl'c grs sch merg w chl sch				
15.5-27.0	f.g. grn-buff chl-ser sch				
27.0-44.0	gry-buff ser sch; qutzz-carb lenses				
44.0-49.0	qutzz lenses in ser sch; local py, aspy	12083	5.0	.37	
49.0-54.0	as above; minor min	12084	5.0	.01	
54.0-59.0	as above	12085	5.0	.12	
59.0-81.5	gry-buff ser sch w qutzz-carb lenses t.s. 79.0-81.5	12086	2.5	.03	
81.5-86.5	70% qutzz-carb; sparing py, acic aspy	12087	5.0	.63	3.150
86.5-92.0	as above	12088	5.5	.55	3.025
92.0-95.0	40% qutzz; local gry & bronze min	12089	3.0	.55	1.650
95.0-104.0	banded buff-gry ser sch				7.825
104.0-109.0	comp grn chl-ser sch				
		From	To	G.L.	Grade
		44.0	49.0	5.0	.37
109.0-121.0 f.f. grn chl'c grs sch		81.5	95.0	13.5	.58

Logged by JDRHole No. U-C1097

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-01096
BEARING S60E
DIP AT COLLAR -30
LENGTH 117.0

LAT. 10684.37
DEP. 6760.45
ELEV. 5249.5
DATE COMPLETED _____
PURPOSE Dev.

SHAFT 3
LEVEL 750
WORKING C-704N
SECTION 1200S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-13.0	lt grn chl-ser sch				
13.0-31.0	f.g. grn mottled chl'e grs sch				
31.0-68.0	f.g. gry-buff mottled ser sch; qutzz-carb lenses; local min t.s. 63.0-68.0	12075	5.0	.13	
68.0-73.0	qutzz lenses in ser sch; minor min	12076	5.0	.07	
73.0-78.0	as above	12077	5.0	.01	
78.0-83.5	20% qutzz streaked in yellow silic ser sch; acic aspy, po? bronze dense min	12078	5.5	.92	5.060
83.5-86.5	qutzz-carb w resid ser; heavily min w gry min & bronze min, speck v.g.	12079	3.0	.33	.990
86.5-88.0	buff ser sch w qutzz lenses & minor min	12080	1.5	.35	.525
					6.575
95.5-117.0	gry chl-ser sch approach chl sch by 117.0				
	<u>From</u> <u>To</u> <u>G.L.</u> <u>Grade</u>				
	78.0 83.0 10.0 .65				

GIANT YELLOWKNIFE GOLD MINES LIMITED

HOLE No. U-G1095BEARING S60EDIP AT COLLAR -4 75LENGTH 140.0LAT. 10684.37DEP. 6760.45ELEV. 5256

DATE COMPLETED _____

PURPOSE Dev.SHAFT 3LEVEL 750WORKING C-704NSECTION 1200S

CORE RECORD

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-1.0	cs				
1.0-12.0	gran grs sch merg w chl-ser sch				
12.0-24.0	gran chl-ser sch; t.s. min sect 13.5-15.5	12070	2.0	.10	
24.0-28.5	20% qtz; local min	12071	4.5	.02	
28.5-39.0	buff-gry ser sch				
39.0-73.5	comp grn-gry chl-ser sch				
73.5-93.0	buff mottled ser sch; t.s. 80.5-82.0	12072	1.5	.01	
93.0-98.0	20% qtz-carb in silic ser sch; minor min	12073	5.0	.26	
98.0-119.0	buff ser sch w qtz lenses; t.s. 104.0-105.5	12074	1.5	.06	
119.0-126.0	20% qtz; minor min	12081	7.0	.01	
126.0-133.0	as above; py, aspy	12082	5/7.0	.13	
133.0-140.0	gry buff ser sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div>				
	<div> <div>93.0</div> <div>98.0</div> <div>5.0</div> <div>.26</div> </div>				

Logged by JDBHole No. U-G1095

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1094

SHAFT 3

BEARING S60E

LAT. 10684.37

DATE COMPLETED _____

LEVEL 750

DIP AT COLLAR 4 60

DEP. 6760.45

PURPOSE Dev.

WORKING C-704N

LENGTH 106.0

ELEV. 5255

SECTION 1200S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS													
				OZ./TON	OZ./TON												
0-1.0	cs																
1.0-37.0	gry-buff chl-ser sch																
37.0-41.0	q20% qutz-carb; minor min	12066	4.0	.47													
41.0-62.0	gry-buff chl-ser sch; t.s. 57.0-58.0	12067	1.0	.02													
62.0-82.0	buff ser sch; local minor min																
82.0-87.0	as above with minor qutz-carb	12068	5.0	.07													
87.0-90.5	as above w increas qutz & min	12069	3.5	.23													
90.5-99.0	gry ser sch																
99.0-106.0	dk gry chl-ser sch																
	<table><tr><td><u>From</u></td><td><u>To</u></td><td><u>C.L.</u></td><td><u>Grade</u></td></tr><tr><td>37.0</td><td>41.0</td><td>4.0</td><td>.47</td></tr><tr><td>87.0</td><td>90.5</td><td>3.5</td><td>.23</td></tr></table>	<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>	37.0	41.0	4.0	.47	87.0	90.5	3.5	.23				
<u>From</u>	<u>To</u>	<u>C.L.</u>	<u>Grade</u>														
37.0	41.0	4.0	.47														
87.0	90.5	3.5	.23														

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1093SHAFT 2BEARING N30ELAT. 13973.5N

DATE COMPLETED _____

LEVEL 575DIP AT COLLAR Hor.DEP. 7863.0EPURPOSE Expl.WORKING B-409LENGTH 546.0ELEV. 5446.0SECTION From 2200N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-9.0	grn-gry grs sch				
9.0-112.0	f.g. grn gry sch grs retic ep strs				
112.5-125.5	f.g. dk grn grs-sch; snfl alt				
125.5-230.0	f.g. grn gry sch grs; retic ep strs				
230.0-242.0	resembles above grs in appearance; cont creamy-wte grains some anys; others porph. (bird?) chilled edges				
242.0-293.0	f.g. grn gry sch grs; retic ep strs				
293.0-297.0	f.g. grn-gry; sch grs				
297.0-319.0	grn-gry grs sch				
319.0-249.0	grn-gry, com chl-ser sch; weak shear				
349.0-362.0	grn-gry grs sch				
362.0-433.0	grn-gry com chl-ser sch; weak shear				
433.0-463.0	grn-gry grs sch				
463.0-493.5	grn sch-grs minor retic ep strs				

Logged by DMHole No. U-B1093

FOOTAGE	DESCRIPTION	SAMPLE No.	SAMPLE LENGTH	GOLD ASSAYS	
				oz./TON	oz./TON
493.5-498.0	grn-gry grs sch				
498.0-536.0	grn gry com chl ser sch				
536.0-537.0	grn gry grs-sch				
537.0-546.0	grn-gry sch grs				

SHAFT 3

LAT. 10684.37

DATE COMPLETED _____

LEVEL 750

DIP AT COLLAR 430

DEP. 6760.45

PURPOSE Dev.

WORKING C-704N

LENGTH 117.0

ELEV. 5255

SECTION 1200S

[illegible]

Logged by JDB

Hole No. U-C1092

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1091
BEARING S60E
DIP AT COLLAR Hor.
LENGTH 94.0

LAT. 10634.37 DATE COMPLETED _____
DEP. 6760.45 PURPOSE Dev.
ELEV. 5253

SHAFT 3
LEVEL 750
WORKING C-704N
SECTION 1200S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-10.0	grn chl-ser sch				
10.0-50.0	buff mottled ser sch (tuffac? 15.0-31.0)				
50.0-56.0	qutlz lenses in ser sch; local py, aspy	12055	6.0	.99	5.940
56.0-59.5	gry min & coarse aspy in dk sch	12056	3.5	.97	3.395
59.5-66.0	30% qutlz-carb; py, aspy	12057	6.5	.38	2.470
66.0-68.5	20% qutlz-carb; py, aspy	12058	2.5	1.05	2.625
68.5-75.5	gry partly silic ser sch; py	12059	7.0	.34	2.380
75.5-77.5	80% qutlz-carb; py, gran aspy, sp	12060	2.0	.51	1.020
					17.830
77.5-79.5	silic ser sch; py	12061	2.0	.06	
79.5-94.0	buff ser sch				
	<u>From</u> <u>To</u> <u>C.L.</u> <u>Grade</u>				
	50.0 77.5 27.5 .64				

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1090SHAFT 3BEARING S60ELAT. 10381.60

DATE COMPLETED _____

LEVEL 750DIP AT COLLAR 45DEP. 6584.56PURPOSE ASD Zone Dev.WORKING C-7055LENGTH 116.0ELEV. 5254.5SECTION 1550S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS OZ./TON OZ./TON	
0-2.0	cs				
2.0-12.0	gry chl-ser sch				
12.0-22.5	dk waxy mottled dense chl-ser sch (tuffac?)				
22.5-25.5	as above w qutz & py	12049	3.0	.10	
25.5-32.0	dk waxy mottled ser sch (tuffac?)				
32.0-75.0	gry-buff chl-ser sch				
75.0-82.5	gry-buff ser sch				
82.5-87.5	20% qutz-carb; minor min	12050	5.0	.14	
87.5-92.5	quartz lenses in ser sch; neg min	12051	5.0	.03	
92.5-99.5	20% qutz-carb; py, aspy	10252	7.0	.40	2.800
99.5-103.5	40% qutz-carb & as above	12053	4.0	.33	1.320
103.5-116.0	gry ser sch				4.120
	<div> <div>From</div> <div>92.5</div> </div> <div> <div>To</div> <div>103.5</div> </div> <div> <div>C.L.</div> <div>11.0</div> </div> <div> <div>Grade</div> <div>.37</div> </div>				

Logged by JDBHole No. U-C1090

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-B1089SHAFT 2BEARING N60WLAT. 13971.60

DATE COMPLETED _____

LEVEL 575DIP AT COLLAR Hor.DEP. 7857.75PURPOSE Expl.WORKING B-409LENGTH 324.0ELEV. 5446SECTION 2200N

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-28.0	f.g. lt. grn sch-grs				
28.0-80.0	gry sch; loc suggestions at bedding; tuffac				
80.0-182.0	fg. med dk grn sch grs snfl alt				
182.0-193.0	med dk grn grs-sch				
193.0-200.0	chl-ser sch				
200.0-221.5	med dk grn grs-sch				
221.5-265.0	f.g., med dk grn, sch-grs; snfl alt				
265.0-270.0	med dk grn grs-sch				
270.0-275.0	dk grn-gry ser sch				
275.0-291.0	lt grn-gry to buff chl-ser sch				
291.0-304.0	dk grn-gry & chl-ser sch				
304.0-324.0	dk grn grs sch				

Logged by DMHole No. U/B1089

GIANT YELLOWKNIFE GOLD MINES LIMITED
CORE RECORD

HOLE No. U-C1088BEARING S60EDIP AT COLLAR 30LENGTH 151.0LAT. 10056.23DEP. 6665.32ELEV. 5250

DATE COMPLETED _____

PURPOSE Dev.SHAFT 3LEVEL 750WORKING C-704NSECTION 1400S

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
0-3.0	cs				
3.0-5.5	grn chl sch				
5.5-57.0	gry mottled ser sch; t.s. 48.0-57.0	12037	9.0	.15	
57.0-66.0	buff ser sch				
66.0-71.0	30% qtz-carb; py, aspy	12038	5.0	.53	2.650
71.0-76.0	40% & as above	12039	5.0	.85	4.250
76.0-80.5	as above	12040	4.5	1.10	4.950
80.5-87.0	70% & as above; local sp & gry min	12041	6.5	.48	3.120
87.0-93.0	as above; v.g.?	12042	6.0	.49	2.940
93.0-97.5	20% qtz-carb; py, minor aspy	12043	4.5	.19	.855
					18.765
97.5-104.0	qtz lenses in ser sch; minor min	12044	6.5	.10	.650
104.0-111.0	as above	12045	7.0	.01	.070

Logged by JDBHole No. U-C1088

FOOTAGE	DESCRIPTION	SAMPLE NUMBER	SAMPLE LENGTH	GOLD ASSAYS	
				OZ./TON	OZ./TON
111.0-117.0	20% qutzz-carb; py, minor aspy, local sp	12046	6.0	.42	2.520
117.0-123.0	20% qutzz-carb; py, aspy, local gry min & sp	12047	6.0	1.00	<u>6.000</u> 28.005
123.0-127.0	qutzz lenses in ser sch; minor min	12048	4.0	.09	
127.0-134.5	as above	12054	7.5	.01	
134.5-151.0	gry mottled ser sch				
	<div> <div>From</div> <div>To</div> <div>C.L.</div> <div>Grade</div> </div> <div> 66.0 123.0 57.0 .49 </div>				